

Genomics to combat Resistance against Antibiotics for Community acquired lower respiratory tract infection (LRTI) in Europe: INternet Training for Reducing antibiOtic use trial

Submission date 07/07/2010	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 07/07/2010	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 15/04/2020	Condition category Respiratory	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Gillian O'Reilly

Contact details
Primary Medical Care
Aldermoor Health Centre
Aldermoor Close
Southampton
United Kingdom
SO16 5ST
-
gor@soton.ac.uk

Additional identifiers

Protocol serial number
8156

Study information

Scientific Title

Genomics to combat Resistance against Antibiotics for Community acquired lower respiratory tract infection (LRTI) in Europe: INternet Training for Reducing antibiOtic use - a multicentre randomised interventional process of care trial

Acronym

GRACE INTRO

Study objectives

This study is part of a programme of research into cough due to chest and other infections across 15 European countries, called GRACE. This part of the GRACE study will be carried out in 6 European countries and aims to improve antibiotic prescribing for acute cough in primary care.

Acute cough/lower respiratory tract infection (LRTI) is one of the commonest reasons why people seek health care and take antibiotics. The implications for use of precious health care resources and antibiotic resistance are considerable. There is a wide variation in antibiotic prescription in Europe, and based on what is known about how comparable patients are investigated and treated in different European countries, there is a need to identify educational programmes directed at clinicians and patients to determine whether they improve the management of acute cough.

This study will compare antibiotic prescribing levels for practices trained via the GRACE INTRO programme (a self directed web based learning package combined with patient booklets), with those not trained, and in addition will determine whether the use of CRP tests (a test that can be performed in the surgery to help GPs decide who to give antibiotics to) are useful in targeting prescriptions to the correct patients. The aim is to see whether GP antibiotic prescribing behavior can be improved so that only those patients with chest infections that will really benefit from antibiotics are prescribed them. We will assess antibiotic use, complications and cost-effectiveness. Up to 5400 patients will take part in this study throughout Europe.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Southampton and South West Hampshire Research Ethics Committee A, 13/05/2010, ref: 10/H0502/29

Study design

Multicentre randomised interventional process of care trial

Primary study design

Interventional

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Topic: Primary Care Research Network for England; Subtopic: Not Assigned; Disease: All Diseases

Interventions

GP practices will be randomised into 4 intervention groups:

1. Routine care
2. Routine care plus GP training into optimal antibiotic use and patient education with booklet (INTRO Programme)
3. Routine care and additional C-reactive protein (CRP) test
4. INTRO Programme and additional CRP test

Antibiotic prescribing for LRTI will be audited for the practices pre- and post-intervention over one winter season.

Study entry: registration only

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Antibiotic prescribing, measured at baseline and after intervention

Key secondary outcome(s)

1. Patient complications after the interventions by measuring significant deterioration of illness
2. Cost effectiveness of the interventions by measuring resource use
3. Issues behind the successes, difficulties and limitations of implementing behaviour change using GP focus groups
4. Patient perceptions of the process using patient interviews

Completion date

01/05/2011

Eligibility

Key inclusion criteria

1. Aged 18 years and over, either sex
2. An illness where a acute cough or worsened cough is the main or dominant symptom, or a clinical presentation suggesting LTRI, greater than or equal to 28 days duration
3. First consultation for this illness episode
4. Seen within normal consulting hours
5. First time in this study
6. Ability to fill out study materials
7. Written consent to participate
8. Immunocompetent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

Patients who are unable to properly consent or fill out the diary (dementia, psychosis, severe depression)

Date of first enrolment

01/10/2010

Date of final enrolment

01/05/2011

Locations**Countries of recruitment**

United Kingdom

England

Belgium

Netherlands

Poland

Spain

Study participating centre

Primary Medical Care

Southampton

United Kingdom

SO16 5ST

Sponsor information**Organisation**

University of Southampton (UK)

ROR

<https://ror.org/01ryk1543>

Funder(s)

Funder type

Government

Funder Name

European Commission (Belgium) - The Sixth Framework Programme (FP6) (ref: LSHM-CT-2005-518226)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	05/10/2013		Yes	No
Results article	results	01/03/2019	15/04/2020	Yes	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes