

# Investigating whether ultrasound stimulation can be used to reset or regulate the heart's rhythm in patients with heart failure

|  |   |   |
|--|---|---|
| <b>Submission date</b><br>21/12/2018   | <b>Recruitment status</b><br>No longer recruiting | <input type="checkbox"/> Prospectively registered<br><input type="checkbox"/> Protocol            |
| <b>Registration date</b><br>08/03/2019 | <b>Overall study status</b><br>Completed          | <input type="checkbox"/> Statistical analysis plan<br><input checked="" type="checkbox"/> Results |
| <b>Last Edited</b><br>12/08/2021       | <b>Condition category</b><br>Circulatory System   | <input type="checkbox"/> Individual participant data  |

## Plain English summary of protocol

### Background and study aims

Heart failure is an illness in which the heart does not pump enough blood to meet the body's needs. A normal heart has four chambers in which blood flows. These chambers contract one after another in a regular and synchronized way. In heart failure patients, these chambers can beat out of sync, which causes a decrease in the flow of blood being pumped by the heart. To restore synchronicity to the heart chambers, doctors can implant a medical device called a Cardiac Resynchronization Therapy (CRT) device (a type of pacemaker) into the chest that makes the chambers beat at a normal rate using electrical impulses (pacing the heart). However, CRT therapy fails in about 3 in 10 implanted patients for unknown reasons. The purpose of the PACE-US study is to find out if it is possible to use ultrasound (sound waves) to pace the heart without inserting anything into the body, and to find out what the effects of this kind of pacing are for participants whose heart chambers beat out of sync. The study's findings will help doctors and researchers understand if pacing the heart with ultrasound can help predict a patient's response to CRT therapy before implanting a device in the patient's body.

### Who can participate?

Adults over the age of 18 who are not pregnant and whose doctor recommends that they get a cardiac resynchronization device.

### What does the study involve?

Study participants will be divided into two groups. Those in the first group will undergo an examination that uses ultrasound to record the heart and the organs around it (echocardiogram or echo/ECG) and an initial blood draw but will not receive ultrasound stimulation (Control group). Those in the second group will undergo an echo examination and an initial blood draw and will then receive ultrasound stimulation (Procedure group). Ultrasound stimulation may happen on the same day, or another day up to a month after the echo exam, and up to a month before CRT device implantation. During the ultrasound stimulation visit, participants will be fitted with a vest to record electrical signals coming from their heart. They will then undergo a Computed Tomography (CT) scan, which uses X-rays to make pictures of their heart. Next, participants will receive several injections into a vein of a substance called 'contrast agent' that

will make it easier to stimulate the heart using ultrasound. After each injection, the doctor will administer a dose of ultrasound energy to their heart from the surface of their chest. These two last steps will be repeated several times. Finally, participant will undergo one or two additional blood draws up to two days after the initial blood draw.

What are the possible benefits and risks of participating?

There will be no direct benefit to those taking part in the PACE-US study. There could be benefits for future patients with heart failure because the results of this study may influence how cardiac resynchronization therapy is performed in the future. The main risk of participating in the study is the pain from the blood draws. Moreover, for participants in the Procedure group, the main risks are the pain and possible bruising from having the contrast agent injected into a vein. A rare (up to 1 in 500 patients) risk of the contrast agent is to have a serious allergic reaction to it. Therefore, the study team will follow routine safety procedures to minimize the risks related to the blood draw and the injection of the contrast agent. Finally, a risk of receiving ultrasound stimulation comes from the fact that the study equipment will make the heart beat using ultrasound (sound waves) rather than electrical impulses, which is how the heart beats naturally. Therefore, there is a risk of injury to the heart muscle and changes in the way that the heart beats. The study team will minimize the risk from the ultrasound by following safety measures when using the equipment, and by selecting participants who are at low risk for injury. There may be other risks related to this study that are not yet known.

Where is the study run from?

The PACE-US study will be run from the Heart and Vascular Center at the University of Virginia (UVA), USA.

When is the study starting and how long is it expected to run for?

March 2018 to May 2021

Who is funding the study?

Medtronic, a company that develops and sells medical devices

Who is the main contact?

Joy Aso (updated 23/04/2020, previously: Jessica Lukken)  
joy.a.aso@medtronic.com

## Contact information

### Type(s)

Public

### Contact name

Ms Jessica Lukken

### ORCID ID

<https://orcid.org/0000-0002-6271-9809>

### Contact details

8200 Coral Sea Street NE  
Mounds View  
United States of America  
55112

**Type(s)**

Scientific

**Contact name**

Ms Joy Aso

**Contact details**

8200 Coral Sea Street NE

Mounds View

United States of America

55112

+1 7635269073

joy.a.aso@medtronic.com

**Additional identifiers****Protocol serial number**

MDT18016

**Study information****Scientific Title**

Feasibility of ultrasound as a temporary pacing or resynchronization technique, an acute clinical evaluation

**Acronym**

PACE-US

**Study objectives**

This study uses non-invasive ultrasound to assess the feasibility of temporary cardiac pacing or resynchronization; and characterizes troponin I level before and after non-invasive ultrasound stimulation.

This feasibility study is not powered to formally test a hypothesis.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Approved 11/06/2019, University of Virginia IRB for Health Sciences Research (IRB-HSR) (One Morton Drive Suite 400, Box 5, Charlottesville, VA 22903), ref: 00000447

**Study design**

Prospective non-randomized multicenter feasibility study

**Primary study design**

Interventional

**Study type(s)**

Treatment

## **Health condition(s) or problem(s) studied**

Cardiac Resynchronization Therapy (CRT) in patients with heart failure

## **Interventions**

Standard demographic and medical history will be collected at a baseline visit. The subjects will be assigned to either a Procedure cohort or Control cohort at the baseline visit, based on several criteria to be evaluated by the Investigator.

The study Procedure testing will precede the subject's planned indicated CRT procedure.

Subjects assigned to the Control cohort will undergo a blood draw for troponin measurement prior to their standard indicated CRT procedure. Patients assigned to the Procedure Cohort will undergo several non-invasive study testings, which are expected to add approximately 40 minutes to the patient's planned indicated CRT procedure.

Patients assigned to the Procedure Cohort will be fitted with a disposable CardioInsight™ Mapping Vest that can gather electrophysiological data from the body surface and will undergo a cardiac CT scan. They will then be injected with ultrasound contrast agent intravenously and will receive a series of non-invasive stimulation bursts targeted at their heart from an ultrasound probe placed on their chest. The position and orientation of the ultrasound probe will be changed during the Ultrasound Stimulation Procedure in order to find a pacing location where cardiac capture can be achieved. The ultrasound bursts will be triggered by atrial activation (i.e., the P-wave) and delivered with a variable time delay for each ultrasound probe position in an attempt to resynchronize the heart. Surface ECG signals will be acquired continuously to assess the occurrence of ultrasonically captured beats. Chest ECG data from the CardioInsight™ Mapping Vest will be acquired to assess the electrical activation map with and without Ultrasound Stimulation. Ultrasound pacing and resynchronization data will be programmed and collected during the Procedure visit for the Procedure cohort subjects by an investigational study system. Also blood measurement, medication and CT scan will be collected for the Procedure cohort subjects prior to their planned indicated CRT procedure.

Subjects will be followed through their routine pre-hospital discharge visit to collect two blood draws prior to hospital discharge. After their standard hospital discharge visit the subjects will have completed their study participation and will continue to receive their standard of care. In case of any ongoing adverse events related to the study procedure or system, all efforts will be made to follow-up the subject until the adverse event is resolved or until 30 days after their CRT procedure visit.

During this study following data will also be collected, as they occur: adverse event, device deficiencies, study deviations, study exit, and death.

## **Intervention Type**

Device

## **Phase**

Not Applicable

## **Primary outcome(s)**

Proportion of subjects who achieve successful pacing, defined as heart capture observed on the ECG for at least three consecutive beats after ultrasonic pacing stimuli are delivered to at least one pacing location. Descriptive statistics will be used to summarize the number of captured beats. The number and percent of subjects with a successful pacing outcome will be reported. All Procedure cohort subjects who complete enrollment and for whom at least one acoustic window is found will be included in the analysis.

## **Key secondary outcome(s)**

1. Successful resynchronization event, defined as normalization of the QRS duration and electrical dyssynchrony index assessed using CardioInsight electrical activation maps at any time point during Ultrasound Stimulation testing
2. Cardiac Troponin I level in blood at baseline and at 4-8hrs or 24-48hrs after Ultrasound Stimulation testing for the subjects assigned to the Procedure cohort or at baseline and at 4-8hrs or 24-48hrs after baseline for the subjects assigned to the Control cohort

**Completion date**

03/05/2021

## Eligibility

**Key inclusion criteria**

1. Meets standard criteria for implantation of a CRT-P or CRT-D device according to local guidelines
2. Subject (or legally authorized representative) has signed and dated the Informed Consent Form
3. Aged 18 years or older

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Mixed

**Lower age limit**

18 years

**Sex**

All

**Total final enrolment**

20

**Key exclusion criteria**

1. Confirmed myocardial damage, cardiac or chest surgery, or coronary procedure within the previous 30 days
2. Enrolled in a concurrent study that may confound the results of this study, without documented pre-approval from a Medtronic study manager
3. Pregnant, or of childbearing potential and not on a reliable form of birth control. Women of childbearing potential are required to have a negative pregnancy test within 7 days prior to the PACE-US Procedure visit.
4. Meets exclusion criteria required by local law (e.g. age, etc.)
5. Has any medical condition that would limit study participation per physician discretion

**Date of first enrolment**

25/09/2018

**Date of final enrolment**

28/05/2021

## Locations

**Countries of recruitment**

United States of America

**Study participating centre**

**University of Virginia Medical Center**

1001 North Emmet Street

Charlottesville

United States of America

22903

## Sponsor information

**Organisation**

Medtronic, Inc.

**ROR**

<https://ror.org/00grd1h17>

## Funder(s)

**Funder type**

Industry

**Funder Name**

Medtronic

**Alternative Name(s)**

Medtronic Inc.

**Funding Body Type**

Private sector organisation

**Funding Body Subtype**

For-profit companies (industry)

**Location**

United States of America

## Results and Publications

### Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available because datasets are considered Medtronic-confidential. Analysed data will be available in the results publication.

### IPD sharing plan summary

Not expected to be made available

### Study outputs

| Output type                   | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|-------------------------------|---------|--------------|------------|----------------|-----------------|
| <a href="#">Basic results</a> |         | 12/08/2021   | 12/08/2021 | No             | No              |