

# Effect of high flow oxygen on exercise capacity in patients with interstitial lung diseases during an exercise test on a bicycle compared with the effect obtained using low flow oxygen

<b>Submission date</b> 17/05/2021	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 21/05/2021	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 03/03/2025	<b>Condition category</b> Respiratory	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Interstitial lung disease (ILD) is a diverse group of illnesses that cause damage to the lungs through varying degrees of inflammation. One of the main problems of this disease is the drop in the levels of oxygen in the blood on the exercise, which leads to functional limitation and alteration of the quality of life of these patients. Oxygen supplementation during exercise might allow physical training at a higher level. The purpose of this test is to evaluate the maximal capacity of the lungs and heart during the exercise.

### Who can participate?

All patients affected with interstitial lung diseases referred to the physiotherapy department to receive pulmonary rehabilitation in the Lothian region between 18 and 80 years old and with the ability to give informed consent will be able to participate.

### What does the study involve?

The study will run for only 2 days. During the first day height, weight, spirometry, and an exercise test will be taken. Spirometry is a test that will measure the lung function of the participants. They will be examined by this simple breathing test, where participants will be seated and given up to 4 puffs (up to 400 micrograms) of salbutamol inhaler. After about 15 minutes, participants will be asked to blow hard and fast into a tube for as long as they can. It is the same procedure as the one they have done in outpatient clinic. Moreover, during the first day, participants will be asked to carry out a maximal exercise test on a bicycle called Cardiopulmonary Exercise Test (CPET). We will get participants on the bicycle first, they will have to just breathing for 1 minute before we start them exercising and then there will be a warm up period of 3 minutes easy pedalling before we start increasing the workload as though participants were going up a hill. We want participants to really push themselves and do as much as possible. The workload progressively increases, and the test is completed when participants are too breathless to continue. The purpose of this test is to measure how much time their lungs and heart are able to do exercise.

During the second day, participants will undergo two exercise tests on a bicycle, but this time the workload will be constant, (75% of the maximal work load obtained from the maximal exercise test conducted the day before) separated by 60 minutes. Patients will receive randomly oxygen delivered via nasal cannula or HFNO using sealed letters, according to this some participants will first receive oxygen through HFNO and then through a nasal cannula and vice versa.

What are the possible benefits and risks of participating?

The information gained from the participation of the patients may enable us to come up with the most optimal rehabilitation programme in the future, and this may benefit patients with ILD. Their results from the assessments we perform will also be made available to them and their general practitioner with their consent. We will inform them and their GP if anything with clinical relevance is found.

During a CPET participants might experience the following: breathlessness or leg fatigue. They can stop the test at any time. Other more unfrequent symptoms may develop during exercise such as chest pain, drop in blood oxygen levels, drop or increment in their blood pressure. We will be monitoring these and we may decide to stop the test if we feel this is a risk. A clinician will be available to deal with any problem.

Where is the study run from?

Department of Physiotherapy of the Royal Infirmary of Edinburgh (UK)

When is the study starting and how long is it expected to run for?

February 2021 to October 2023

Who is funding the study?

Chilean National Scholarship Program for Graduate Studies

Who is the main contact?

Dr Roberto Rabinovich, roberto.rabinovich@ed.ac.uk

## Contact information

**Type(s)**

Public

**Contact name**

Mr Jaime Jimenez

**Contact details**

51 Little France Crescent

Old Dalkeith Road

Edinburgh

United Kingdom

EH16 4SA

+44 (0)7395 680751

s1879414@ed.ac.uk

**Type(s)**

Scientific

**Contact name**

Dr Roberto Rabinovich

**Contact details**

51 Little France Crescent  
Old Dalkeith Road  
Edinburgh  
United Kingdom  
EH16 4SA  
+44 (0)131 2427370  
roberto.rabinovich@nhslothian.scot.nhs.uk

**Additional identifiers****Clinical Trials Information System (CTIS)**

Nil known

**Integrated Research Application System (IRAS)**

299088

**Protocol serial number**

IRAS 299088, AC21047

**Study information****Scientific Title**

Effect of HFNO on exercise tolerance in patients with interstitial lung diseases during a constant work rate cycle test compared with the effect obtained using oxygen through nasal cannula

**Study objectives**

High Flow Nasal Oxygen (HFNO) increases exercise tolerance in patients with Interstitial Lung Diseases (ILD) in a lab setting assessed as exercise endurance (Tlim) during a Constant Work Rate Exercise Test (CWRET)

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Approved 29/11/2021, South East Scotland REC 02 (2nd Floor, Waverley Gate, 2-4 Waterloo Place, Edinburgh, EH1 3EG, UK; +44 (0)131 536 9000; sandra.wyllie@nhslothian.scot.nhs.uk), ref: 21/SS/0046

**Study design**

Single-centre randomized controlled cross-sectional study

**Primary study design**

Interventional

**Study type(s)**

Treatment

## **Health condition(s) or problem(s) studied**

Exercise tolerance in patients with interstitial lung diseases

## **Interventions**

**RECRUITMENT, CONSENT AND SCREENING:** all Patients affected with interstitial lung diseases referred to the physiotherapy department to receive pulmonary rehabilitation in the Lothian region will be invited by a member of the direct care team to participate and will receive a patient's information sheet with an invitation to attend pre-assessment for this study. Patients will be given more than 24 hours to consider participation in the study, signing the informed consent. At pre-assessment, the study will be explained to them and written informed consent will be obtained from those agreeing to participate.

**RANDOMISATION:** following confirmation of eligibility by the CI or PI and signature of the informed consent, patients will be randomised using sealed letters to HFNO or nasal cannula. Patients will be sequentially randomised. Randomisation code and sealing of envelopes will be done by the research nurse and stored in a room at Royal Infirmary of Edinburgh (RIE) accessible with a key.

**BLINDING:** in this open label study patients will not be blinded in respect to the modality of oxygen delivery but will not know the dose of oxygen they will be receiving or their SpO<sub>2</sub> during the tests.

**INTERVENTION:** the intervention consists of supplemental oxygen delivered via HFNO at 37°C. Patients that find too warm this temperature can receive HFNO at 34°C. HFNO has a humidifier that saturates the gas mixture at temperature of 31 to 37 C. To minimize condensation, the heated humidified gas is delivered via heated tubings through a wide-bore nasal prong. Air flow will be 50 L/min and FiO<sub>2</sub> will be titrated to maintain SpO<sub>2</sub> above 88%. The comparator will be oxygen delivered via nasal cannula titrated to the same SpO<sub>2</sub>. Both Constant Work Rate Exercise Tests (CWRET) will be performed at the same work load (75% of the maximal watts achieved beforehand during a Cardiopulmonary Exercise Test (CPET)).

**DURATION OF THE STUDY:** patients will attend 2 days. On the first day anthropometric and lung function data will be obtained and CPET in a cycle-ergometer will be performed.

On the second day, patients will perform two constant work rate cycle tests at 75% of the maximal work load obtained from a CPET separated by 60 minutes. Patients will receive randomly oxygen delivered via nasal cannula or HFNO. During all these tests, heart rate, oxygen levels in the blood and blood pressure will be monitored.

## **Intervention Type**

Supplement

## **Primary outcome(s)**

Exercise capacity assessed as endurance time (T<sub>lim</sub>) during a constant work rate cycle test at 75% of the maximal work load (obtained beforehand from a CPET) at a single time point

## **Key secondary outcome(s)**

1. SpO<sub>2</sub> measured using a pulse oximeter throughout the CPET performed the first day and during the 2 CWRET performed during the second day
2. Heart rate (bpm) measured using a pulse oximeter throughout the CPET performed the first

day and during the 2 CWRET performed during the second day

3. Dyspnoea and leg fatigue measured using the Borg scale at before and after of each test

**Completion date**

30/12/2023

## Eligibility

**Key inclusion criteria**

1. Fibrosing lung disease on HRCT obtained from medical records, defined as reticular abnormality with traction bronchiectasis with or without honeycombing, with disease extent of >10%, performed within 24 months of screening visit Clinical stability concerning pulmonary infections or acute exacerbations within the previous four weeks of inclusion in the study
2. Absence of recent Myocardial Infarction (within last 3 months), unstable angina, other significant cardiac problems, systolic blood pressure >180 mmHg, diastolic blood pressure >100 mmHg or tachycardia (higher than 100 bpm)
3. Absence of significant orthopaedic, neurological, cognitive and/or psychiatric impairment restricting mobility
4. Not following any exercise programme in the last 3 months
5. Participants between 18 and 80 years old will be recruited and with the ability to give informed consent

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Upper age limit**

80 years

**Sex**

All

**Total final enrolment**

18

**Key exclusion criteria**

1. Emphysema greater than extent of fibrosis on high resolution computed tomography (HRCT) of the thorax
2. FEV1/FVC ratio < 70%
3. Involvement in the planning and/or conduct of the study
4. Participants should not be taking part in other interventional studies
5. Patient is unable to attend the assessment sessions or would like to withdraw from the study

6. Absolute contraindications for cardiopulmonary exercise testing, which are:

- 6.1. Unstable angina
- 6.2. Uncontrolled arrhythmias causing symptoms or hemodynamic compromise
- 6.3. Syncope
- 6.4. Active endocarditis.
- 6.5. Acute myocarditis or pericarditis
- 6.6. Symptomatic severe aortic stenosis
- 6.7. Uncontrolled heart failure
- 6.8. Acute pulmonary embolus or pulmonary infarction
- 6.9. Thrombosis of lower extremities
- 6.10. Suspected dissecting aneurysm
- 6.11. Uncontrolled asthma
- 6.12. Pulmonary edema
- 6.13. Room air desaturation at rest  $\leq 85\%$
- 6.14. Respiratory failure
- 6.15. Acute noncardiopulmonary disorder that may affect exercise performance or be aggravated by exercise (i.e. infection, renal failure, thyrotoxicosis)
- 6.16. Mental impairment leading to inability to cooperate

**Date of first enrolment**

16/05/2022

**Date of final enrolment**

08/11/2023

## Locations

**Countries of recruitment**

United Kingdom

Scotland

**Study participating centre**

**Royal Infirmary of Edinburgh**

51 Little France Crescent

Old Dalkeith Rd

Edinburgh

United Kingdom

EH16 4SA

## Sponsor information

**Organisation**

University of Edinburgh

**ROR**

## **Funder(s)**

### **Funder type**

Government

### **Funder Name**

Chilean National Scholarship Program for Graduate Studies (ANID)

## **Results and Publications**

### **Individual participant data (IPD) sharing plan**

The datasets generated during and/or analysed during the current study will be stored in a non-publically available repository.

### **DATA MANAGEMENT AND ANALYSIS**

Data will be entered in an Excel datasheet and imported to the statistical package SPSS version 23 for analysis. The anonymised database will be held on a university computer.

### **PERSONAL DATA**

The following personal data will be collected as part of the research: Name, CHI number, study-related unique identifier number, gender, and age. The data will be collected on paper and held in The Royal Infirmary of Edinburgh in a locked room. The study data will be entered in an anonymised database where patients will be with the study-related unique identifier number held in a university computer at CIR. Personal data will be stored for 3 years.

### **DATA INFORMATION FLOW**

Personal data will be collected for approximately 6 months and these will be used for 6 more months and will be deleted 3 years after finishing the study.

### **TRANSFER OF DATA**

Data collected or generated by the study (including personal data) will not be transferred to any external individuals or organisations outside of the Sponsoring organisation(s).

### **DATA CONTROLLER**

A data controller is an organisation that determines the purposes for which, and the manner in which, any personal data are processed. The University of Edinburgh and NHS Lothian are joint data controllers along with any other entities involved in delivering the study that may be a data controller in accordance with applicable laws (e.g. the site)

### **DATA BREACHES**

Any data breaches will be reported to the University of Edinburgh and NHS Lothian Data Protection Officers who will onward report to the relevant authority according to the appropriate timelines if required.

## IPD sharing plan summary

Stored in non-publicly available repository

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Basic results</a>		03/03/2025	03/03/2025	No	No
<a href="#">Participant information sheet</a>	version v1.0	28/04/2021	01/06/2021	No	Yes
<a href="#">Protocol file</a>	version v1.0	28/04/2021	01/06/2021	No	No