

# Does restrictive screen use before bedtime improve sleep among young adults in the long run?

<b>Submission date</b> 04/02/2026	<b>Recruitment status</b> Recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 06/02/2026	<b>Overall study status</b> Ongoing	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 08/04/2026	<b>Condition category</b> Nervous System Diseases	<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Sleep problems are common among young people. Today, health care recommends avoiding screens before bedtime for sleep problems. This study will investigate whether and how sleep is affected when participants do not use screens during the night, starting 30 minutes before bedtime. Screens, meaning mobile phones, computers, tablets, TVs and similar technology. The study aims to investigate whether and how restrictive screen use before bedtime and during the night affects sleep in the short and long term. In addition, the aim is to investigate whether the advice not to use screens can be followed and whether there is a correlation between screen use and sleep problems.

### Who can participate?

Students and former students from Swedish universities and colleges aged 20-29 years who use an iPhone or Android mobile phone and experience sleeping problems.

### What does the study involve?

Participants are randomly divided into two groups: One group refrains from screen use at night starting 30 minutes before bedtime. The other group is asked to live as usual for 10 consecutive days. The sleep of the two groups is then compared. To be in the study, participants need to use either an Android or an iPhone mobile phone.

Some participants (15-20) who have experienced restriction from screens will be interviewed about their experiences. All participants will be asked to fill in a short questionnaire after the first 10 days of the study. After 3, 6 and 12 months, follow-ups take place with written questions about screen use, sleep habits and other experiences and perceptions about sleep.

### What are the possible benefits and risks of participating?

**Benefits:** The study may contribute to a more stable scientific basis for advice on sleep problems and simultaneous screen use, which in the long term could contribute to improved public health. Participants will have the opportunity to reflect on their screen use. When the study is completed, participants can, if they wish, take part in the screen time and movement recording.

Risks: There are no major risks associated with participating. Filling out basic forms, a sleep diary, handling an actigraph, taking screen shots, and participating in a possible interview will take some time. If the screen usage is high, there might be withdrawal reactions after screen restriction.

Where is the study run from?

University of Gothenburg, The Sahlgrenska Academy, Sweden.

When is the study starting and how long is it expected to run for?

December 2025 to June 2028

Who is funding the study?

1. Kamprad Family Foundation, Sweden.
2. Region Västra Götaland, Sweden.

Who is the main contact?

Dr Ingmarie Skoglund, [ingmarie.skoglund@vgregion.se](mailto:ingmarie.skoglund@vgregion.se), [ingmarie.skoglund@telia.com](mailto:ingmarie.skoglund@telia.com)

## Contact information

### Type(s)

Principal investigator, Scientific, Public

### Contact name

Dr Ingmarie Skoglund

### Contact details

University of Gothenburg, The Sahlgrenska Academy, Institute of Medicine, School of Public Health and Community Medicine, Community Medicine

Gothenburg

Sweden

405 30

+46708594137

[ingmarie.skoglund@telia.com](mailto:ingmarie.skoglund@telia.com)

### Type(s)

Public, Scientific, Principal investigator

### Contact name

Dr Ingmarie Skoglund

### Contact details

University of Gothenburg, The Sahlgrenska Academy, Institute of Medicine, School of Public Health and Community Medicine, Community Medicine

Gothenburg

Sweden

405 30

+46708594137

[ingmarie.skoglund@gu.se](mailto:ingmarie.skoglund@gu.se)

# Additional identifiers

## Study information

### Scientific Title

Does restrictive screen use before bedtime improve sleep in the long run? A randomised controlled trial among young adults with sleeping problems.

### Acronym

SoS

### Study objectives

To investigate if sleep in young adults with sleeping problems improve their sleep in the short and the long run after restricted screen use 30 minutes before bedtime and during the night, compared with no restriction, and to investigate how restriction is perceived.

### Ethics approval required

Ethics approval required

### Ethics approval(s)

1. approved 16/09/2021, Stockholm avdelning övrig (Etikprövningsmyndigheten Box 2110, Uppsala, 750 02, Sweden; +46 -10-475 08 00; [registrator@etikprovning.se](mailto:registrator@etikprovning.se)), ref: 2021-04222
2. approved 03/02/2026, Stockholm avdelning övrig (Etikprövningsmyndigheten Box 2110, Uppsala, 750 02, Sweden; +46 -10-475 08 00; [registrator@etikprovning.se](mailto:registrator@etikprovning.se)), ref: 2023-00625-02
3. approved 24/11/2025, Stockholm avdelning övrig (Etikprövningsmyndigheten Box 2110, Uppsala, 750 02, Sweden; 0046 -10-475 08 00; [registrator@etikprovning.se](mailto:registrator@etikprovning.se)), ref: 2025-07227-02
4. approved 10/02/2026, Stockholm avdelning övrig (Etikprövningsmyndigheten Box 2110, Uppsala, 750 02, Sweden; +46 -10-475 08 00; [registrator@etikprovning.se](mailto:registrator@etikprovning.se)), ref: 2025-08565-02

### Primary study design

Interventional

### Allocation

Randomized controlled trial

### Masking

Open (masking not used)

### Control

Uncontrolled

### Assignment

Single

### Purpose

Prevention, To find out if screen restriction 30 minutes before bedtime and during 10 nights is feasible and to describe the quality of sleep in the long run.

## Study type(s)

### Health condition(s) or problem(s) studied

ICD-10 Version: 2019: G47.9 Sleep disorder.

### Interventions

Brief name

Restricted/no use of mobile phone/screen use 30 minutes before bedtime.

Why

Theory: The best way to test the hypothesis is a randomized controlled trial (RCT). The RCT handles biases and confounders. Due to the nature of the intervention, blinding is impossible. In primary care, pragmatic approaches must often be used to answer complex questions. As for theories using the results, these theories may be useful: the Self-Determination Theory (SDT), in which the context and quality in motivation are important for behavioural changes; the Health Belief Model (HBM), a sociopsychological health behaviour change model; and the transtheoretical model of health behaviour change, which posits six stages of change: precontemplation, contemplation, preparation, action, maintenance, and termination.

Given that the feasibility of sustained screen restriction among young adults remains largely unexplored, the RCT will be complemented by several qualitative components, oral and written. This mixed-methods design enables a nuanced understanding of the results in the study.

The main rationales are to find out whether the advice of screen restriction works, what effect restriction might have on sleep quality, how it is experienced by the participants, and how sleep is perceived during a year. Follow-ups at 3, 6 and 12 months.

What

Two hundred and twenty university students aged 20–29 years from universities in Region Västra Götaland (VG), who are self-reporting sleeping problems and use a mobile phone, are recruited from 1102 students who have already answered a questionnaire about sleep and screen use. If needed, additional participants will be recruited through collaboration with the student unions and health organizations. Region VG is a mini-Sweden regarding the composition of the population.

Restriction implies not using mobile phones or any screens for 30 minutes before bedtime and during the night. Participants in the restriction group will be told to put their mobile phone outside the bedroom and not to have any other screens in the bedroom. They are to set the mobile phone to silent mode to avoid disturbances during the night.

The other measures are common for the two groups: The introduction includes how to fill in the background form, how to use the actigraph, how to take and send screenshots from the mobile phone, including from the week before study start as a proxy measure of screen use at night, and how to fill in the daily sleep diary via an application or eS Maker link. Actigraphy is an established medical-grade biometric monitoring technology and will be used to measure movement across the intervention/control period, from which sleep–wake activity will be derived. It will be kept on the wrist around the clock. If exceptions are necessary, this must be communicated. After the 10 days, actigraphs will be returned and screenshots delivered to the research group. Both groups receive information folders about their respective ways of handling mobile phones and telephone numbers to the researchers if contact is necessary.

## Procedures

As above. Follow-ups are similar for both groups at 3, 6 and 12 months. A questionnaire is sent digitally to all participants. Fifteen to twenty participants in the intervention group will be interviewed digitally for approximately 45 minutes to explore experiences and thoughts after the restriction.

## Who provided

One or two of the three researchers in charge of the inclusion process provide the information according to our template/form regarding the intervention and control. Their backgrounds are general practitioner, district nurse, and behavioural science counsellor/PhD student. All are scientifically trained, experienced, and continuously rehearse the process.

## How

The information is given face-to-face with one participant at a time. The information session takes about 45–60 minutes. A template for the introduction, including intervention/control, is followed.

## Where

The meeting for introducing the participants to the study is held at a secluded place at the University of Gothenburg or in known premises belonging to the R&D department of Region Västra Götaland.

## When and how much

The information is given to participants in both the intervention and control groups for approximately the same duration on one occasion, as described above.

There is no tailoring or modifications.

## How well

We monitor whether recording in the actigraph, screenshots to record screen use, and the sleep diary function are used correctly and are used.

## Randomisation Method

Randomization was performed in advance, prior to study initiation, using a webbased, stratified randomization method. The study included 220 participants, who were randomized in blocks of 10 participants per occasion, generating a total of 22 randomization blocks. Each participant was assigned a unique study ID between 000 and 999 and randomized to the intervention or control group using a seed-based (seed = 42) block randomization algorithm. This method ensured balanced group allocation, with exactly 110 participants in each group at study initiation. The study was doubleblind, and the randomization list was maintained by the responsible researcher without access for members of the research group who would conduct analysis of the actigraphy-collected data.

## Intervention Type

Behavioural

## Primary outcome(s)

1. Sleeping time measured using movement measurements with actigraphy in combination with measuring screen time and sleep diaries at baseline, and after 3,6 and 12 months

## Key secondary outcome(s)

1. Experiences from restriction from screens measured using interviews and questionnaires at 10 days and 3,6 and 12 months

**Completion date**

28/06/2028

## Eligibility

**Key inclusion criteria**

1. Students and former students from Swedish universities and colleges
2. Ages 20-29 years
3. The participants use iPhone or Android mobile phones
4. The participants experience sleeping problems

**Healthy volunteers allowed**

Yes

**Age group**

Adult

**Lower age limit**

20 years

**Upper age limit**

29 years

**Sex**

All

**Total final enrolment**

0

**Key exclusion criteria**

Not meeting the key inclusion criteria.

**Date of first enrolment**

04/12/2025

**Date of final enrolment**

28/06/2027

## Locations

**Countries of recruitment**

Sweden

## Sponsor information

**Organisation**

Kamprad Family Foundation

**ROR**

<https://ror.org/03qb1q739>

**Organisation**

Region Västra Götaland

**ROR**

<https://ror.org/00a4x6777>

**Funder(s)****Funder type****Funder Name**

Familjen Kamprads Stiftelse

**Alternative Name(s)**

Kamprad Family Foundation

**Funding Body Type**

Private sector organisation

**Funding Body Subtype**

Trusts, charities, foundations (both public and private)

**Location**

Sweden

**Funder Name**

Västra Götalandsregionen

**Alternative Name(s)**

Region Västra Götaland, Västra Götaland Regional Council, Västra Götaland region, Västra Götalandsregiona, VGR

**Funding Body Type**

Government organisation

**Funding Body Subtype**

Local government

**Location**

Sweden

## **Results and Publications**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**

Not expected to be made available