

Use of autologous blood products to enhance the survival of corneal transplants

Submission date 27/07/2023	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 28/07/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 17/04/2025	Condition category Eye Diseases	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

In a corneal transplant all or part of a damaged cornea (the clear outer layer at the front of the eye) is removed and replaced with healthy cornea tissue from the eye of a dead donor. During corneal transplantation its normal for some corneal cells to be lost, which can lead to problems like the transplanted tissue not working properly or being rejected by the body. Inflammation and manipulation of the tissue are significant factors in causing the loss of these cells after surgery. In previous studies, using a substance called plasma rich in growth factors (PRGF), which is a product extracted from the patients' blood, can help protect the cells from this stress and prevent them from dying. The aim of this study is to see if soaking the corneal cells in PRGF for 15 minutes during surgery can reduce the number of cells lost after the procedure. The researchers will be assessing both how well it works and if it's safe to do.

Who can participate?

Patients over 18 years old undergoing corneal transplantation at Clinica Barraquer de America

What does the study involve?

Participants will be randomly allocated to receive corneal transplants incubated with either activated platelet-rich plasma (aPRP) or PRGF.

What are the possible benefits and risks of participating?

Benefits: Lower endothelial cell loss compared to usual corneal transplant procedures and longer transplant survival.

Risks: Same as any usual corneal transplant

Where is the study run from?

Instituto Barraquer de América (Colombia)

When is the study starting and how long is it expected to run for?

June 2019 to March 2023

Who is funding the study?

Francisco Barraquer-Coll Research Grant, Instituto Barraquer de América (Colombia)

Who is the main contact?
Carolina Mercado, cxm2533@med.miami.edu

Contact information

Type(s)

Principal investigator

Contact name

Dr Carolina Mercado

ORCID ID

<https://orcid.org/0000-0002-1608-3563>

Contact details

900 nw 17th st
Miami
United States of America
33136
+57 (0)7868900892
cxm2533@med.miami.edu

Additional identifiers

Protocol serial number

27921992

Study information

Scientific Title

Safety and efficacy of brief intraoperative incubation of full-thickness corneal grafts in autologous plasma products for reducing postoperative endothelial cell loss

Study objectives

Autologous plasma products (aPRP and PRGF) throughout its antioxidant role may prevent the cytotoxic effects induced by oxidative stress, thus reducing corneal endothelial cell loss after penetrating keratoplasty.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 04/06/2021, CEI-ESOIBA (Ac 100 #18a-51, Bogota, -, Colombia; +57 (0)6012187077; mojimenezp.esoiba@barraquer.edu.co), ref: N/A

Study design

Single-center interventional randomized controlled trial

Primary study design

Interventional

Study type(s)

Safety, Efficacy

Health condition(s) or problem(s) studied

Prevention of corneal endothelial cell loss after penetrating keratoplasty

Interventions

Prospective randomized trial of patients undergoing penetrating keratoplasty by three surgeons. Participants who agreed to undergo intervention were randomly assigned by block randomisation to either of the treatment groups (aPRP incubation for 15 minutes intraoperatively or PRGF incubation for 15 minutes intraoperatively). Patients who declined intervention were followed as controls. The effect of aPRP on postoperative endothelial cell loss following corneal transplantation was evaluated by specular microscopy. The researchers also assessed pachymetry and intraocular pressure on follow-up.

Intervention Type

Supplement

Primary outcome(s)

Postoperative endothelial cell loss using endothelial cell counts on specular microscopy at 1st, 3rd, and 6th postoperative months

Key secondary outcome(s)

1. Hexagonality measured using specular microscopy at 1st, 3rd, and 6th postoperative months
2. Corneal thickness using specular microscopy at 1st, 3rd, and 6th postoperative months

Completion date

07/03/2023

Eligibility

Key inclusion criteria

1. Patients older than 18 years
2. Undergoing penetrating keratoplasty for any reason by the previously mentioned surgeons from June 2021 to December 2022
3. All the tissue was provided by the same Eye Bank (COBANCOL), with no more than 14 days of preservation

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

30

Key exclusion criteria

1. Tissue from another institution operated by other surgeons
2. Patients from vulnerable populations.
3. Patients with renal failure, anemia, or immunosuppressed
4. Patients with previous trabeculectomies or glaucoma valve implants

Date of first enrolment

28/06/2021

Date of final enrolment

02/02/2023

Locations

Countries of recruitment

Colombia

Study participating centre

Clinica Barraquer de America

Ac 100 #18a-51

BOGOTA

Colombia

-

Sponsor information

Organisation

Instituto Barraquer de América

ROR

<https://ror.org/02q3wgj37>

Funder(s)

Funder type

Research organisation

Funder Name

Francisco Barraquer-Coll Research Grant

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Carolina Mercado MD (caromercadoa@gmail.com).

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		12/08/2024	17/04/2025	Yes	No