

# CROSS sectional versus invasive imaging in patients with Heart Failure

<b>Submission date</b> 22/08/2024	<b>Recruitment status</b> Recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 30/09/2024	<b>Overall study status</b> Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 04/09/2025	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Each year in the UK at least 60,000 patients are diagnosed with heart failure. Coronary artery disease (narrowing of the blood vessels supplying the heart) is the most common cause of heart failure. It is important to identify coronary artery disease because these patients have an increased risk of dying and may respond less well to modern treatments. Invasive coronary angiography (described below) is often done as the first-line test to identify coronary artery disease in a fifth of patients with heart failure in the UK. However, it is known from work with our patient and public involvement groups and patient charities (including the British Society for Heart Failure Patient Group and Cardiomyopathy UK) that most patients would prefer to avoid invasive coronary angiography if possible. This trial aims to establish if it is possible to reduce the need for invasive angiography in patients with newly diagnosed heart failure.

### Who can participate?

Patients presenting with a new diagnosis of heart failure and not known to have coronary artery disease

### What does the study involve?

They will be randomly assigned (equal chance) to one of three tests:

1. Invasive coronary angiogram (current NHS practice)- A specialised X-ray test where dye is injected directly into the heart arteries via the groin or wrist. It carries a small risk of serious complications such as stroke. The test exposes patients to radiation and is expensive (NHS tariff up to £1563). Furthermore, there are long waiting lists for the test following many cancellations due to the COVID-19 pandemic.
2. CT coronary angiography - this test is quick, non-invasive and cheaper than invasive angiography (NHS tariff up to £310). It has a high accuracy for the detection of coronary artery disease but can be challenging in certain patient groups such as elderly patients or those with irregular heart rhythms. It also exposes patients to a small dose of ionising radiation.
3. Stress cardiovascular MRI - This test is non-invasive and cheaper than invasive angiography (NHS tariff up to £596) and provides additional information on the structure and function of the heart. The accuracy of this test for detection of coronary artery disease is unproven in patients with heart failure. It does not expose patients to ionising radiation.

The recruitment strategy aims to maximize the inclusion of patients who have been underrepresented in heart failure trials, such as elderly individuals, ethnic minorities, and socio-economically disadvantaged patients. Efforts will be made to reduce barriers to participation, and collaboration with the NIHR Ethnic Minority Research Inclusivity Group will help create a YouTube video explaining the trial's rationale and the importance of participation. The video will be presented in plain language and made available in multiple languages.

The trial is designed to minimize inconvenience for patients by eliminating the need for additional hospital visits. Follow-up will be conducted remotely, primarily through the review of electronic health records. Surveys exploring patient experiences will be sent via online platforms, text messages, or post, based on patient preference. The trial will also assess whether the tests provide good value for money for the NHS.

If the trial shows that non-invasive imaging tests are as effective as invasive angiography, it could lead to a significant reduction in the number of angiographies performed annually in the NHS. This could result in improved patient experience and cost savings without compromising the health outcomes of patients with heart failure.

What are the possible benefits and risks of participating?

Although direct benefits to participants cannot be guaranteed, the information gained might help the treatment of future patients. Participants will have more contact with medical staff and have more opportunities to ask questions and be informed about their health. All tests in this trial are standard NHS care so there are no additional research tests or additional risks to participating in the study. There is however a small burden of patient time to complete the consent form and questionnaires at baseline, 6 months and 12 months. To minimise inconvenience, questionnaires will be offered in a variety of formats including telephone, postal and online.

Where is the study run from?  
University of Leeds (UK)

When is the study starting and how long is it expected to run for?  
April 2024 to August 2029

Who is funding the study?  
National Institute for Health and Care Research (NIHR) (UK).

Who is the main contact?  
p.swoboda@leeds.ac.uk  
l.m.jones@leeds.ac.uk

## Contact information

### Type(s)

Scientific, Principal investigator

### Contact name

Dr Peter Swoboda

### ORCID ID

<https://orcid.org/0000-0001-7162-7079>

**Contact details**

Pinderfield Hospital  
Wakefield  
United Kingdom  
WF1 4DG

-  
p.swoboda@leeds.ac.uk

**Type(s)**

Public

**Contact name**

Dr Laura Jones

**Contact details**

Light Building, Clarendon Way, University of Leeds  
Leeds  
United Kingdom  
LS2 3AA

-  
l.m.jones@leeds.ac.uk

**Additional identifiers****Clinical Trials Information System (CTIS)**

Nil known

**Integrated Research Application System (IRAS)**

332073

**Protocol serial number**

2024-NCT25, CPMS 57653

**Study information****Scientific Title**

CROSS sectional versus invasive imaging in patients with Heart Failure

**Acronym**

CROSS-HF

**Study objectives**

To establish whether, in patients with heart failure, a strategy of non-invasive imaging with computed tomography coronary angiography (CTCA) or stress cardiovascular magnetic resonance (CMR) is non-inferior to invasive coronary angiography (ICA) in terms of major adverse cardiovascular events (MACE), patient reported outcome measures, and cost-effectiveness.

**Ethics approval required**

Ethics approval required

## Ethics approval(s)

approved 14/08/2024, West of Scotland REC (Ground Floor Ward 11, Dykebar Hospital, Grahamston Road, Paisley, PA2 7DE, United Kingdom; +44 141 314 0212; WoSREC3@ggc.scot.nhs.uk), ref: 24/WS/0108

## Study design

Multicentre open-label randomized controlled trial

## Primary study design

Interventional

## Study type(s)

Diagnostic, Quality of life

## Health condition(s) or problem(s) studied

Heart failure

## Interventions

Participants will be randomised (online) 1:1:1 ratio to either invasive coronary angiogram (ICA), non-invasive imaging with computed tomography coronary angiography (CTCA) or stress cardiovascular magnetic resonance (CMR). Each test is expected to take between 1 h 20 minutes and 1 h 45 minutes. Participants will be asked to complete up to 3 questionnaires at baseline, 6 months and 12 months but completion of each questionnaire is expected to take no more than 20 minutes. Follow-up by review of medical records at NHS sites will be up to 4.5 years and longer-term follow-up through remote data linkage for up to 10 years.

## Intervention Type

Procedure/Surgery

## Primary outcome(s)

Time to first major adverse cardiovascular event (MACE) measured from randomisation for a minimum of 12 months:

MACE defined as any of:

1. All cause death
2. Myocardial Infarction (MI)
3. Heart Failure Hospitalisation

## Key secondary outcome(s)

Measured using patient records:

1. Total MACE events (MACE is defined as all-cause mortality, MI and heart failure hospitalisations)
2. Total (first and recurrent) HF hospitalisations
3. KCCQ-CSS at 6 and 12 months
4. Total Cardiovascular (CV) deaths
5. Total all-cause mortality

## Completion date

01/08/2029

## Eligibility

## **Key inclusion criteria**

1. Onset of symptoms ± signs of heart failure in the past 12 months AND
  - 2.1. Non-elective heart failure hospitalisation (where heart failure was the primary reason for hospitalisation in the opinion of the investigator) OR
  - 2.2. Outpatients with LVEF ≤40% OR
  - 2.3. Outpatients with LVEF >40% and NT-proBNP >300ng/L (sinus rhythm) or >600ng/L (AF)

## **Participant type(s)**

Patient

## **Healthy volunteers allowed**

No

## **Age group**

Adult

## **Lower age limit**

18 years

## **Sex**

All

## **Key exclusion criteria**

1. Previous investigations for coronary artery disease (CAD), where CAD was identified as the cause of heart failure
2. Clear alternative cause of heart failure (e.g. cardiac amyloidosis or hypertrophic cardiomyopathy)
3. Severe valvular heart disease thought to be the main cause of heart failure
4. Comorbid conditions with lifespan of less than a year (in the opinion of the investigator)

## **Date of first enrolment**

01/10/2024

## **Date of final enrolment**

01/04/2028

## **Locations**

### **Countries of recruitment**

United Kingdom

England

Scotland

Wales

### **Study participating centre**

**Leeds Teaching Hospitals NHS Trust**

St. James's University Hospital  
Beckett Street  
Leeds  
United Kingdom  
LS9 7TF

**Study participating centre**

**Pinderfields Hospitals NHS Trust**

Trust Hq, Rowan House  
Pinderfields General Hospital  
Aberford Road  
Wakefield  
United Kingdom  
WF1 4EE

**Study participating centre**

**NHS Greater Glasgow and Clyde**

J B Russell House  
Gartnavel Royal Hospital  
1055 Great Western Road Glasgow  
Glasgow  
United Kingdom  
G12 0XH

**Study participating centre**

**Northumbria Healthcare NHS Foundation Trust**

North Tyneside General Hospital  
Rake Lane  
North Shields  
United Kingdom  
NE29 8NH

**Study participating centre**

**Kettering General Hospital NHS Foundation Trust**

Rothwell Road  
Kettering  
United Kingdom  
NN16 8UZ

**Study participating centre**

**Bradford Teaching Hospitals NHS Foundation Trust**

Bradford Royal Infirmary  
Duckworth Lane  
Bradford  
United Kingdom  
BD9 6RJ

**Study participating centre**

**James Paget University Hospitals NHS Foundation Trust**

Lowestoft Road  
Gorleston  
Great Yarmouth  
United Kingdom  
NR31 6LA

**Study participating centre**

**The Royal Wolverhampton NHS Trust**

New Cross Hospital  
Wolverhampton Road  
Heath Town  
Wolverhampton  
United Kingdom  
WV10 0QP

**Study participating centre**

**Airedale NHS Foundation Trust**

Airedale General Hospital  
Skipton Road  
Steeton  
Keighley  
United Kingdom  
BD20 6TD

**Study participating centre**

**Norfolk and Norwich University Hospitals NHS Foundation Trust**

Colney Lane  
Colney  
Norwich  
United Kingdom  
NR4 7UY

**Study participating centre****The Newcastle upon Tyne Hospitals NHS Foundation Trust**

Freeman Hospital

Freeman Road

High Heaton

Newcastle upon Tyne

United Kingdom

NE7 7DN

**Study participating centre****Barnsley Hospital NHS Foundation Trust**

Gawber Road

Barnsley

United Kingdom

S75 2EP

**Study participating centre****Glenfield Hospital NHS Trust**

Grobby Road

Leicester

United Kingdom

LE3 9QP

**Sponsor information****Organisation**

University of Leeds

**ROR**<https://ror.org/024mrx33>**Funder(s)****Funder type**

Government

**Funder Name**

National Institute for Health and Care Research

**Alternative Name(s)**

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

### Funding Body Type

Government organisation

### Funding Body Subtype

National government

### Location

United Kingdom

## Results and Publications

### Individual participant data (IPD) sharing plan

Not provided at time of registration

### IPD sharing plan summary

Data sharing statement to be made available at a later date

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Participant information sheet</a>	version 1.1	01/08/2024	06/09/2024	No	Yes
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes