

How gum treatment may help improve blood sugar control in people with type 2 diabetes

Submission date 14/01/2026	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 20/01/2026	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 20/01/2026	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Periodontal disease and type 2 diabetes mellitus (T2DM) are two highly prevalent chronic conditions that share common inflammatory and metabolic pathways. Scientific evidence has demonstrated a bidirectional relationship between these conditions, whereby poor glycaemic control may exacerbate periodontal inflammation, and periodontal infection may negatively influence systemic metabolic control. The aim of the present randomized controlled clinical study is to evaluate the effect of non-surgical periodontal therapy on metabolic parameters in patients diagnosed with T2DM. Specifically, the study aims to determine whether improvements in periodontal status result in measurable changes in glycaemic control and systemic inflammatory markers over a 6-month follow-up period.

Who can participate?

Adults aged between 18 and 70 years diagnosed with type 2 diabetes mellitus and presenting with periodontitis are eligible to participate. Participants must have a minimum of 10 natural teeth (excluding third molars) and meet the predefined periodontal and metabolic inclusion criteria.

Individuals are excluded if they have received recent periodontal therapy or antibiotics lately, present with systemic conditions that may interfere with periodontal healing, are pregnant or breastfeeding, or are unable to attend scheduled follow-up visits.

What does the study involve?

Participants enrolled in the study undergo an initial clinical and laboratory assessment at baseline, followed by follow-up evaluations at 3 and 6 months. After baseline assessment, participants are randomly assigned to one of two parallel groups: (a) A control group, receiving standardized oral hygiene instructions and motivation, (b) A treatment group, receiving non-surgical periodontal therapy in addition to oral hygiene instructions. At each visit, periodontal clinical parameters and laboratory measurements related to glycaemic control and systemic inflammation are recorded. All procedures are conducted according to standardized clinical protocols by a calibrated examiner.

What are the possible benefits and risks of participating?

Participants may benefit from comprehensive periodontal evaluation, close clinical monitoring,

and, for those in the treatment group, active periodontal therapy. Participants in the control group are offered periodontal treatment at the conclusion of the study period. The risks associated with participation are minimal and primarily related to routine periodontal procedures, such as temporary discomfort, dentinal hypersensitivity, or mild gingival inflammation. No experimental drugs or invasive medical procedures are involved.

Where is the study run from?
University of Medicine Tirana (Albania)

When is the study starting and how long is it expected to run for?
Participant recruitment began in June 2024. Follow-up assessments are conducted over a 6-month period for each participant. Data collection is expected to be completed in March 2026, in accordance with the predefined study protocol.

Who is funding the study?
Investigator initiated and funded

Who is the main contact?
Dr Besian Abazi, abazi.besian@gmail.com

Contact information

Type(s)
Principal investigator, Scientific, Public

Contact name
Dr Besian Abazi

ORCID ID
<https://orcid.org/0000-0003-4976-4362>

Contact details
Tirana
Tirana
Albania
1000
+355 674171777
abazi.besian@gmail.com

Additional identifiers

Study information

Scientific Title
Effect of non-surgical periodontal therapy on diabetes mellitus

Study objectives
The primary objective of this study is to evaluate the effect of non-surgical periodontal therapy on glycaemic control in patients with type 2 diabetes mellitus, as measured by changes in HbA1c over a 6-month period.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 22/02/2024, Council of Ethics of the University of Medicine of Tirana (Rr.e Dibres, Tirana, 1000, Albania; -; info@umed.edu.al), ref: Vendimi nr.8, 22.02.2024

Primary study design

Interventional

Allocation

Randomized controlled trial

Masking

Open (masking not used)

Control

Active

Assignment

Parallel

Purpose

Prevention, Screening, Treatment

Study type(s)

Health condition(s) or problem(s) studied

Whether non-surgical periodontal therapy can improve glycemic control and systemic inflammation in patients with type 2 diabetes mellitus by reducing periodontal inflammation.

Interventions

The intervention consists of non-surgical periodontal therapy, including full-mouth scaling and root planing performed using manual and/or ultrasonic instruments, combined with standardized oral hygiene instructions. Periodontal re-evaluation and supportive periodontal therapy are conducted at 3 and 6 months to manage residual inflammation and reinforce oral hygiene.

Control Group Methodology

Participants allocated to the control group receive standard oral hygiene instructions and motivation only, without active periodontal treatment during the study period. Oral hygiene education is delivered at baseline and reinforced at the 3- and 6-month follow-up visits. This includes instruction on proper tooth-brushing technique, interdental cleaning, and general advice on plaque control and oral health maintenance. No professional periodontal instrumentation (such as scaling and root planing) is performed in the control group during the active study phase. In accordance with ethical standards, participants in the control group are offered full periodontal treatment after completion of the final 6-month follow-up assessment.

Randomisation Process

Eligible participants are randomly allocated to either the treatment group or the control group

using computer-generated randomisation with a 1:1 allocation ratio. The randomisation sequence is generated prior to study initiation using a random number function in Microsoft Excel. Each participant is assigned a unique study identification code following confirmation of eligibility and written informed consent. Allocation is concealed in a password-protected digital file and is revealed only after baseline assessments are completed. This procedure is used to minimise selection bias and ensure balanced group assignment.

Intervention Type

Procedure/Surgery

Primary outcome(s)

1. Glycated hemoglobin measured using HbA1c (%) at 0, 3, 6 months

Key secondary outcome(s)

1. Periodontal parameters measured using PD: Probing Depth, CAL: Clinical Attachment Level, BOP: Bleeding on Probing, GI: Gingival Index, PI: Plaque Index at 0,3,6 months

2. Systemic inflammation measured using hsCRP at 0, 3, 6 months

Completion date

28/02/2026

Eligibility

Key inclusion criteria

1. Age 18-70 years
2. T2DM diagnosis
3. HbA1c \geq 7%
4. More than 10 teeth present
5. Periodontitis present \geq 4 teeth, at least one site PD \geq 5mm
6. BOP \geq 10%

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

18 years

Upper age limit

70 years

Sex

All

Total final enrolment

89

Key exclusion criteria

1. Professional periodontal treatment within the last 6 months
2. Systemic antibiotics within the last 3 months
3. Systemic diseases that may affect the response or direct periodontal damage
4. Current or previous oral mucosal diseases (e.g. Pemphigus, Lichen planus, Behcet's syndrome, etc.)
5. Pregnancy or breastfeeding
6. Inability to follow up at 0/3/6 months
7. Refusal to consent participation

Date of first enrolment

12/06/2024

Date of final enrolment

31/08/2025

Locations

Countries of recruitment

Albania

Sponsor information

Organisation

University of Medicine Tirana

ROR

<https://ror.org/03y2x8717>

Funder(s)

Funder type

Funder Name

Investigator initiated and funded

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type

[Participant information sheet](#)

Details
in Albanian

Date created

Date added

19/01/2026

Peer reviewed?

No

Patient-facing?

Yes