

# The long-term effectiveness of 40% salicylic acid plasters on corns

|                                        |                                                                  |                                                                                                   |
|----------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Submission date</b><br>09/12/2008   | <b>Recruitment status</b><br>No longer recruiting                | <input checked="" type="checkbox"/> Prospectively registered<br><input type="checkbox"/> Protocol |
| <b>Registration date</b><br>16/01/2009 | <b>Overall study status</b><br>Completed                         | <input type="checkbox"/> Statistical analysis plan<br><input checked="" type="checkbox"/> Results |
| <b>Last Edited</b><br>16/12/2015       | <b>Condition category</b><br>Skin and Connective Tissue Diseases | <input type="checkbox"/> Individual participant data                                              |

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Prof Wesley Vernon

**Contact details**  
Podiatry Services  
Jordanthorpe Health Centre  
1 Dyche Close  
Sheffield  
United Kingdom  
S8 8DJ  
+44 (0)114 2371183  
wesley.vernon@sheffieldpct.nhs.uk

## Additional identifiers

**Protocol serial number**  
Protocol Version 3 - December 2008

## Study information

**Scientific Title**  
The long-term effectiveness of 40% salicylic acid plasters on corns: a prospective pragmatic parallel-group randomised controlled trial

**Study objectives**

Null hypothesis: there is no difference in clinical and patient-centred outcomes in treatment of corns between use of corn plasters and usual treatment.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Not provided at time of registration

**Study design**

Prospective pragmatic parallel-group randomised controlled trial with equal randomisation

**Primary study design**

Interventional

**Study type(s)**

Treatment

**Health condition(s) or problem(s) studied**

Corns occurring on the foot

**Interventions**

308 participants will be recruited, 154 in each arm. One arm will receive 40% salicylic acid corn plaster treatment, the other usual 'scalpel' treatment. All study participants will be asked to describe the amount of pain experienced from the lesion at each visit using a visual analogue scale (VAS), whether they are satisfied with the treatment they are receiving using a simple questionnaire with pre-coded responses, to complete the Foot Disability Questionnaire and the Euro Quality of Life (EQ5D) instrument. These will be completed at each 3-monthly appointment and administered by the independent podiatrist (rater).

Patients in the corn plaster arm will then have the area cleared and a plaster applied and advised to keep on until the next visit 5 - 7 days later. On return, the plaster is removed and if the corn is loose, removal can be facilitated with blunt dissection. The plaster will be re-applied if the corn is still present and reviewed weekly for up to 4 weeks from initial treatment, with a plaster applied at each visit if the corn is still present.

The size of the corn (if still present) will be documented at 3-monthly intervals for up to 12 months after initial treatment by an independent podiatrist blind to the initial treatment allocation. If the corn has resolved, this will be checked at each visit and documented. Patients in the scalpel treatment arm will have the corn removed with a scalpel at the initial treatment and then reviewed at 3-monthly intervals for 12 months where the size of the corn will be recorded if still present, with removal of the corn carried out at each appointment if required.

Any dissatisfaction with either treatment or complications will be recorded at each visit. In the event of an adverse reaction (development of infection, or unbearable pain), subjects will be provided with the appropriate podiatry care to alleviate symptoms but follow-up data will still be collected unless the participant withdraws their consent. Anyone in the corn plaster group whose corn re-occurs after initial monthly corn plaster treatment will receive usual scalpel treatment at 3-monthly intervals and this data will be included in the analysis under the intention to treat principle.

Participating podiatrists will be asked to complete a short questionnaire to assess their view of the two treatments at the end of the study.

**Intervention Type**

Drug

**Phase**

Not Applicable

**Drug/device/biological/vaccine name(s)**

Salicylic acid

**Primary outcome(s)**

Presence at 3 months post-randomisation of an unhealed or recurrent corn that requires further ongoing treatment.

**Key secondary outcome(s)**

1. Presence of unhealed or recurrent corns at 12 months
2. Mean Visual Analogue Scale (VAS) pain score at 3, 6, 9 and 12 months
3. Foot pain disability scores at 3, 6, 9 and 12 months
4. Cost-effectiveness of corn plaster compared with usual care
5. Podiatrist satisfaction with the two treatments at 12 months
6. Patient satisfaction at 3, 6, 9 and 12 months

**Completion date**

31/03/2012

## Eligibility

**Key inclusion criteria**

1. Adult patients (male and female subjects aged 18 years and older) with corns
2. Patients who are willing to take part for the duration of the study
3. Patients who have the capacity to make an informed decision and give informed consent

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

## **Key exclusion criteria**

1. Diabetes
2. Impaired circulation (including peripheral vascular disease, ischaemia)
3. A history of foot ulceration
4. Rheumatoid arthritis
5. Taking oral steroid medication
6. Dermatological conditions
7. Allergies to zinc oxide plaster
8. Allergies to salicylic acid
9. Neuropathy
10. Completely unable to reach their feet
11. Callus only and no corns
12. Infected corns or neurovascular corns
13. Pregnant or breast feeding
14. Peanut or soya allergy

## **Date of first enrolment**

01/04/2009

## **Date of final enrolment**

31/03/2012

## **Locations**

### **Countries of recruitment**

United Kingdom

England

### **Study participating centre**

**Jordanthorpe Health Centre**

Sheffield

United Kingdom

S8 8DJ

## **Sponsor information**

### **Organisation**

Sheffield Health and Social Research Consortium (UK)

## **Funder(s)**

**Funder type**

Government

### Funder Name

National Institute for Health Research (NIHR) (UK) - Research for Patient Benefit (RfPB) programme (ref: 2008-005313-21)

## Results and Publications

### Individual participant data (IPD) sharing plan

#### IPD sharing plan summary

Not provided at time of registration

#### Study outputs

| Output type                     | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|---------------------------------|---------|--------------|------------|----------------|-----------------|
| <a href="#">Results article</a> | results | 24/09/2013   |            | Yes            | No              |
| <a href="#">Results article</a> | results | 08/12/2015   |            | Yes            | No              |