

Early Food for Future Health: an E-health intervention aiming to promote healthy food habits from early childhood

Submission date 15/02/2016	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
Registration date 29/02/2016	Overall study status Completed	<input checked="" type="checkbox"/> Protocol
Last Edited 22/08/2022	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

The rate of childhood obesity represent a public health challenge. The early feeding environment is critical for establishing eating habits that may influence weight development and healthy growth in the long term. Interventions targeting parents have been called for, with the aim of encouraging and facilitating the development of healthy eating habits in children. The aim of this study is to promote healthy feeding practices in parents and healthy dietary habits in children from early childhood.

Who can participate?

Parents with children aged between 3 and 5 months.

What does the study involve?

Participants are randomly allocated into either the intervention group or the control group. When the child is six months old, the participants in the intervention group receive access to a website which provides information about good parental feeding practices, diet quality and how to make healthy and age-appropriate homemade baby food. They receive a new e-mail every month with a link to the website until the child is one year old. Participants in the control group do not have access to the website. They receive their usual treatment at the community child health centres.

What are the possible benefits and risks of participating?

The parents in the intervention group will have easy access to information about good feeding practices and children's nutrition in the weaning period. There are no risks or side effects of participating in the study.

Where is the study run from?

University of Agder (Norway)

When is the study starting and how long is it expected to run for?

February 2015 to February 2021

Who is funding the study?
University of Agder (Norway)

Who is the main contact?
Nina Cecilie Øverby
nina.c.overby@uia.no

Contact information

Type(s)
Scientific

Contact name
Mrs Christine Helle

Contact details
University of Agder
Faculty of Sport and Health Sciences
PO Box 422
Kristiansand
Norway
4604
+47 (0)30142107
christine.helle@uia.no

Type(s)
Scientific

Contact name
Prof Nina Cecilie Øverby

ORCID ID
<https://orcid.org/0000-0002-1871-041X>

Contact details
University of Agder
Faculty of Sport and Health Sciences
PO Box 422
Kristiansand
Norway
4604
+47 (0)38141324
nina.c.overby@uia.no

Additional identifiers

Study information

Scientific Title

Early Food for Future Health: a randomised controlled trial evaluating the effect of an e-health intervention ("barnE-mat") in parents, aiming to promote healthy and sustainable food habits from early childhood

Study objectives

An E-health intervention addressing early parental feeding practices will improve the children's diet quality, increase beneficial parental feeding practices and prevent future obesity.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Norwegian Social Science Data Services, Data Protection Official for Research, 18/12/2015, Ref: 43975

Study design

Single-centre interventional randomised controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Dietary habits in early childhood, parental feeding styles and practices and child obesity

Interventions

Upon completion of baseline measures, participants will be randomly assigned into either intervention or control group.

When the child is six months old, the participants in the intervention group will receive access to a website, which provide information relating to beneficial parental feeding practices, diet quality and how to make healthy and age-appropriate homemade baby food in the weaning period. The participants in the intervention group will receive a new e-mail every month with an age-dependent link to the website until the child is one year old. The intervention lasts for six months.

Participants in the control group will receive their usual treatment at the community child health centres, and do not have access to the web intervention.

Intervention Type

Behavioural

Primary outcome(s)

Infant primary outcome measures:

1. Food intake and food variance: measured at 5, 13, 24 and 48 months by a Food Frequency Questionnaire developed for this study
2. Food preferences: measured at 13 months by a Food Preferences Questionnaire developed for this study, based on Wardle, Guthrie et al. 2001
3. Food neophobia: measured at 13, 24 and 48 months by The Child Food Neophobia Scale

(Pliner & Hobden, 1992)

4. Eating behaviour: measured at 5 months by BEBQ; The Baby Eating Behaviour Questionnaire (Llewellyn, van Jaarsveld, Johnson, Carnell and Wardle 2011); measured at 13 months by CEBQ, The Child Eating behaviour Questionnaire (Wardle et.al. 2001)

Parent primary outcome measures:

1. Feeding style and feeding practices: measured at 5 and 13 months by The Infant Feeding Questionnaire (Baughcum et al. 2001)
2. Feeding self efficacy: measured at 6 and 12 months by The Feeding Self-efficacy scale (Horodyski & Stommel 2005)
3. Parenting style: measured at 5 and 13 months by The Infancy Parenting Styles Questionnaire (Arnott & Brown 2013)
4. Parenting style/control-oriented parenting: measured at 12 months by five items from The Parental Locus of Control Scale (Campis et al. 1986)
5. Making more homemade baby food in the weaning period: measured by a Frequency Questionnaire developed for this study

Key secondary outcome(s)

Infant secondary outcome measures:

1. Weight and height: measured at 5, 13, 24 and 48 months. Self-reported/measured at the scheduled visits to the child health centre
2. Child behaviour: internalizing and externalizing behaviour (Jacka et al. 2013), measured by questions from The Child Behaviour Checklist Questionnaire at 24 and 48 months

Completion date

01/02/2021

Eligibility

Key inclusion criteria

Mothers and fathers of children between the age of 3 and 5 months

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Mixed

Sex

All

Total final enrolment

715

Key exclusion criteria

1. Child born before gestation week 38 and with birth-weight less than 2500 g
2. Parents do not understand the Norwegian language

Date of first enrolment

01/03/2016

Date of final enrolment

01/09/2016

Locations

Countries of recruitment

Norway

Study participating centre

University of Agder, Faculty of Sport and Health Sciences

PO Box 422

Kristiansand

Norway

N-4604

Sponsor information

Organisation

University of Agder (Norway)

ROR

<https://ror.org/03x297z98>

Funder(s)

Funder type

Other

Funder Name

Investigator initiated and funded

Results and Publications

Individual participant data (IPD) sharing plan

-

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	03/01/2019		Yes	No
Results article	results	23/08/2019	27/08/2019	Yes	No
Protocol article		20/09/2017	22/08/2022	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes