

Specific contributors for the development of intestinal metaplasia of the cardia

Submission date 22/01/2010	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 18/02/2010	Overall study status Completed	☐ Statistical analysis plan ☐ Results
Last Edited 18/02/2010	Condition category Digestive System	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Jean-Louis Frossard

Contact details
Division of Gastroenterology,
Dpt of internal medicine,
Geneva University Hospital,
Rue Micheli du Crest, 1211 geneva 11
Geneva
Switzerland
1211
+41 (0)22 3729346
jean-louis.frossard@hcuge.ch

Additional identifiers

Protocol serial number
001

Study information

Scientific Title

Age, smoking and weight are main contributors for the development of intestinal metaplasia of the cardia

Study objectives

The aim of this study was to assess the respective roles of *Helicobacter pylori* (HP), gastroesophageal reflux, age, smoking habit and obesity on the development of intestinal metaplasia of the cardia (IMC)

Ethics approval required

Old ethics approval format

Ethics approval(s)

In 2003, at the start of this study no Ethical commission existed. The study design was approved by the head of University Hospital Geneva and University Hospital Lausanne, where the patients were recruited.

Primary study design

Observational

Study design

Observational cohort study

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Intestinal metaplasia of the cardia (IMC)

Interventions

217 patients were studied. The appointment letter was sent to the patient with the written information leaflet usually within one week before endoscopy. Patient consent to participate was obtained only upon his/her arrival for the endoscopic procedure. Therefore, all patients signed an informed consent form upon their arrival.

Gastroesophageal Reflux Disease (GERD), smoking habit, body mass index (BMI) and age were recorded. Biopsies were histologically evaluated for specialised intestinal metaplasia.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Assessment of the respective roles of HP, GERD, age, smoking habit and obesity on the development of IMC

Key secondary outcome(s)

none

Completion date

31/12/2004

Eligibility

Key inclusion criteria

1. All patients scheduled for an elective digestive endoscopy (upper gastrointestinal endoscopy) over a 3 year period allowing us to include at least 200 patients.
2. Living in Switzerland and can understand French
3. Outpatients only
4. Written informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

1. Age < 18 years
2. Pregnancy
3. Patients unable to give their own consent
4. Patients that had already undergone prior endoscopy
5. Previous history of upper-digestive surgery
6. Severe bleeding diathesis (platelet count <50,000/mm³)
7. Prothrombin rate <50%
8. Psychiatric diseases
9. Allergy to lidocaine

Date of first enrolment

01/01/2001

Date of final enrolment

31/12/2004

Locations

Countries of recruitment

Switzerland

Study participating centre

Division of Gastroenterology,
Geneva

Switzerland
1211

Sponsor information

Organisation

Geneva University Hospital (Switzerland)

ROR

<https://ror.org/01m1pv723>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Geneva University Hospital (Switzerland)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration