

Rethinking Strategies for Positive Newborn Screening Result Delivery

Submission date 15/01/2018	Recruitment status Suspended	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 17/01/2018	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 31/10/2022	Condition category Genetic Diseases	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Each year about 800,000 babies in the UK have a blood test taken (called newborn bloodspot screening (NBS)) to screen for specific conditions, which if treated early will improve the child's health and well-being. In 2015-16, over 10,000 babies were identified as being affected or healthy carriers of a gene for one of the conditions screened for, which include sickle cell disease, cystic fibrosis, metabolic conditions and hypothyroidism. When a positive result occurs, a variety of ways are used to deliver the result but many parents complain about the approaches used. The aim of this study is for parents and health professionals to work together to design interventions to facilitate effective communication of positive NBS results to parents by health professionals. This study includes four phases.

Who can participate?

Health care professors in NBS and parents of children who have received a NBS+ result in the previous 3-12 months.

What does the study involve?

In the first phase of the study, staff are invited to participate in telephone interview lasting 30-45 minutes. In the second phase of the study, staff are observed for 60 minutes on up to 5 occasions and are also invited to take part in semi-structured interviews lasting 60 minutes, participant in a staff feedback event lasting 120 minutes, and work in co-design working groups each lasting 180 minutes. Parents and carers are invited to participate in one hour filmed narrative interviews, feedback events (120 minutes), a staff and parent even (180 minutes) and in the co-designed working groups. In the third phase of the study, staff receive training and are invited for semi-structure interviews. They are also observed for one hour up to five occasions. Parents and carers are invited to one hour semi-structured interviews. In the fourth phase of the study includes stakeholder meeting lasting 180 minutes.

What are the possible benefits and risks of participating?

There will be no direct benefits or anticipated risks for those taking part in the study.

Where is the study run from?

This study is being run by City, University of London (UK) and takes place in hospitals in the UK.

When is the study starting and how long is it expected to run for?
March 2015 to March 2020

Who is funding the study?
National Institute for Health Research (UK)

Who is the main contact?
Dr Jane Chudleigh (Public)
j.chudleigh@city.ac.uk

Contact information

Type(s)

Public

Contact name

Dr Jane Chudleigh

ORCID ID

<https://orcid.org/0000-0002-7334-8708>

Contact details

City, University of London
Northampton Square
London
United Kingdom
EC1V 0HB
+44 20 7040 0484
j.chudleigh@city.ac.uk

Additional identifiers

Protocol serial number

36339

Study information

Scientific Title

Rethinking Strategies for Positive Newborn Screening Result (NBS+) Delivery (ReSPoND): A process evaluation of co-designing interventions to minimise impact on parental emotional well-being and stress

Acronym

ReSPoND

Study objectives

Can parents and staff co-design interventions to improve delivery of positive Newborn Screening Result (NBS) results to parents that can be successfully implemented into routine practice in a cost effective manner?

Ethics approval required

Old ethics approval format

Ethics approval(s)

London-Stanmore Ethics Committee, 01/01/2018, 17/LO/2102

Study design

Non-randomised; Both; Design type: Process of Care, Complex Intervention, Other, Qualitative

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Genetic screening in newborn

Interventions

This study contains four phases. Phase one is planned for six months. The second phase is conducted after six to 12 months.

Phase 1 (0-6 months):

This involves a conducting a national survey using semi-structured telephone interviews with all 13 NBS-laboratories (NBSL) in England and representatives of clinical teams(n=40) for each of the four condition specific group (CSGs). These will determine current approaches used for communication of NBS+ results from laboratory to parents for each CSG and inform selection of case study sites using a predefined sampling framework. Quantitative data is analysed using descriptive statistics, qualitative data are analysed using content analysis.

PHASE 2: uses Experience-based Co-design in two selected study sites (from Phase 1)

1. Non-participant observation of 20 staff delivering NBS+ results to parents. 15 semi-structured interviews with staff (NBSL staff/Nurses/Consultants/Health Visitors/Midwives/Genetic Counsellors) involved in communicating NBS+ results.

Staff(n=15) meets to identify priorities for improving delivery of NBS+ results. Data will be analysed for themes to inform co-design working groups co-designed working groups (CDWGs) (stage 3) (6-12 months).

2. Filmed, interviews with 20 parents (ensuring representation of CSGs) exploring experiences of receiving NBS+ results to identify key themes. Parents (n=20) view a composite film of the interviews to ensure it is representative of their experiences and to identify emerging issues. Themes identified from parent interviews are made into a 30-minute composite film (6-12 months).

3. Joint staff-parent event in each study site to share experiences and view composite film. Mixed staff-parent focus groups to identify joint priorities for improving delivery of NBS+ results. Thematic analysis is done to identify joint priorities. (12-15 months)

4. Parents and staff from both study sites come together in 4 co-designed working groups (6-8 members each) to produce co-designed interventions for improving delivery of NBS+ results to parents (15-18 months).

PHASE 3 (18-27 months) uses two selected study sites (Phase 1).

20-30 staff involved in delivery of NBS+ results in the study sites are trained to implement the

co-designed interventions for the four CSGs concurrently. Success criteria is defined and monitored on a weekly basis during implementation.

A parallel process evaluation underpinned by Normalisation Process Theory is conducted. Non-participant observation of 20-30 staff delivering NBS+ results to parents and semi-structured interviews with 20-25 parents and 20-25 staff to identify healthcare resources required for delivery of the interventions, staff and parental experiences and factors that influence implementation. These qualitative data is also used to determine suitable outcome measures for a future evaluation study. Factors parents identify as influencing experiences during delivery of NBS+ results are compared with the content of measures such as GAD7, PHQ9, Parenting Stress Index, EQ5D and ICECAP-A to determine where most overlap occurs.

Observation and interview data are used to determine how the co-designed interventions impact on parents and which outcomes and healthcare resources are important to evaluate in a future evaluation study. A cost analysis using the NHS perspective, compares costs associated with current communication practices and the new co-designed interventions. For both, resources required are defined and combined with unit costs to produce a total costs.

PHASE 4 (27-30 months):

Key stakeholders(n=10) (NBS co-ordinators/NBSLs staff/health visitors/midwives/parents) meet and the nominal group technique used to reach consensus about the need for, and potential design, of an evaluation study of the co-designed interventions.

Intervention Type

Other

Primary outcome(s)

Production of co-designed, evaluated interventions for the communication of initial, positive NBS results to parent measured during the process evaluation and health economic analysis during months 18-27.

Key secondary outcome(s)

Phase 1:

Description of current communication practice measured during interviews with staff at 4-6 months.

Phase 2:

Co-designed interventions for the four condition specific groups produced during the co-design working group at 6-18 months.

Phase 3:

1. The cost of current communication strategies and costs associated with the co-designed interventions measured during the health economic evaluation during months 18-27
2. The acceptability and feasibility of the of the co-designed interventions measured during the process evaluation during months 18-27
3. Choice of potential outcomes measures (GAD 7 PHQ 9 PSI EQ5D and ICECAP-A) for use in a future evaluation study measured during the process evaluation and economic evaluation during months 18-27

Phase 4:

Need for and design of a future evaluation study measured during the focus group during months 27-30.

Completion date

31/12/2020

Eligibility

Key inclusion criteria

Parents:

Parents of children who have received a NBS+ result in the previous 3-12 months including true positives, false positives and children who later have a cystic fibrosis screen positive, inconclusive diagnosis (CFSPID). This time frame has been chosen as the focus for this research based on feedback from parents of children who have previously received a NBS+ result. It has also been demonstrated that positive NBS can impact on child-parent relationships during the first year of life.

Health professionals:

1. Staff employed in NBS laboratories and involved in the processing of NBS+ results
2. Staff who have been involved in communicating NBS+ results to parents in the last 6 months.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

Parents:

1. Parent of children who have received a negative NBS result
2. Parents of children with co-morbidities that are likely to influence their perception of receiving the positive NBS result
3. Parents whose baby has died prior to being approached to be involved in the study
4. Inability of parents to understand and give informed consent
5. Parents whose recruitment is contraindicated on psychosocial grounds (identified by their health visitor or specialist nurse)

Health professionals:

1. Staff who have not been involved in communicating positive NBS results to parents in the last 6 months
2. Staff who have personal experience of receiving a positive NBS result

Date of first enrolment

01/04/2018

Date of final enrolment

30/09/2020

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Addenbrooke's Hospital

Hills Road

Cambridge

United Kingdom

CB2 0QQ

Study participating centre

Birmingham Children's Hospital

Steelhouse Lane

Birmingham

United Kingdom

B4 6NH

Study participating centre

Bristol Royal Infirmary

Upper Maudlin Street

Bristol

United Kingdom

BS2 8HW

Study participating centre

Southmead Hospital

Southmead Road

Westbury-on-Trym

Bristol

United Kingdom

BS10 5NB

Study participating centre

St Helier Hospital

Wrythe Lane
Carshalton
Carshalton
United Kingdom
SM5 1AA

Study participating centre

Queen Mary's Hospital for Children

Wrythe Lane
Carshalton Surrey
Carshalton
United Kingdom
SM5 1AA

Study participating centre

St James' University Hospital

Beckett Street
Leeds
United Kingdom
LS9 7TF

Study participating centre

Alder Hey Children's Hospital

E Prescott Road
Liverpool
United Kingdom
L12 2AP

Study participating centre

Great Ormond Street Hospital

Great Ormond Street
London
United Kingdom
WC1N 3JH

Study participating centre

St Thomas' Hospital

Westminster Bridge Road
Lambeth

London
United Kingdom
SE1 7EH

Study participating centre
Royal Manchester Children's Hospital
Oxford Road
Manchester
United Kingdom
M13 9WL

Study participating centre
Royal Victoria Infirmary
Queen Victoria Road
Newcastle upon Tyne
United Kingdom
NE1 4LP

Study participating centre
John Radcliffe Hospital
Headley Way
Headington
Oxford
United Kingdom
OX3 9DU

Study participating centre
Queen Alexandra Hospital
Southwick Hill Road
Cosham
Portsmouth
United Kingdom
PO6 3LY

Study participating centre
Sheffield Children's Hospital
Western Bank
Sheffield
United Kingdom
S10 2TH

Study participating centre
Leeds Children's Hospital
Leeds
United Kingdom
LS2 9NS

Sponsor information

Organisation
City, University of London

ROR
<https://ror.org/04489at23>

Funder(s)

Funder type
Government

Funder Name
National Institute for Health Research

Alternative Name(s)
National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type
Government organisation

Funding Body Subtype
National government

Location
United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		01/07/2022	31/10/2022	Yes	No
Protocol article	protocol	04/09/2019	12/09/2019	Yes	No
HRA research summary			28/06/2023	No	No
Interim results article	Assessment of current practice	12/12/2020	31/10/2022	Yes	No
Other publications	Health professionals' experiences	01/10/2020	07/10/2020	Yes	No
Other publications	Process evaluation	27/08/2021	01/09/2021	Yes	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes