

# Scratch Less Study

<b>Submission date</b> 12/05/2026	<b>Recruitment status</b> Not yet recruiting	<input checked="" type="checkbox"/> Prospectively registered
<b>Registration date</b> 13/05/2026	<b>Overall study status</b> Ongoing	<input checked="" type="checkbox"/> Protocol
<b>Last Edited</b> 13/05/2026	<b>Condition category</b> Skin and Connective Tissue Diseases	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

This study is part of the Rapid Eczema Trials project (Eczema Bathing Study: <https://www.isrctn.com/ISRCTN12016473>, and

Keep Control of Eczema Study: <https://www.isrctn.com/ISRCTN29214215>). These studies hope to answer many questions about how to look after eczema. People with eczema are helping to design and run these studies. This means that the project will answer important questions for people with eczema.

Itch is a common symptom of eczema, and scratching is a response to feeling itchy. Over time, the response of scratching can form a habit, where people scratch even if they don't feel itchy. Scratching can also lead to worsening of the itch and make the eczema worse. There are various ways of helping people to reduce how much they scratch in the hope of breaking this itch-scratch cycle. One of these approaches – the Scratch Less programme is being tested in this study.

### Who can participate?

People aged 8 years or older who have eczema and would like to reduce their scratching can join the study. The researchers are encouraging people from all different backgrounds to take part.

### What does the study involve?

People will join the study by signing up on the study website. They will answer questions about their eczema and how they currently treat it. They will then be put into one of two groups at random. One group will be asked to follow the Scratch Less 3-part online programme. The other group will be asked to follow their usual care for their eczema.

The Scratch Less programme starts by helping people to treat their eczema, and then supports people to try to reduce their scratching behaviour. This involves becoming more aware of the scratching, identifying the situations and reasons scratching is occurring, and then replacing the scratching with doing something else instead. The Scratch Less programme can be done at people's own pace, but is designed to be completed over 3 weeks.

Everyone will be in the study for 4 months. They will be asked to complete some questions, sent to them by email/text message, each month. People will receive reminders to complete the questionnaires by email/text message/telephone call, and information may be collected over the phone if needed. People can take part from home and do not need to travel.

It is not yet known if the Scratch Less programme works, but people in the usual care group will be able to try it at the end of the study if they would like to.

Soon after the study results are known, they will be shared on the study website (<https://rapideczematerials.org/>).

What are the possible benefits and risks of participating?

It is hoped that this study will help people to understand how best to manage their eczema. Some people like to feel they are helping others by taking part, and some people like to try new things out for themselves.

The researchers do not think people are likely to come to any harm in this study. People can use their eczema creams and treatments to help improve their symptoms and should speak to their usual healthcare professionals if needed.

Where is the study run from?

The study is being organised by Nottingham University Hospitals NHS Trust (the Sponsor) and is coordinated by the University of Nottingham. Participants join the study online and take part from home, so they can live anywhere within the UK.

When is the study starting and how long is it expected to run for?

May 2026 to August 2027

Who is funding the study?

National Institute for Health and Care Research (NIHR), UK.

Who is the main contact?

RapidEczemaTrials@nottingham.ac.uk

## Contact information

### Type(s)

Public

### Contact name

Mrs Eleanor Harrison

### ORCID ID

<https://orcid.org/0000-0003-0652-3980>

### Contact details

Nottingham Clinical Trials Unit  
University of Nottingham  
Applied Health Research Building  
University Park  
Nottingham

United Kingdom  
NG7 2RD  
+44 (0)115 8231600  
rapideczematerials@nottingham.ac.uk

**Type(s)**

Principal investigator, Scientific

**Contact name**

Prof Kim Thomas

**ORCID ID**

<https://orcid.org/0000-0001-7785-7465>

**Contact details**

Centre of Evidence Based Dermatology  
School of Medicine  
University of Nottingham  
Applied Health Research Building  
University Park  
Nottingham  
United Kingdom  
NG7 2RD  
+44 (0)115 84 68632  
kim.thomas@nottingham.ac.uk

**Type(s)**

Scientific

**Contact name**

Dr Laura Howells

**ORCID ID**

<https://orcid.org/0000-0003-4157-7394>

**Contact details**

Centre of Evidence Based Dermatology  
School of Medicine  
University of Nottingham  
Applied Health Research Building  
University Park  
Nottingham  
United Kingdom  
NG7 2RD  
+44 (0) 115 84 68631  
Laura.Howells1@nottingham.ac.uk

**Additional identifiers**

Integrated Research Application System (IRAS)

329123

## Central Portfolio Management System (CPMS)

58276

### Sponsor protocol number

22DE002

## Study information

### Scientific Title

Impact of an online intervention to address the itch-scratch cycle on eczema symptoms, quality of life, disease control and patient enablement in children and adults with eczema: two online, superiority, randomised controlled trials

### Acronym

Scratch Less Study

### Study objectives

AIM: To assess the impact of a 3-part online intervention on eczema symptoms compared with usual care over a period of 16 weeks in children and adults with eczema.

#### OBJECTIVES:

1. To assess the impact on eczema symptoms of an online intervention addressing the itch-scratch cycle compared with usual care alone in two populations:
  - 1.1. Children aged 8-12 years
  - 1.2. Adults and young people (aged 13 years and over)
2. To explore barriers and facilitators in using the online intervention and inform routes to implementation.

This study is part of the Rapid Eczema Trials project, which aims to answer many questions about how to manage eczema through the delivery of multiple online clinical trials (<https://rapideczematrials.org/>). An "Eczema Research Community" of people with eczema is helping to prioritise, design and run these studies. This means that the project will answer important questions for people with eczema.

### Ethics approval required

Ethics approval required

### Ethics approval(s)

approved 27/04/2026, London - Surrey Research Ethics Committee (2 Redman Place, Stratford, London, E20 1JQ, United Kingdom; +44 (0)207 1048088; [surrey.rec@hra.nhs.uk](mailto:surrey.rec@hra.nhs.uk)), ref: 23/PR/0899

### Primary study design

Interventional

### Allocation

Randomized controlled trial

**Masking**

Open (masking not used)

**Control**

Active

**Assignment**

Parallel

**Purpose**

Prevention, Supportive care

**Study type(s)****Health condition(s) or problem(s) studied**

Eczema in people aged 8 years and older

**Interventions**

**INTERVENTION:** A 3-part online programme to support management of itch and scratch for people with eczema plus usual care.

**CONTROL:** Usual eczema care alone.

The intervention is adapted from the 'Kids in Control' intervention developed by Dr Susannah Baron and team at King's College London (<https://ppopderm.org/project/kids-in-control/>). Kids in Control uses a combined approach that educates on how to use eczema treatments alongside habit reversal techniques from behavioural psychology (raising awareness of scratching behaviour and replacing the behaviour). The Kids in Control intervention was designed to be delivered by a healthcare professional in an online group setting for 8-12-year-olds. Therefore, to make it suitable for evaluation in this study, we have adapted the intervention (with user testing through think-aloud interviews) to make it suitable for stand-alone self-directed online use and to create a version suitable for older children and adults aged 13+ years.

The online programme is divided into 3 parts. It is self-directed, but it is suggested that each part is completed a week apart, with activities completed between sessions to put the learning into practice:

Part 1: Individuals learn more about eczema and how to use the two main topical treatments for eczema (emollients and topical corticosteroids).

Part 2: Individuals learn about the itch-scratch cycle in eczema and how to become aware of their scratching. They are encouraged to use a scratching diary to track their scratching.

Part 3: Individuals learn a series of new activities they can try out to replace their scratching behaviour. They are encouraged to keep tracking their progress.

Randomisation will be carried out by the participant using a secure, online system. Participants will be randomised 1:1 to either the intervention group (Scratch Less programme) or control group (usual care alone) separately for the two age groups (8-12 years and 13 years and over) using a minimisation algorithm with a probabilistic element balancing on the following factors:

- Eczema severity POEM score (0-7 mild, 8-16 moderate, 17-28 severe)

- Age (13+ years group only: 13 to 15, 16 to 25, 26 to 55, > 55 years)
- Gender (male, female, other)
- Use of systemic treatments or super potent topical corticosteroids (no, yes started less than 3 months ago, yes started 3 months ago or more)

Following randomisation, participants in the intervention group will be provided with access to the online programme via an individual user account that will be created for them. Children aged 8-12 years will receive access to the 'child version' and use the intervention with parent/carer support. Participants aged 13 years or over will receive access to the 13+ version and use the intervention independently (unless help is required on an individual basis).

All participants can use their usual eczema treatments (e.g. emollients and flare control creams) and will remain under the care of their usual healthcare professional during the trial.

This is a decentralised clinical trial with screening, e-Consent, data collection and randomisation all taking place online.

### **Intervention Type**

Behavioural

### **Primary outcome(s)**

1. Eczema symptoms measured using the Patient Oriented Eczema Measure (POEM) (7 items scored 0 to 28) at baseline and every 4 weeks over 16 weeks

### **Key secondary outcome(s)**

1. Eczema control measured using the Recap of Atopic Eczema (RECAP) (7 items, scored 0 to 28) at baseline, week 4 and week 16

2. Itch intensity measured using the Peak Pruritis Numerical Rating Scale (NRS) (one item, scored 0 to 10) at baseline and every 4 weeks over 16 weeks

3. Scratching over the last week measured using a questionnaire at baseline, week 4 and week 16

4. Skin-specific quality of life measured using the Children's Dermatology Life Quality Index (CDLQI) or Dermatology Life Quality Index (DLQI) (10 items, scored 0 to 30) at baseline and week 16

5. Patient enablement measured using the Patient Enablement Instrument (PEI) at baseline and week 16

6. Adverse events: measured using a questionnaire which collects: a) Contact with healthcare professional (HCP) because of a worsening of the eczema; b) Open question to capture unexpected events, at week 16

7. Frequency of skin bleeding due to eczema measured using the Patient Oriented Eczema Measure (POEM) (item 3) at baseline and every 4 weeks over 16 weeks

8. Proportion of participants who achieve an improvement in POEM of  $\geq 3$  points measured using the Patient Oriented Eczema Measure (POEM) at baseline and week 16

### **Completion date**

31/08/2027

# Eligibility

## Key inclusion criteria

1. Aged  $\geq 8$  years with self-report of eczema (syn. atopic dermatitis, atopic eczema)
2. Able and willing to participate in the online intervention
3. Usual residence in the UK
4. Able and willing to give informed consent (or parent/legal guardian able and willing to give informed consent for children under 16 years)

## Healthy volunteers allowed

No

## Age group

Mixed

## Lower age limit

8 years

## Upper age limit

120 years

## Sex

All

## Total final enrolment

0

## Key exclusion criteria

1. Diagnosis unlikely to be atopic eczema: only present on hands (likely to be hand eczema or contact dermatitis); limited to locations where skin is exposed to nickel, e.g. jewellery (likely to be contact dermatitis); eczema only around varicose veins (likely to be varicose eczema)
2. Taking part in another eczema intervention trial
3. Member of household has already agreed to take part in the Scratch Less trial

## Date of first enrolment

14/05/2026

## Date of final enrolment

30/04/2027

# Locations

## Countries of recruitment

United Kingdom

England

**Study participating centre**

All recruitment will take place online via the Rapid Eczema Trials website

<https://rapideczematrials.org>

Nottingham

England

NG7 2RD

## Sponsor information

**Organisation**

Nottingham University Hospitals NHS Trust

**ROR**

<https://ror.org/05y3qh794>

## Funder(s)

**Funder type****Funder Name**

National Institute for Health and Care Research

**Alternative Name(s)**

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

**Funding Body Type**

Government organisation

**Funding Body Subtype**

National government

**Location**

United Kingdom

## Results and Publications

**Individual participant data (IPD) sharing plan**

The datasets generated during and/or analysed during the current study will be available upon request from Nottingham Clinical Trials Unit (NCTU) ([ctu@nottingham.ac.uk](mailto:ctu@nottingham.ac.uk)) in accordance with NCTU's data sharing procedure.

Access to the data will be subject to review of a data sharing and use request by a committee, including the CI and sponsor and will only be granted upon receipt of a data sharing and use agreement.

Any data shared will be de-identified.

Consent from participants to share data was obtained.

### **IPD sharing plan summary**

Available on request

### **Study outputs**

<b>Output type</b>	<b>Details</b>	<b>Date created</b>	<b>Date added</b>	<b>Peer reviewed?</b>	<b>Patient-facing?</b>
<a href="#">Protocol file</a>	version 5.0	18/03/2026	13/05/2026	No	No