

# Can an activity monitor be used to set exercise level in patients with chronic obstructive pulmonary disease during an outpatient based course of pulmonary rehabilitation?

<b>Submission date</b> 24/02/2017	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 12/05/2017	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 20/01/2021	<b>Condition category</b> Respiratory	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Chronic obstructive pulmonary disease (COPD) is the name given to a collection of diseases which affect the lungs. It is characterised by breathlessness, cough and excess mucus production and is often caused by smoking. People suffering from COPD often have lower levels of physical activity and exercise capacity than those without the condition, increasing their risk of hospitalisation or death. Pulmonary rehabilitation (PR) is a universally recognised program of exercise, education and support that is used in patients with COPD to help them improve their physical condition. PR is therefore recommended in national and international guidelines for the management of patients with COPD for all those experiencing physical restrictions to daily life. Activity monitors that record steps could be used to help patients monitor exercise training sessions and better understand their background physical activity levels; until now this has only been carried out using research style equipment, which gives no feedback to the patient. The aim of this study is to find out whether it is feasible to use a commercial activity monitor, which offers real time feedback to patients, to prescribe an exercise training programme (i.e. step count per minute of exercise), and whether this can be identified from the data retrieved from the device.

### Who can participate?

Adult COPD patients who have been referred by their clinician for outpatient PR delivered from a hospital site.

### What does the study involve?

After agreeing to take part, participants are instructed about how to wear and use the activity monitor device. They then complete a walking test usually used in the hospital's pulmonary rehabilitation programme with the device in place. Using the information from the device, participants are told about their walking exercise intensity based on steps per minute and how to check this speed during exercise bouts using the activity monitor device. Participants then attend twelve pulmonary rehabilitation classes, usually over the course of six weeks. After the

twelfth class participants attend a discharge assessment where the activity monitor will be returned to the researcher.

What are the possible benefits and risks of participating?

Participants may benefit from becoming more active. There are no notable risks involved with participating.

Where is the study run from?

Glenfield Hospital (UK)

When is the study starting and how long is it expected to run for?

June 2016 to August 2017

Who is funding the study?

University Hospitals of Leicester NHS Trust (UK)

Who is the main contact?

Ms Sarah Ward

sarah.ward@uhl-tr.nhs.uk

## Contact information

### Type(s)

Scientific

### Contact name

Ms Sarah Ward

### Contact details

UHL NHS Trust

Glenfield Hospital

Leicester

United Kingdom

LE3 9QP

+44 116 258 3181

sarah.ward@uhl-tr.nhs.uk

## Additional identifiers

### Protocol serial number

71186

## Study information

### Scientific Title

Can a commercial activity monitor be used to effectively prescribe exercise and increase physical activity levels in chronic respiratory patients undertaking outpatient pulmonary rehabilitation? - A feasibility study

### Study objectives

**Study aims:**

1. To determine if patients undergoing pulmonary rehabilitation will wear an activity monitor daily to monitor their exercise
2. To determine whether it is possible to prescribe exercise using steps/min rather than traditional expressions of walking intensity
3. To determine if it is possible to identify these bouts of exercise from the data collected from the device

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

NRES Committee North East - Newcastle & North Tyneside 1, 12/07/2016, ref: 16/NE/0236

**Study design**

Single-centre non-randomised feasibility study

**Primary study design**

Interventional

**Study type(s)**

Other

**Health condition(s) or problem(s) studied**

Chronic obstructive pulmonary disease

**Interventions**

Participants will be identified from clinical service during routine assessment for pulmonary rehabilitation. If interested will be given an information sheet and an appointment for consenting made for a date coinciding with the participants first rehabilitation class.

Following consent being obtained the participant will undergo a walking test (same test carried out during routine assessment) with the device in place to gain specific exercise prescription parameters of steps per minute. Participants will then attend the routine pulmonary rehabilitation classes during which the researcher will analyse the data stored on the activity monitor device since the last session and spend a short time, during the usual session, giving feedback to the participant and setting new activity goals with them for the coming week. At the end of the pulmonary rehabilitation programme the participants will undertake a routine discharge assessment where the activity monitor will be collected. In total participants will be expected to attend one additional visit of approximately 30-45 minutes and complete one additional questionnaire at discharge, compared with routine clinical care.

The duration of the intervention will last as long as the course of pulmonary rehabilitation; approximately 8 weeks and there will be no follow up.

**Intervention Type**

Device

**Phase**

Not Applicable

**Primary outcome(s)**

1. Agreement between participant reported exercise bouts and data uploaded from activity monitor device at each rehabilitation class visit
2. Agreement of walking intensity (steps per minute) from uploaded data identifying exercise bouts and prescribed walking intensity

**Key secondary outcome(s)**

Physical activity levels of participants across the course of pulmonary rehabilitation measured by average daily step count uploaded from the activity monitor device from week one to week six of the programme

**Completion date**

01/08/2017

**Eligibility****Key inclusion criteria**

1. Aged 18 years or above
2. Diagnosis of COPD (FEV1/FEV <0.7 measured by spirometry)
3. Stable condition, medically optimised and free of exacerbations for 30 days
4. Able (in the investigators opinion) and willing to comply with all study requirements; able to appropriately place the activity monitor device to their person
5. Willing and able to give informed consent
6. Willing to undergo a course of pulmonary rehabilitation at Glenfield Hospital

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Total final enrolment**

19

**Key exclusion criteria**

1. Comorbidities that would limit participation in a pulmonary rehabilitation programme such as significant musculoskeletal, neurological or psychological conditions
2. Comorbidities that contraindicate field exercise tests such as severe ventricular dysfunction, severe aortic stenosis, hypertrophic obstructive cardiomyopathy, severe pulmonary hypertension, myocardial infarction within previous 6 weeks, hypertension with resting systolic pressure >210mmHg and/or diastolic pressure >110mmHg, abdominal aortic aneurysm >5.5cm in

diameter

3. Unwilling to enrol onto the supervised outpatient pulmonary rehabilitation programme
4. No diagnosis of chronic obstructive pulmonary disease
5. Unable/unwilling to use activity monitor device throughout pulmonary rehabilitation
6. Any other significant disease or disorder which, in the opinion of the investigator, may either put the participants at risk because of participation in the study, or may influence the result of the study, or the participant's ability to participate in the study
7. Unable to understand written or spoken English

**Date of first enrolment**

11/10/2016

**Date of final enrolment**

01/05/2017

## **Locations**

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

**Glenfield Hospital**

UHL NHS Trust  
Grobby Road  
Leicester  
United Kingdom  
LE3 9QP

## **Sponsor information**

**Organisation**

University Hospitals of Leicester NHS Trust

**ROR**

<https://ror.org/02fha3693>

## **Funder(s)**

**Funder type**

Hospital/treatment centre

## Funder Name

University Hospitals of Leicester NHS Trust

# Results and Publications

## Individual participant data (IPD) sharing plan

Participant level data will be held securely; hardcopy on secure cabinets and offices, electronic data password protected on NHS computer. Data will not be made available as it is a small feasibility study dataset carried out for an academic qualification. If a larger study is warranted as a result of this study's results this may be made available.

## IPD sharing plan summary

Not expected to be made available

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	18/01/2021	20/01/2021	Yes	No
<a href="#">HRA research summary</a>			28/06/2023	No	No