

Comparing the effect of two Ayurveda drugs on the treatment of type 2 diabetes mellitus

Submission date 17/09/2025	Recruitment status Recruiting	<input checked="" type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 05/10/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 17/11/2025	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Type 2 diabetes mellitus (T2DM) is a long-term condition in which the body does not use insulin properly, leading to raised blood glucose levels. Over time, poor control of blood sugar can cause serious complications such as heart disease, kidney damage, nerve damage, and eye disease. Current treatments, including oral drugs like metformin, are effective but may cause side effects and long-term use can reduce patient compliance. *Gymnema sylvestre* (locally known as Masbedda) is a medicinal plant widely used in Ayurveda for the management of diabetes, with reports of blood sugar-lowering effects. The aim of this study is to find out whether *Gymnema sylvestre* (given as either a decoction or a freeze-dried powder) is as effective and safe as standard metformin treatment in controlling diabetes over a period of 12 weeks.

Who can participate?

Men and women aged 18 to 65 years who have been diagnosed with type 2 diabetes mellitus.

What does the study involve?

Participants will be randomly assigned to one of three groups:

- Gymnema sylvestre* decoction (prepared fresh daily from coarse leaf powder)
- Gymnema sylvestre* freeze-dried powder (sachets dissolved in hot water)
- Standard treatment with metformin (500 mg, twice daily)

The study treatment will continue for 12 weeks. At the start, all participants will undergo full clinical and laboratory tests. Blood sugar (fasting glucose) will be checked every two weeks using a glucometer for safety monitoring, with an additional laboratory test at week six. At the end of 12 weeks, a full set of investigations will be repeated. The main outcome is change in HbA1c (a marker of long-term blood sugar control) between baseline and the end of treatment.

What are the possible benefits and risks of participating?

Participants will receive close monitoring and advice from a qualified medical team. They may benefit from improved blood sugar control and contribute to the development of an evidence-based Ayurveda treatment option for diabetes. The risks are expected to be minimal and mainly include gastrointestinal side effects sometimes seen with diabetes treatments.

Where is the study run from?
Faculty of Indigenous Medicine, University of Colombo, Sri Lanka.

When is the study starting and how long is it expected to run for?
July 2025 to December 2026

Who is funding the study?
Faculty of Graduate Studies, University of Colombo, Sri Lanka.

Who is the main contact?
Dr Erandi Gunathilaka, 2024mphilphd08@stu.cmb.ac.lk

Contact information

Type(s)

Principal investigator

Contact name

Dr Erandi Gunathilaka

ORCID ID

<https://orcid.org/0009-0000-2060-1063>

Contact details

Faculty of Graduate Studies, University of Colombo
Colombo
Sri Lanka

-
+94 112055656
2024mphilphd08@stu.cmb.ac.lk

Type(s)

Public

Contact name

Prof Pathirage Kamal Perera

ORCID ID

<https://orcid.org/0000-0003-0337-1336>

Contact details

Faculty of Indigenous Medicine, University of Colombo
Colombo
Sri Lanka

-
+94 112692385
kamalperera@fim.cmb.ac.lk

Type(s)

Scientific

Contact name

Prof Prasad Katulanda

ORCID ID

<https://orcid.org/0000-0003-4313-7528>

Contact details

Department of Medicine, Faculty of Medicine, University of Colombo
Colombo
Sri Lanka

-

+94 112695300

prasad.katulanda@clinmed.cmb.ac.lk

Type(s)

Scientific

Contact name

Dr Jeevani Dahanayaka

ORCID ID

<https://orcid.org/0000-0002-9085-918X>

Contact details

Faculty of Indigineous Medicine, University of Colombo
Colombo
Sri Lanka

-

+94 112692385

jeevanimd@fim.cmb.ac.lk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Protocol serial number

2024/MPhil-PhD/08

Study information

Scientific Title

Gymnema sylvestre in the management of type 2 diabetes mellitus: a three-arm, open-label, non-inferiority randomised controlled trial

Acronym

AyurDrugT2DM

Study objectives

Objective of this study is to compare the efficacy of GS Panta Kashaya and freeze-dried GS formula with metformin in reducing HbA1c levels in patients with T2DM over 12 weeks.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 22/07/2025, Ethics Review Committee, Faculty of Indigenous Medicine (University of Colombo, Sri Lanka, Colombo, -, Sri Lanka; +94 112692385; ethicsreview@fim.cmb.ac.lk), ref: ERC 25/272

Study design

Three-arm open-label non-inferiority randomized controlled clinical trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Type 2 diabetes mellitus

Interventions

This will be a three-arm, open-label, non-inferiority randomized controlled trial in patients with type 2 diabetes mellitus (T2DM). Participants will be recruited using a consecutive consenting sampling method. A blocked randomization design will be applied, with the randomization schedule generated through an online statistical computing tool. Eligible participants will be randomly assigned to one of three arms.

Arm I will receive GS decoction prepared from 5 g of pre-packaged coarse leaf powder boiled in 60 ml of water and taken once daily after meals; Arm II will receive freeze-dried GS powder equivalent to the decoction, packaged in sachets and dissolved in 60 ml of hot water as a single daily dose; Arm III will receive metformin 500 mg orally twice daily after meals with 240 ml of water. The intervention period will last 12 weeks, followed by post-treatment assessments at 1 and 3 months without further drug administration

All participants will attend clinic visits every two weeks during the intervention period.

The primary outcome is change in glycosylated hemoglobin (HbA1c) from baseline to week 12.

Considering that HbA1c reflects glycemic control over 8–12 weeks, intermediate testing will not provide clinically meaningful data. Therefore, secondary outcomes will be assessed on a structured schedule: baseline (comprehensive investigations), biweekly capillary fasting blood sugar (FBS) monitoring using a glucometer for safety and trends, an additional laboratory FBS measurement at week 6, and full investigations again at week 12. Secondary outcomes include FBS, insulin sensitivity (HOMA-IR), body weight, BMI, gastrointestinal side effects, liver enzymes (ALT, AST), serum creatinine, and estimated glomerular filtration rate (eGFR). Data will be entered and cleaned in SPSS, with outlier management and necessary transformations applied. Descriptive statistics will summarize baseline and outcome measures, while inferential analysis will be performed using t-tests or ANCOVA (adjusted for baseline), with chi-square or non-parametric tests applied to categorical outcomes. Subgroup analyses will be conducted if relevant.

Intervention Type

Drug

Phase

Phase II

Drug/device/biological/vaccine name(s)

Gymnema Sylvestre shade dried leaf powder, Gymnema Sylvestre freeze dried powder, metformin

Primary outcome(s)

Change in HbA1c levels measured by venous blood test at baseline and 12 weeks.

Key secondary outcome(s)

1. Change in fasting blood glucose levels measured by venous blood test at baseline and 12 weeks, and random blood sugar (RBS) every two weeks using a glucometer strip test.
2. Change in insulin sensitivity (HOMA-IR) calculated from fasting glucose and fasting insulin levels at baseline and 12 weeks.
3. Incidence and severity of gastrointestinal side effects assessed using patient interviews and symptom questionnaires at each follow-up visit (baseline, 4 weeks, 8 weeks, and 12 weeks).
4. Change in body weight and BMI measured using a calibrated scale and stadiometer at baseline and 12 weeks.
5. Change in liver enzyme levels (ALT, AST) at baseline and 12 weeks.
6. Serum creatinine levels at baseline and 12 weeks.
7. Estimated glomerular filtration rate (eGFR) calculated from serum creatinine at baseline and 12 weeks.

Completion date

30/12/2026

Eligibility**Key inclusion criteria**

1. Age 18-70 years.
2. Diagnosed with T2DM for at least 6 months, confirmed by medical records and HbA1c levels.
3. HbA1c levels between 7.0% and 9.5% at screening, despite receiving stable doses of metformin or no metformin therapy for at least 3 months.
4. Willing and able to provide written informed consent.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

18 years

Upper age limit

70 years

Sex

All

Total final enrolment

0

Key exclusion criteria

1. Type 1 Diabetes Mellitus or other specific types of diabetes.
2. History of severe hypoglycaemia requiring hospitalization in the past 6 months.
3. Pregnant or breastfeeding women.
4. Active liver disease (defined as AST or ALT > 3 times the upper limit of normal).
5. Estimated glomerular filtration rate (eGFR) < 30 ml/min/1.73 m².
6. Known allergy or intolerance to GS or metformin.
7. Currently using any other investigational drugs or herbal supplements for diabetes management.

Date of first enrolment

27/12/2025

Date of final enrolment

01/12/2026

Locations**Countries of recruitment**

Sri Lanka

Study participating centre**National Ayurveda Teaching Hospital**

Dr. N. M. Perera Mawatha, Borella

Colombo 8

Sri Lanka

-

Sponsor information**Organisation**

University of Colombo

ROR

<https://ror.org/02phn5242>

Funder(s)

Funder type

University/education

Funder Name

University of Colombo

Alternative Name(s)

University of Colombo, Sri Lanka, UoC

Funding Body Type

Government organisation

Funding Body Subtype

Local government

Location

Sri Lanka

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Dr Erandi Gunathilaka (2024mphlphd08@stu.cmb.ac.lk). Study participant data sheets will not include contact or identifying details. Study data entry and study management systems used by clinical sites will be secured and password protected. At the end of the study, all study databases will be de-identified and archived. Availability of raw data of the study is based on the above conditions.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Other files	Demographics		22/09/2025	No	No
Other files	Gastrointestinal Symptom Questionnaire		22/09/2025	No	No
Other files	Medical History Questionnaire		22/09/2025	No	No
Other files	Medication Adherence Questionnaire		22/09/2025	No	No
Participant information sheet			22/09/2025	No	Yes