

AWAKE Check: A UK study assessing sleep disorder risk in adults using online and pharmacy-based screening

Submission date 30/09/2025	Recruitment status Recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 30/09/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 11/05/2026	Condition category Nervous System Diseases	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Sleep disorders such as insomnia and obstructive sleep apnoea (OSA) are common in the UK but are often under-recognised and untreated. Both conditions have major impacts on health, wellbeing, safety, and productivity. This study aims to estimate the proportion of UK adults at risk for insomnia, OSA, and comorbid insomnia and sleep apnoea (COMISA) using validated questionnaires delivered online. The project also seeks to raise awareness of sleep health by engaging people through community pharmacies, social media, and mass media.

Who can participate?

Adults aged 18 years and over who live in the UK and can complete an online survey in English. Participation is voluntary and open to both healthy volunteers and people who may already have sleep problems.

What does the study involve?

Participants complete a short web-based survey hosted on JotForm. The survey includes:

1. The Insomnia Severity Index (ISI) to assess insomnia risk
2. The STOP-Bang questionnaire to assess risk of obstructive sleep apnoea.
3. An optional Functional Outcomes of Sleep Questionnaire (FOSQ-10) to measure the impact of sleepiness on daily activities.

The survey takes about 5 minutes to complete. All questions are mandatory to ensure complete data, except for the optional field where participants may request an email copy of their responses. At the end, participants receive tailored feedback about their results and signposting to healthcare advice if at increased risk.

What are the possible benefits and risks of participating?

There are no direct health benefits to taking part, but participants may find it useful to learn more about their sleep health and possible next steps. The information gathered will help researchers and healthcare providers better understand the scale of sleep health needs in the

UK. Risks are minimal: the survey is anonymous and non-invasive, and no treatment is given. Some participants may find questions about their sleep sensitive, but they can withdraw at any time by choosing not to submit the survey.

Where is the study run from?

The study is organised and coordinated by the British Society of Pharmacy Sleep Services (BSPSS), a UK-registered charity based in Lincoln.

When is the study starting and how long is it expected to run for?

May 2025 to April 2027

Who is funding the study?

This is an unfunded investigator-initiated study coordinated by BSPSS
Sefam Medical UK Ltd: £500 unconditional grant to support participant prize fund

Who is the main contact?

Adrian Zacher, start@awakecheck.co.uk

Contact information

Type(s)

Principal investigator

Contact name

Dr Adam Pattison Rathbone

ORCID ID

<https://orcid.org/0000-0002-1005-0533>

Contact details

Newcastle University

Newcastle

United Kingdom

NE1 7RU

+44 (0)191 208 6000

Adam.Rathbone@newcastle.ac.uk

Type(s)

Public, Scientific

Contact name

Mr Adrian Zacher

ORCID ID

<https://orcid.org/0000-0002-5855-3850>

Contact details

4 Waterford Lane

Cherry Willingham

Lincoln

United Kingdom

LN3 4AL
+44 (0)7769187168
hello@bspss.org

Additional identifiers

Protocol serial number

AWAKE v6.5

Study information

Scientific Title

A prospective observational cross-sectional study assessing risk of insomnia and obstructive sleep apnoea in UK adults using validated screening tools (Insomnia Severity Index, STOP-Bang, and FOSQ-10)

Acronym

AWAKE

Study objectives

1. To determine the prevalence of risk for insomnia and obstructive sleep apnoea (OSA) in a UK adult population using validated screening tools (Insomnia Severity Index and STOP-Bang questionnaire).
2. To identify the proportion of participants at risk of comorbid insomnia and sleep apnoea (COMISA).
3. To compare the prevalence of sleep disorder risk across defined subgroups (e.g. occupation, sex, BMI, recruitment channel, and geographic location).
4. To assess the functional impact of sleepiness on daily living using the Functional Outcomes of Sleep Questionnaire (FOSQ-10) in a sub-sample of respondents.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 12/08/2025, Newcastle University Research Ethics Committee (King's Gate, Newcastle, NE1 7RU, United Kingdom; +44 (0)191 208 6000; res.policy@ncl.ac.uk), ref: 63260/2023

Study design

Prospective observational cross-sectional study

Primary study design

Observational

Study type(s)

Prevention, Quality of life, Screening

Health condition(s) or problem(s) studied

Insomnia disorder; Obstructive sleep apnoea (OSA); Comorbid insomnia and sleep apnoea (COMISA); Sleep-related functional impairment

Interventions

Participants will complete a single web-based survey (JotForm) including validated screening tools: the Insomnia Severity Index (ISI), the STOP-Bang questionnaire for obstructive sleep apnoea risk, and the optional Functional Outcomes of Sleep Questionnaire (FOSQ-10). On completion, participants receive tailored risk feedback and signposting to healthcare support if at elevated risk. Data collection occurs once at baseline, with no follow-up.

Intervention Type

Behavioural

Primary outcome(s)

1. Proportion of participants at high risk of insomnia, measured using the Insomnia Severity Index (ISI; score ≥ 15), assessed once at baseline (on survey completion).
2. Proportion of participants at high risk of obstructive sleep apnoea, measured using the STOP-Bang questionnaire (score ≥ 5), assessed once at baseline (on survey completion).

Key secondary outcome(s)

1. Proportion of participants at risk of comorbid insomnia and sleep apnoea (COMISA), defined by ISI score ≥ 15 and STOP-Bang score ≥ 3 , assessed once at baseline (on survey completion).
2. Functional impairment due to sleepiness, measured using the Functional Outcomes of Sleep Questionnaire (FOSQ-10), assessed once at baseline (on survey completion).
3. Comparison of sleep disorder risk prevalence across subgroups (occupation, sex, BMI, recruitment channel, and geographic region), assessed once at baseline (on survey completion).
4. Geographic distribution of risk categories, analysed by the first three digits of participant postcodes, assessed once at baseline (on survey completion).

Completion date

30/04/2027

Eligibility

Key inclusion criteria

1. Adults aged 18 years or older
2. Resident in the United Kingdom
3. Able to access and complete an online survey in English
4. Occupation may include employee or learner/student (18+ years)

Participant type(s)

Employee, Healthy volunteer, Learner/student, Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

18 years

Upper age limit

120 years

Sex

All

Total final enrolment

0

Key exclusion criteria

1. Individuals under the age of 18 years
2. Non-UK participants, identified through IP address location at survey entry
3. Incomplete survey responses (missing core outcome data)

Date of first enrolment

01/10/2025

Date of final enrolment

30/04/2027

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

British Society of Pharmacy Sleep Services

4 Waterford Lane

Cherry Willingham

Lincoln

England

LN3 4AL

Sponsor information

Organisation

British Society of Pharmacy Sleep Services (BSPSS)

Funder(s)

Funder type

Other

Funder Name

Investigator initiated and funded

Funder Name

Sefam Medical UK Ltd. £500 unconditional grant to support participant prize fund

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet		11/11/2025	11/11/2025	No	Yes
Study website		11/11/2025	11/11/2025	No	Yes
Study website			11/05/2026	No	No