

Understanding your vulnerabilities

| | | |
|--|---|--|
| Submission date 13/11/2023 | Recruitment status No longer recruiting | <input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol |
| Registration date 15/11/2023 | Overall study status Completed | <input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results |
| Last Edited 15/11/2023 | Condition category Mental and Behavioural Disorders | <input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year |

Plain English summary of protocol

Background and study aims

Many young adults with substance use disorder experience internalizing symptoms such as anxiety and depression in addition to their substance use. Comprehensive integrated treatments may not be feasible for practical reasons, or because patients are not well-prepared to engage in such treatment. Brief psycho-education may help prepare patients for more comprehensive care, or to benefit from treatment that focuses on only substance use disorder or only mental health problems, in spite of the comorbidity. This study aims to assess the acceptability and feasibility of brief psycho-education.

Who can participate?

People aged 18 to 30 years old enrolled in treatment for substance use disorder at the participating site

What does the study involve?

The study involves receiving either standard treatment with cognitive behavioral counselling and motivational interviewing or standard treatment with six sessions of integrated psycho-education. All patients will have access to the same pharmacological and wrap-around services in addition to counselling, regardless of randomization.

What are the possible benefits and risks of participating?

The potential benefits of participating are to have a better treatment experience and improved outcomes. While any study carries risks, the Ethics Committee for the Central Jutland Region has not identified significant risks.

Where is the study run from?

The Municipality of Gladsaxe (Denmark)

When is the study starting and how long is it expected to run for?

January 2021 to June 2025

Who is funding the study?

Trygffonden, a Danish research fund

Who is the main contact?

Morten Hesse (Associate Professor at the Centre for Alcohol and Drug Research, Aarhus University), mh.crf@psy.au.dk

Contact information

Type(s)

Scientific, Principal investigator

Contact name

Mrs Morten Hesse

ORCID ID

<https://orcid.org/0000-0002-6849-6554>

Contact details

Tuborgvej 164
Copenhagen NV
Denmark
2450
+4521664936
mh.crf@psy.au.dk

Type(s)

Public, Scientific

Contact name

Mrs Birgitte Thylstrup

ORCID ID

<https://orcid.org/0000-0001-5658-5392>

Contact details

Tuborgvej 164
Copenhagen
Denmark
2450
+4587165336
bt.crf@psy.au.dk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Protocol serial number

38967

Study information

Scientific Title

Brief psychoeducation for comorbid alcohol and other drug use disorders and internalizing symptoms

Acronym

PsyCom

Study objectives

Brief psychoeducation on internalizing problems will be acceptable and feasible in the context of outpatient treatment for substance use disorders

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 05/12/2022, The Scientific Ethics Committees for the Central Jutland Region (Skottenborg 26, Viborg, 8800, Denmark; +45 7841 0183; komite@rm.dk), ref: 1-10-72-113-22

Study design

Two-arm pilot feasibility study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Substance use disorder and internalizing symptoms

Interventions

This study will investigate treatment as usual plus psychoeducation versus treatment as usual alone for comorbid substance use disorders and internalizing symptoms.

For both interventions, the municipality is responsible for providing psychosocial and pharmacological treatment for substance use disorders. In the experimental arm, the clients are offered six sessions of psychoeducation focusing on the overlap between internalizing symptoms and substance use.

Many emerging adults (18-30 years old) with alcohol and other drug use disorders (AOD) suffer from concurrent symptoms of anxiety or depression, often referred to as internalizing disorders. However, the provision of good care is challenged because of the limited availability of relevant treatment options that can easily be implemented and managed in clinical practice. Considering the high risk of severe consequences across life areas for these emerging adults, it is of great importance to develop innovative brief evidence-based interventions that engage them at an early stage when they enroll in AOD treatment.

There is a flyer to inform participants about the study; informed consent; information material from the National Scientific Ethics Committees (as part of informed consent material); a workbook on the experimental conditions (can be made available by request); standard treatment (can be made available by request).

During the first in-person contact, social workers and/or nurses at the participating treatment site will assess whether an individual is eligible for study participation according to the eligibility criteria. If the individual is deemed eligible, the same employee will verbally inform the individual about the trial and provide a participant information sheet, including material on informed consent and material from the National Scientific Ethics Committees. If the individual accepts the invitation and gives informed consent for study participation, the employee will collect the necessary information for randomization in an online questionnaire, which is forwarded to the Center for Alcohol and Drug Research (CADR), at Aarhus University, via an anonymous and secure email. The research team will ensure the confidentiality of this data by keeping the online questionnaire data and consent forms on secure servers. Information on randomization will be sent by the research team within the same day or the next day by secure mail to the treatment site, which will initiate the start of the treatment sessions in the study arm that is given by the randomization. Treatment will start.

All treatment providers at the participating site have a BA in social work, nursing, or a related field. Two counsellors with an education in social work will provide the experimental condition and have been trained in this by the researchers, who are available for questions throughout the study period. Standard treatment will be provided by all other counsellors at the treatment site. These counsellors also have educational background in social work/nursing and are trained in providing the standard treatment. Supervision is given to all counsellors by a psychologist at the site when needed.

Both interventions are provided face-to-face at the treatment site. Both interventions are individual counselling.

The study takes place at the participating treatment site; an outpatient treatment site in Gladsaxe municipality; Denmark. The intervention occurred in therapy rooms within the community clinic for substance use disorders.

The study is randomized using the minimization method with balancing on gender, age ($25 < \text{age} < 30$), and employment or training (versus none).

All treatment providers have a BA in social work, nursing, or a related field. For the experimental group, treatment providers practised the psychoeducation using extensive roleplay.

Intervention Type

Behavioural

Primary outcome(s)

The expectation of a good outcome measured using the Outcome Expectancies Questionnaire at 1 and 3 months post-randomization

Key secondary outcome(s)

1. Symptoms of anxiety and depression measured using the Depression, Anxiety and Stress Scale - 21 Items (DASS-21) at 1 and 3 months
2. Level of functioning measured using the WHO Disability Assessment Schedule-5 (WHODAS-5)

at 1 and 3 months

3. Knowledge of internalizing symptoms measured using qualitative interviews at the 3-month follow-up

4. Retention and treatment attendance measured using an electronic logbook to assess treatment attendance at each session, including no-shows and cancellations. Retention will be measured using time-to-event models at the time of the latest discharge from treatment, or December 31st 2024, whichever occurs first.

5. Days abstinent measured using the MapPlan at 1 and 3 months

6. Acute psychiatric care measured using both case files and interview data at 1 and 3 months post-randomization

Completion date

30/06/2025

Eligibility

Key inclusion criteria

1. Seeking treatment for substance use disorder
2. Reporting 3 or more points on the Youthmap internalizing problems

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

30 years

Sex

All

Key exclusion criteria

Psychotic disorders

Date of first enrolment

17/08/2023

Date of final enrolment

31/12/2024

Locations

Countries of recruitment

Denmark

Study participating centre

Gladsaxe Rusmiddelcenter (substance use disorder treatment services in the Municipality of Gladsaxe)

Østmarken 4

Søborg

Denmark

2860

Sponsor information

Organisation

Aarhus University

ROR

<https://ror.org/01aj84f44>

Organisation

Gladsaxe Kommune (Gladsaxe Municipality)

Funder(s)

Funder type

Research organisation

Funder Name

Danish Foundation TrygFonden

Alternative Name(s)

TrygFonden Kystlivredning

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

Denmark

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Morten Hesse, mh.crf@psy.au.dk. Data will be stored pseudonymized at Statistics Denmark's servers. Data will be the primary and secondary outcomes from the interviews only, not from the logbook. Data will be made available six months after the study has ended in aggregated format with cells of no less than 5 patients. Consent to share has not been collected. Ethical and legal restrictions mean that only aggregate data will be shared. Changes in legislation up to the request for raw data may influence the sharing of data.

IPD sharing plan summary

Stored in non-publicly available repository, Available on request

Study outputs

| Output type | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|-------------------------------|-------------|--------------|------------|----------------|-----------------|
| Protocol file | version 1.0 | 30/08/2021 | 14/11/2023 | No | No |