

A randomised controlled trial of the effect of a practice-based genetic screening facilitator.

Submission date 23/01/2004	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 23/01/2004	Overall study status Completed	☐ Statistical analysis plan ☒ Results
Last Edited 04/12/2009	Condition category Circulatory System	☐ Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Michael Modell

Contact details
Primary Care & Population Sciences
Royal Free & University College Medical School
Level 2
Holborn Union Building
London
United Kingdom
N19 3UA
+44 (0)20 7 288 3247
m.modell@ucl.ac.uk

Additional identifiers

Protocol serial number
PSI03-26

Study information

Scientific Title

Study objectives

To investigate the feasibility of improving screening for carriers of the recessively inherited haemoglobin disorders (thalassaemia and sickle cell disorders) in general practice, by using a nurse facilitator to work with primary care teams and the relevant haematology laboratories. To identify problems in communication between all those involved in delivering the service, and to implement solutions.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Screening

Health condition(s) or problem(s) studied

Genetic screening for haemoglobin disorders

Interventions

The 13 intervention practices were given: posters, and leaflets to explain to the members of the relevant ethnic groups why carrier testing is advisable and how it can be obtained, an aide-memoire card for GPs; consulting rooms listing groups to whom screening should be offered, and a practice reference manual containing background information. Intervention practices were offered three formal practice-based 30-60 minute training sessions from the nurse facilitator during the intervention year. Screening requests from study, control and non-participating practices were recorded using computerised hospital haematology laboratory records.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

The main outcome measure was the change in the number of requests for screening tests for haemoglobin disorders made by control and intervention practices in the baseline and intervention years. We also recorded the numbers of requests from the non-participating practices. For the 2 year follow-up trial the main outcome measure was the number of requests for screening tests from each intervention practice in 1997 and 1998.

Key secondary outcome(s)

Not provided at time of registration

Completion date

01/04/1997

Eligibility

Key inclusion criteria

It took place in an area of North London where 29% of residents and 43% of births are in the ethnic groups at risk for haemoglobin disorders (mainly Camden, Islington, Haringey and Enfield). Twenty six of the 93 practices using the services of the Whittington haematology laboratory agreed to take part, and were divided into 13 control and 13 intervention practices.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Other

Sex

All

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment

01/04/1995

Date of final enrolment

01/04/1997

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Primary Care & Population Sciences

London

United Kingdom

N19 3UA

Sponsor information

Organisation

Record Provided by the NHS R&D 'Time-Limited' National Programme Register - Department of Health (UK)

Funder(s)

Funder type

Government

Funder Name

NHS Primary and Secondary Care Interface National Research and Development Programme (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	19/09/1998		Yes	No