

Improving the quality of care for men with Abdominal Aortic Aneurysms (AAA) who undergo regular screening: reducing the psychosocial consequences of screening and developing a patient-centred Exit Strategy from surveillance

Submission date 26/01/2023	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 09/02/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 10/09/2025	Condition category Circulatory System	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Abdominal Aortic Aneurysm (AAA) is a swelling in the aorta, a vessel that runs from the heart down through the chest and stomach. AAA can increase in size and burst. Most people who have a burst AAA die before they get to hospital or do not survive emergency surgery. 4000 people die each year in England and Wales from a burst AAA. Screening can pick up an AAA before it bursts. It saves lives and is cost-effective. The National AAA Screening Programme (NAAASP) offers screening to all men aged 65. It invites 300,000 men for scans each year. Some men have a small AAA and are checked each year to see how much it has grown. Some men have a medium AAA and are checked every three months. There are now 15,000 men 'in surveillance', that is, having scans regularly. When men have a large AAA they are offered surgery to stop it bursting. There are two challenges to ensure that the benefits of screening outweigh harms. First, men and their partners can suffer anxiety, distress, burden from protecting others from worrying, guilt, helplessness, and uncertainty. We need to find ways to reduce these problems. Second, as men get older, they may become unfit for surgery and cannot have treatment. We need to understand men's preferences for leaving the surveillance programme. The study aims to improve the quality of care for men who have regular screening to check on the growth of their Abdominal Aortic Aneurysm.

Who can participate?

Adult men who are in AAA screening.

What does the study involve?

There are several components to the study. We will do a survey of 1200 men in the surveillance programme to find out who is anxious and when this is worse. We will identify 20 men with

problems and interview them and their partners about what might help them manage anxiety. Then staff, men and their partners will co-design an intervention. We will make this intervention and assess if men use it and like it.

What are the possible benefits and risks of participating?

The benefits would be having the opportunity to have input into improving the support of men in the screening programme and being able to support the development of an intervention. The risks may be that for participants who might already be highly anxious, talking about the issue may create further anxiety. There are specific plans for this eventuality. The interviewees are experienced in speaking to men with AAA. The interview/group may be stopped (temporarily or permanently) and the participant may be directed to speak to their AAA nurse or GP.

Where is the study run from?

University of Sheffield (UK)

When is the study starting and how long is it expected to run for?

February 2022 to September 2025

Who is funding the study?

National Institute for Health and Care Research (NIHR) (UK).

Who is the main contact?

Prof Alicia O'Cathain, a.ocathain@sheffield.ac.uk

Contact information

Type(s)

Scientific

Contact name

Prof Alicia O'Cathain

Contact details

SCHARR

University of Sheffield

Regent Street

Sheffield

United Kingdom

S1 4DA

+44 114 222 0770

a.ocathain@sheffield.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

321528

Protocol serial number

CPMS 55062, NIHR135031

Study information

Scientific Title

Person centred abdominal aortic aneurysm study (PCAAAS)

Acronym

PCAAAS

Study objectives

Overall aim - To improve the quality of care for men in the surveillance programme within NAAASP.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 26/04/2023, Wales REC 6 (2 Redman Place, Stratford, London, E20 1JQ, United Kingdom; +44 2922 940911; wales.REC6@wales.nhs.uk), ref: 23/WA/0019

Study design

Mixed methods

Primary study design

Observational

Study type(s)

Other, Quality of life, Screening, Treatment

Health condition(s) or problem(s) studied

Abdominal aortic aneurysm screening

Interventions

Current interventions as of 13/02/2025:

In the first work package we will develop a new intervention to reduce the psychological consequences of screening. We will do a survey of men 'in surveillance' to measure who has problems and when this is worse (n=1200). We will identify men with problems and interview them (n=20-24) and their partners/family (n=12-20) about what might help them manage anxiety. Then service providers, men and their partners/family will co-design an intervention to reduce the potential negative effects of being in surveillance. We will create this intervention and assess its feasibility and acceptability. Its effectiveness would be measured in a future study if appropriate.

In the second work package we will interview men (n=20-24) 'in surveillance' and their partners (n=12-20) about their preferences for exiting surveillance under different circumstances. Then we will undertake two Deliberative Engagement Workshops with around 20-40 men and their supporters, healthcare professionals and PPI members to evaluate the intervention and develop it further. We will then conduct a phone survey of men in surveillance (n=20) to measure their

preferences and the intensity of their preferences. We will feed this into NAAASP to help them develop a patient-centred Exit Strategy.

Previous interventions:

In the first work package we will develop a new intervention to reduce the psychological consequences of screening. We will do a survey of men 'in surveillance' to measure who has problems and when this is worse (n=1200). We will identify men with problems and interview them (n=20-24) and their partners/family (n=12-20) about what might help them manage anxiety. Then service providers, men and their partners/family will co-design an intervention to reduce the potential negative effects of being in surveillance. We will create this intervention and assess its feasibility and acceptability. Its effectiveness would be measured in a future study if appropriate. In the second work package we will interview men (n=20-24) 'in surveillance' and their partners (n=12-20) about their preferences for exiting surveillance under different circumstances. Then we will undertake a survey of men in surveillance (n=500) to measure their preferences and the intensity of their preferences. We will feed this into NAAASP to help them develop a patient-centred Exit Strategy.

Intervention Type

Other

Primary outcome(s)

Identification of predictors of psychosocial problems - measures will include standardised measures such as the EQ5D-L, COS-AAA and e-PAQ-VAS as well as project-specific questions, qualitative interviews and focus groups.

Key secondary outcome(s)

Identify preferences for exit strategies. Measures will include a project-specific survey, focus groups and qualitative interviews.

Completion date

30/09/2025

Eligibility

Key inclusion criteria

1. Initially men in AAA surveillance will be approached
2. For later work their partners/family will also be approached
3. For some parts of the study only men in surveillance who also describe anxiety will be included

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

64 years

Sex

Male

Total final enrolment

812

Key exclusion criteria

Men who have not consented to be approached by researchers

Date of first enrolment

01/05/2023

Date of final enrolment

30/06/2025

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

The Newcastle upon Tyne Hospitals NHS Foundation Trust

Freeman Hospital

Freeman Road

High Heaton

Newcastle upon Tyne

United Kingdom

NE7 7DN

Sponsor information**Organisation**

University of Sheffield

ROR

<https://ror.org/05krs5044>

Funder(s)

Funder type

Government

Funder Name

NIHR Evaluation, Trials and Studies Co-ordinating Centre (NETSCC)

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from Professor Alicia O'Cathain a.ocathain@sheffield.ac.uk. Fully anonymised quantitative data will be available to be shared after the study ends on 30/09/2025. The data will be available for 5 years. Access will be considered on an individual request basis, dependent on whether the researcher requesting the data fulfils the ethical and legal requirements of the PCAAAS study.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Protocol file	version 2.1	04/04/2023	15/05/2023	No	No
Protocol file	version 3.0	19/03/2024	13/02/2025	No	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes