

Clinical investigation of soft contact lenses in children

Submission date 03/10/2025	Recruitment status Recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 13/10/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 11/03/2026	Condition category Eye Diseases	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

The number of adolescents with myopia (short-sightedness) has been increasing rapidly over the last twenty years. The concern is that individuals with short-sighted eyes are more likely to develop eye diseases such as ocular pathology than individuals with healthy eyes. In order to minimize short-sightedness and potential problems later in life, various methods have been developed to reduce the effect of myopia. An example of a method used to reduce the impact of myopia is the use of special designed disposable contact lenses. This study aims to assess the short-term performance of a similar control lens versus CooperVision's test contact lenses in myopic children.

Who can participate?

Children (8 - 15 years) who have experience with soft contact lens wear, and can apply and remove soft contact lenses.

What does the study involve?

The participants will attend the visit wearing their glasses. The participant's habitual contact lenses should not be worn on the day of the visit. The visit is expected to take approximately 2.5 hours. The following procedures will be performed:

- Read and sign Informed Consent/Assent and Parental Permission/Consent. When the participant and parent have signed the appropriate forms, the participant will be considered to be enrolled in the study.
- Demographics
- Medical and ocular health history
- Contact lens and refractive history
- . 1st contact lens application
- Subjective responses
- Vision
- Lens fit
- . 2nd contact lens application
- Subjective responses
- Vision
- Lens fit

- . Lens removal
- Review of adverse events
- Study exit.

What are the possible benefits and risks of participating?

Participants have the opportunity to try contact lenses to help their vision and control the progression of their myopia. Any contact lens wear comes at the risk of corneal infection, but the incidence rate is very low.

Where is the study run from?

EuroLens Research, University of Manchester (UK).

When is the study starting, and how long is it expected to run for?

August 2025 to May 2026

Who is funding the study?

CooperVision International Limited (USA)

Who is the main contact?

Jose Vega, OD, MSc, PhD, FAAO
jvega2@coopervision.com

Contact information

Type(s)

Public, Scientific

Contact name

Dr Jose Vega

Contact details

2120 West Guadalupe Road, Suite 112

Gilbert

United States of America

85233

+1-925-640-2964

jvega2@coopervision.com

Type(s)

Public, Principal investigator

Contact name

Dr Carole Maldonado-Codina

Contact details

Carys Bannister building

Division of Pharmacy and Optometry, Faculty of Biology, Medicine and Health. The University of Manchester, Dover St.

Manchester

United Kingdom

M13 9PL

+44 (0)161 306 8761
carole.m-codina@manchester.ac.uk

Type(s)

Public

Contact name

Ms Preeti Diwan

Contact details

Delta Park, Concorde Way, Segensworth North
Fareham
United Kingdom
PO15 5RL
+44 (0)7977 734 455
preeti.diwan@coopervision.co.uk

Type(s)

Public

Contact name

Ms Archana Binod-Nair

Contact details

Delta Park, Concorde Way, Segensworth North
Fareham
United Kingdom
PO15 5RL
+44 7974858818
Archana.Binod-Nair@coopervision.co.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

357884

Protocol serial number

MKTG-166

Study information

Scientific Title

Clinical performance of two myopia control contact lenses in children

Acronym

CPTMCCLC

Study objectives

The objective of this study is to assess the short-term performance of senofilcon A (control lens) versus stenfilcon A (test lens) silicone hydrogel daily disposable contact lenses in myopic children.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 14/08/2025, West Midlands - Edgbaston Research Ethics Committee (2 Redman Place, Stratford, E20 1JQ, United Kingdom; +44 20 7104 8260; edgbaston.rec@hra.nhs.uk), ref: 25/WM/0127

Study design

Single-visit randomized double-masked non-dispensing study

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Myopia

Interventions

The study will be a randomized, double-masked, non-dispensing, prospective study involving a single visit with approximately 2.5 hours of wear, to assess the short-term performance of senofilcon A (control lens) versus stenfilcon A (test lens) contact lenses in myopic children.

The order in which the two study contact lenses will be fitted will be randomized to minimise bias. Block randomization will be computer-generated based on the maximum enrollment number. Participants will be assigned a participant ID, and this number will be linked to the randomisation assignment.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Stenfilcon A 1-day contact lenses

Primary outcome(s)

High contrast, high luminance binocular distance visual acuity measured using the Precision-Vision Chart 2425-LED-200, at the one-day single visit. The visit is expected to take approximately 2.5 hours.

Key secondary outcome(s)

There are no secondary outcome measures

Completion date

31/05/2026

Eligibility

Key inclusion criteria

1. Age 8 to 15 years (inclusive)
2. Current wearer of spherical soft contact lenses
3. The parent or guardian understands the study and rights of the participant and is willing to sign a statement of informed consent.
4. The participant understands the study at a level appropriate for their age and is willing to sign a statement of assent.

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Child

Lower age limit

8 years

Upper age limit

15 years

Sex

All

Total final enrolment

0

Key exclusion criteria

1. Previous use of myopia control contact lenses.
2. Active anterior segment infection, inflammation, or abnormality that would contraindicate contact lens wear.
3. Use of systemic or ocular medication that would contraindicate contact lens wear
4. Used gas permeable/hard contact lenses (including orthokeratology) in the previous 3 months.
5. Participation in a contact lens or lens care product trial in the previous 30 days.

Date of first enrolment

25/09/2025

Date of final enrolment

31/05/2026

Locations

Countries of recruitment

United Kingdom

England

Study participating centre**EuroLens Research**

The University of Manchester, Dover St
Manchester

England

M13 9PL

Sponsor information**Organisation**

CooperVision International Limited

Funder(s)**Funder type**

Industry

Funder Name

CooperVision International Limited

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not expected to be made available