

# Point-of-care diagnostic test for neonatal infection

<b>Submission date</b> 07/08/2019	<b>Recruitment status</b> Suspended	<input checked="" type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 09/08/2019	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 20/09/2023	<b>Condition category</b> Infections and Infestations	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Being born before 37 weeks of pregnancy, also known as premature birth, is the leading cause of death among babies. Around 60 000 babies are born early in the UK each year with 40% of cases being associated with an infection. Among these cases the most commonly isolated bacteria are Ureaplasma. Ureaplasma in the lungs of the premature babies has been associated with an increased risk of lung disease, damage to the gut and bleeding on the brain compared with babies born early but are not infected. Administration of the correct antibiotic has been shown to eradicate Ureaplasma from the lungs, but a specific type of antibiotic (azithromycin) is required to treat these babies, one which is not given as routine practice. It is therefore imperative to obtain a rapid diagnosis of Ureaplasma to administer the correct treatment, but current diagnostic methods are expensive and take many days to obtain a result. This study will look at the feasibility of a newly developed diagnostic device to detect Ureaplasma among premature neonates.

### Who can participate?

This study will focus on babies which are born prematurely between 25 and 30 weeks gestational age and are being ventilated as a high percentage of this group have previously been shown to be positive for Ureaplasma.

### What does the study involve?

As part of routine care, ventilator tubes are cleared of mucus which can build up over time. It is this waste material, which we will use to assess the feasibility of the new device to detect Ureaplasma. Samples will be collected over an 18 month period from babies admitted to the Neonatal Intensive Care Unit at Singleton Hospital, Swansea. Samples will be run on the new device and compared to the current accepted method at Cardiff Metropolitan University.

### What are the possible benefits and risks of participating?

The information that we aim to obtain from this study will enable neonatal teams in the future to quickly assess if a preterm baby has Ureaplasma in their lungs and may therefore help with treating that baby. Your baby will not directly benefit from participating in the study, because the results of any tests will not be made available to the team as these results will be preliminary. There are no foreseeable risks associated with participating in this study.

Where is the study run from?  
Singleton Hospital, Swansea, UK

When is the study starting and how long is it expected to run for?  
October 2019 to March 2021

Who is funding the study?  
This study is funded by the Sir Halley Stewart Trust.

Who is the main contact?  
The main contact for this study is Dr Michael Beeton (mbeeton@cardiffmet.ac.uk)

## Contact information

**Type(s)**  
Public

**Contact name**  
Dr Michael Beeton

**ORCID ID**  
<https://orcid.org/0000-0002-6292-0772>

**Contact details**  
Cardiff Metropolitan University, Llandaff Campus,  
Cardiff  
United Kingdom  
CF5 2YB  
+442920205557  
mbeeton@cardiffmet.ac.uk

**Type(s)**  
Scientific

**Contact name**  
Dr Michael Beeton

**ORCID ID**  
<https://orcid.org/0000-0002-6292-0772>

**Contact details**  
Cardiff Metropolitan University, Llandaff Campus,  
Cardiff  
United Kingdom  
CF5 2YB  
+442920205557  
mbeeton@cardiffmet.ac.uk

## Additional identifiers

## Clinical Trials Information System (CTIS)

Nil known

## Protocol serial number

Nil known

# Study information

## Scientific Title

Development of a rapid and cost-effective Point-of-Care diagnostic test for the detection of Ureaplasma infection among premature neonates

## Study objectives

The novel diagnostic test will be able to detect the presence of the bacteria Ureaplasma in lung secretions obtained from perterm babies.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Approved 16/07/2019, London - Brighton & Sussex Research Ethics Committee (Level 3, Block B, Whitefriars, Lewins Mead, Bristol, BS1 2NT; 020 797 22567; NRESCommittee.SECOast-BrightonandSussex@nhs.net), ref: 19/LO/1285

## Study design

Single centre screening study

## Primary study design

Other

## Study type(s)

Screening

## Health condition(s) or problem(s) studied

Bacterial infection in ventilated preterm neonates

## Interventions

As part of routine care, ventilator tubes are cleared of mucus which can build up over time. It is this waste material, which we will use to assess the feasibility of the new device to detect Ureaplasma. Samples will be collected over an 18 month period from babies admitted to the Neonatal Intensive Care Unit at Singleton Hospital, Swansea. Samples will be run on the new device and compared to the current accepted method at Cardiff Metropolitan University.

## Intervention Type

Other

## Primary outcome(s)

1. Sensitivity of the new diagnostic device - estimates of the new diagnostic device positive rate in comparison with qPCR methods currently used.
2. Specificity of the new diagnostic device - estimates of the new diagnostic device negative rate

in comparison with qPCR methods currently used.

3. Estimate of the positive predictive and negative predictive value of the new diagnostic device as other basic measures of diagnostic accuracy given their relationship to sensitivity and specificity through disease prevalence .

**Key secondary outcome(s)**

Relationship between qPCR copy numbers and the new diagnostic device values obtained using regression analysis

**Completion date**

30/09/2021

## Eligibility

**Key inclusion criteria**

Babies born between 25 and 30 weeks gestational age

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Neonate

**Sex**

All

**Key exclusion criteria**

1. Parents of any baby which are deemed not to have the capacity to consent
2. Parents of any baby who cannot speak English or Welsh
3. Baby receiving palliative care
4. Parents are under the age of 16 years
5. Baby under a care order
6. Any other reason that the clinical lead feels it may be inappropriate.

**Date of first enrolment**

01/10/2019

**Date of final enrolment**

31/03/2021

## Locations

**Countries of recruitment**

United Kingdom

Wales

**Study participating centre**  
**Singleton Hospital**  
Swansea  
United Kingdom  
SA2 8QA

## Sponsor information

**Organisation**  
Cardiff Metropolitan University

**ROR**  
<https://ror.org/00bqvf857>

## Funder(s)

**Funder type**  
Charity

**Funder Name**  
Sir Halley Stewart Trust

**Alternative Name(s)**

**Funding Body Type**  
Private sector organisation

**Funding Body Subtype**  
Trusts, charities, foundations (both public and private)

**Location**  
United Kingdom

## Results and Publications

**Individual participant data (IPD) sharing plan**  
All data generated or analysed during this study will be included in the subsequent results publication.

**IPD sharing plan summary**  
Other

## Study outputs

Output type

[HRA research summary](#)

Details

Date created

Date added

20/09/2023

Peer reviewed?

No

Patient-facing?

No