

Autologous fat injections to improve wound scars

Submission date 02/12/2024	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 04/12/2024	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 04/12/2024	Condition category Other	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

This study aims to evaluate how effective unfiltered nanofat graft injections are in healing wounds and managing facial scars. Researchers are interested in understanding how well these fat injections work and how acceptable they are to patients.

Who can participate?

Participants must be over 18 years old, in good health, and have recently undergone facial surgery for specific types of jaw fractures. The wound from the surgery must be at least 4 cm long. Participants must also agree to complete all procedures and attend follow-up appointments.

What does the study involve?

Participants will have fat extracted from their lower abdomen using a special procedure. This fat is then processed into a nanofat emulsion and injected under the skin near the surgical wound. The area is then bandaged. Follow-up visits will occur after one week, one month, three months, and six months to monitor healing and take photographs under consistent conditions.

What are the possible benefits and risks of participating?

The potential benefit is improved wound healing and scar management. Risks may include typical surgical risks such as infection, discomfort, or adverse reactions to the procedure.

Where is the study run from?

Damascus University (Syria)

When is the study starting and how long is it expected to run for?

May 2023 to May 2025

Who is funding the study?

Damascus University (Syria)

Who is the main contact?

Modar Albenni, mudara3@gmail.com

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Mr Modar Albenni

Contact details

Muhajreen

Damascus

Syria

-

+963 930416037

mudara3@gmail.com

Additional identifiers

Study information

Scientific Title

Evaluation the efficacy of unfiltered nanofat graft injection on wound healing for facial scar management

Study objectives

Knowing the effectiveness of autologous fat injections in healing wounds, and the extent of the patient's acceptance of them

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 26/11/2024, Biomedical Research Ethics Committee at Damascus University (Mazze highway, Damascus, -, Syria; +963-11-33923192; info@damascusuniversity.edu.sy), ref: DN-261124-352

Study design

Randomized controlled trial-split scar

Primary study design

Interventional

Study type(s)

Quality of life, Treatment, Efficacy

Health condition(s) or problem(s) studied

Wound healing

Interventions

After cleaning procedures for the lower abdomen with povidone 5%, the fat will be extracted from the abdominal area, as modified Klein solution is first injected. Fat is extracted by inserting a special cannula for extracting microscopic fat that has the following characteristics (a 3 mm multi-hole cannula with a hole size of 1 mm) connected to a retracting syringe. Negative pressure is applied to extract the fat into the syringe.

The extracted grease is then washed with serum and filtered. These greases are called micro-emulsification. Then a mechanical emulsification process is performed by using two 20cc syringes connected to each other with a luer-lok conveyor. After performing 30 alternating movements, the grease turns into an emulsion with a watery consistency with a yellow color. For white, here we have unfiltered nanofat .

After suturing the skin in layers to prevent tension on both ends of the wound and delay healing, the product is injected directly under the skin in the area of the surgical incision using a 27-G cannula (0.5 ml of product within 2 cm of the wound).

Finally, place a clean, sterile bandage over the area.

This work is performed by one surgeon.

Follow-up will take place after a week, a month, and follow-up taking photographs after 3 months and 6 months of working with the same photography conditions, lighting and distance, and using the POSAS sensor to evaluate scars.

Intervention Type

Procedure/Surgery

Primary outcome(s)

(POSAS) Patient and Observer Scar Assessment Scale at a week, a month, and follow-up after 3 months and 6 months

Key secondary outcome(s)

The Global Aesthetic Improvement Scale (GAIS) at a week, a month, and follow-up after 3 months and 6 months

Completion date

24/05/2025

Eligibility

Key inclusion criteria

1. Patients over the age of 18 years
2. Patients in good health condition
3. Patients who underwent recent facial surgery through the two surgical entrances under the jaw and under the chin, for reduction and fixation
Fractures of the symphysis, parasymphysis, and fractures of the body and angle of the mandible, provided that they are non-open fractures
4. The length of the wound is at least 4 cm
5. Patients who agreed to complete all procedures and attend the scheduled appointments for follow-up sessions

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

45 years

Sex

Male

Total final enrolment

14

Key exclusion criteria

1. Patients who have allergic soil
2. Pregnant or breastfeeding women
3. Patients with a history of alterations
4. Arthritis
5. The presence of infection
6. Spastic asthenia patients
7. Patients with a history of radiation or chemotherapy within less than six months
8. Patients with a history of weight gain or loss in the previous months.
9. Thin patients (those who do not have enough fat in the sites are an exception)

Date of first enrolment

24/12/2023

Date of final enrolment

24/12/2024

Locations

Countries of recruitment

Syria

Study participating centre

Damascus university

Damascus city center

Damascus

Syria

-

Sponsor information

Organisation

Damascus University

ROR

<https://ror.org/03m098d13>

Funder(s)**Funder type**

University/education

Funder Name

Damascus University

Alternative Name(s)

University of Damascus, , DU

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

Syria

Results and Publications**Individual participant data (IPD) sharing plan**

All data generated or analysed during this study will be included in the subsequent results publication

IPD sharing plan summary

Published as a supplement to the results publication