

Laryngeal mask vs endotracheal tube for bariatric surgery

Submission date 26/08/2008	Recruitment status No longer recruiting	☐ Prospectively registered
Registration date 18/09/2008	Overall study status Completed	☐ Protocol
Last Edited 18/09/2008	Condition category Nutritional, Metabolic, Endocrine	☐ Statistical analysis plan
		☐ Results
		☐ Individual participant data
		☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Ulderico Freo

Contact details
Istituto di Anestesiologia
Dipartimento di Farmacologia e Anestesiologia
Via C. Battisti, 267
Padova
Italy
35121
+39 (0)49 821 3094
ulderico.freo@unipd.it

Additional identifiers

Protocol serial number
1615P

Study information

Scientific Title
Comparison study on ventilation with laryngeal mask and with endotracheal tube for bariatric surgery

Study objectives

Ventilation with laryngeal mask results in better recovery profile than ventilation with endotracheal tube in obese patients undergoing bariatric surgery.

Ethics approval required

Old ethics approval format

Ethics approval(s)

This study was approved by the Ethics Committee, Padua Hospital on 25/07/2008.

Primary study design

Interventional

Study design

Randomised double-blind (patient, evaluating physician) trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Obesity

Interventions

Ventilation with laryngeal mask vs ventilation with endotracheal tube

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

1. Time to independent walking after the end of anesthesia

Key secondary outcome(s)

1. Ventilatory parameters
2. Postoperative morbidity
3. Patient and surgeon satisfaction

Completion date

08/01/2011

Eligibility**Key inclusion criteria**

1. Both males and females, age >18 years
2. American Society of Anaesthesiologists (ASA) classification I-III
3. Obese patients (body mass index [BMI] >30) undergoing bariatric surgery
4. Written informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Psychiatric disorders
2. Drug abuse
3. Known or possible pregnancy
4. Previous airway pathology
5. Pulmonary diseases
6. History of gastro-oesophageal reflux

Date of first enrolment

08/01/2008

Date of final enrolment

08/01/2011

Locations**Countries of recruitment**

Italy

Study participating centre

Istituto di Anestesiologia

Padova

Italy

35121

Sponsor information**Organisation**

Department of Pharmacology and Anaesthesiology, Padua University (Italy)

ROR

<https://ror.org/00240q980>

Funder(s)

Funder type

University/education

Funder Name

Department of Pharmacology and Anaesthesiology, Padua University (Italy)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration