

Simulated patients in training and supervision

Submission date 06/12/2019	Recruitment status No longer recruiting	☐ Prospectively registered ☒ Protocol
Registration date 10/12/2019	Overall study status Completed	☐ Statistical analysis plan ☒ Results
Last Edited 09/01/2025	Condition category Other	☐ Individual participant data

Plain English summary of protocol

Background and study aims

Psychotherapy is highly effective and widely acknowledged for treating various mental disorders. In terms of methods for teaching effective psychotherapeutic approaches and competencies, there has been a lack of investigation. Training and supervision are the main strategies for teaching therapist competencies. Standardized role plays with simulated patients (trained persons playing someone with a mental disorder) are useful for evaluating training approaches. In medical education, this procedure is now internationally established. However, little use has been made so far of standardized role playing to evaluate training and supervision in the area of clinical psychology and psychotherapy. Yet, this approach has a considerable potential for systemizing research. During the first phase of the research project, standardized role playing will be adapted to assess therapist competencies in clinical-psychological practice. In the second phase, standardized role plays are used to evaluate methods for training and supervision. In two experiments, central approaches for treating depression are trained (cognitive restructuring and behavioral activation). The first experiment compares an active training approach (model learning) with a passive one (reading the manual). The second experiment compares two methods of supervision (verbal report vs video analysis).

Who can participate?

Psychology students

What does the study involve?

In each experiment, students are randomly allocated to the experimental and control groups, and to the order of the training topics (behavioral activation and cognitive strategies or vice versa). Training: In the experimental group, participants watch a video of an experienced psychotherapist who skillfully demonstrates behavioral activation (Video 1) and cognitive strategies (Video 2) with an SP demonstrating a depressive disorder. In the control group, participants watch two unspecific learning tutorials.

Supervision: In the experimental group, participants show their video on behavioral activation (Video 1) and on cognitive techniques (Video 2) of an interaction with an SP demonstrating a depressive disorder to a supervisor (behaviorally-based). In the control group, participants report their experiences with the role plays to a supervisor (verbally-based supervision). Each student takes part in three role plays (before, after and three-month follow-up) which are all videotaped. Two independent raters assess the therapist competence of each role play on the basis of an established competence scale.

What are the possible benefits and risks of participating?
Participants will contribute to the further development of training and supervision methods.
Participation may be associated with anxiety during the video recordings.

Where is the study run from?
University of Potsdam (Germany)

When is the study starting and how long is it expected to run for?
June 2019 to March 2023

Who is funding the study?
German Research Foundation

Who is the main contact?
Dr Franziska Kühne
dr.franziska.kuehne@uni-potsdam.de

Contact information

Type(s)
Scientific

Contact name
Dr Franziska Kühne

ORCID ID
<https://orcid.org/0000-0001-9636-5247>

Contact details
Karl-Liebknecht-Str. 24-25
Potsdam
Germany
14476
+49 (0)331/977-2096
dr.franziska.kuehne@uni-potsdam.de

Additional identifiers

Protocol serial number
WE 4654/10-1; KU 3790/2-1

Study information

Scientific Title
Simulated patients in training and supervision for the evaluation of therapeutic competencies

Study objectives
Post-training, psychology students randomized to the intervention group (i.e., modeling) will display more therapeutic competencies than students in the control group (i.e., reading written

instructions; hypothesis 1).

These differences will persist until 3-month follow-up (hypothesis 2).

Post-supervision, psychology students randomized to the intervention group (i.e., supervision based on video sessions) will display more therapeutic competencies than students in the control group (i.e., supervision based on verbal reporting; hypothesis 3).

These differences will persist until 3-month follow-up (hypothesis 4).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 23/05/2018 by the University of Potsdam ethics review committee (Universität Potsdam, Ethikkommission des Senats, Gremienverwaltung, Nadine Mohaupt, Am Neuen Palais 10, 14469 Potsdam, Germany; Tel: +49 (0)331 977 1791; Email: nadine.mohaupt@uni-potsdam.de), ref: 9/2018

Primary study design

Interventional

Study design

Single-center randomized-controlled trial

Study type(s)

Other

Health condition(s) or problem(s) studied

Therapeutic competence

Interventions

Participants (i.e., bachelor and master students included either as trainees or supervisees) will conduct therapy sessions with standardized patients. They will be randomized in a 1:1 manner by computer-generated numbers and allocated to the experimental or control groups, and to the order of the training topics (behavioral activation and cognitive strategies or vice versa). The allocation will be implemented by a researcher independent of the role plays.

Training (modeling vs written instructions)

Supervision (based on video sessions vs based on verbal reporting)

Training: In the experimental group, participants will watch a video of an experienced psychotherapist who skillfully demonstrates behavioral activation (Video 1) and cognitive strategies (Video 2) with an SP demonstrating a depressive disorder. In the control group, participants will watch two unspecific learning tutorials.

Supervision: In the experimental group, participants will show their video on behavioral activation (Video 1) and on cognitive techniques (Video 2) of an interaction with an SP demonstrating a depressive disorder to a supervisor (behaviorally-based). In the control group, participants will report their experiences with the role plays to a supervisor (verbally-based supervision).

Total duration of the first appointment: 3.5 hours, and of the follow-up appointment: 1.5 hours.

Intervention Type

Other

Primary outcome(s)

Measured at pre, post- and 3-month follow-up:

1. Psychotherapeutic competencies measured via the Cognitive Therapy Scale (CTS)
2. Therapeutic techniques measured using a self-developed checklist

Key secondary outcome(s)

Measured at pre, post- and 3-month follow-up unless otherwise specified:

1. Therapeutic alliance measured using the Helping Alliance questionnaire (HAQ)
2. Empathy measured via the Empathy Scale
3. Therapeutic adherence measured using the Cognitive-Behavioral Therapy Adherence Scale (CBT-AS)
4. Therapeutic knowledge evaluated by multiple choice questions and case vignettes
5. Anxiety measured by the state-trait-anxiety (STAI)
6. Authenticity measured by the Authenticity of Patient Demonstrations (APD) scale
7. Counseling skills measured using the Helping Skills Measure
8. Negative therapist effects measured using self-developed questionnaire
9. Personality measured by the Big Five Inventory (BFI-K) at post-measurement
10. Allegiance effects measured using self-developed questionnaire at pre-measurement
11. The individual perception of the study measured using a self-developed questionnaire at post- measurement and 3-month follow-up
12. Demographic data measured using a self-developed questionnaire at pre-measurement and 3-month follow-up

Completion date

13/03/2023

Eligibility**Key inclusion criteria**

1. Psychology students
2. Informed consent (i.e., agreement to the video recordings)

Participant type(s)

Other

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

70

Key exclusion criteria

1. Currently in psychotherapeutic treatment
2. Insufficient German language skills

Date of first enrolment

04/12/2019

Date of final enrolment

01/03/2023

Locations**Countries of recruitment**

Germany

Study participating centre

University of Potsdam

Germany

14476

Sponsor information**Organisation**

University of Potsdam

Funder(s)**Funder type**

Research organisation

Funder Name

Deutsche Forschungsgemeinschaft

Alternative Name(s)

German Research Association, German Research Foundation, Deutsche Forschungsgemeinschaft (DFG), DFG

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location
Germany

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available. Since making the individual participant data publicly available was not covered by the ethics vote, they will be held on a password-protected computer at the researchers' department until deletion (after 10 years) is prescribed.

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		28/11/2024	09/01/2025	Yes	No
Protocol article	protocol	18/03/2020	19/03/2020	Yes	No
Interim results article	proof-of-concept trial	15/12/2022	16/12/2022	Yes	No