

# Interventions in early life and through the lifecourse to prevent non-communicable diseases in later life in India

<b>Submission date</b> 30/11/2020	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 17/12/2020	<b>Overall study status</b> Ongoing	<input checked="" type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 18/12/2025	<b>Condition category</b> Other	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Non-communicable diseases (NCDs) including heart disease and diabetes are major causes of death and disability in low- and middle-income countries (LMICs) including India. This is accompanied by a growing recognition of the rising burden of mental health disorders. These diseases have significant economic implications; the treatment and related costs amount to INR 19914 (US\$398) and INR 43285 (\$865) per person per year for diabetes and dementia, respectively. Recent research suggests that adversity during early life influences adult NCD risk. It is now well established that low birth weight, poor infant nutrition, and rapid childhood weight gain and obesity are risk factors for poor health trajectories and development of NCDs in later life. It is therefore possible that interventions early in life may prevent NCDs in future generations.

Our overarching aim is to establish whether an integrated intervention package starting before pregnancy and continuing through pregnancy, infancy and early childhood reduces risk factors for NCDs in the children and improves their overall development, health and well-being.

### Who can participate?

Women living in selected villages in the HD Kote Taluk area in Mysore district who are married, over 18 years of age, have no children or one child, and intend to have a child can participate.

### What does the study involve?

Participants will be in one of three programme groups. The three programmes are different and all women in one village will be allocated to the same programme. This allocation will be done randomly (by chance) at village level and participants will not be able to choose. All three programmes will be different as we are trying to understand what works best in improving mother and child health in the longer term. All programmes will ensure that the current government recommendations are followed. We will also collect measurements on participants before pregnancy, and during pregnancy (if women become pregnant during the study). If women do not become pregnant, we will collect a set of measurements around 18-24 months

after the start of the study. We will collect further measurements on the women and on the children born during the study until 5 years of age. These measurements will include height, weight, blood pressure, blood and other samples, and information collected via questionnaires.

What are the possible benefits and risks of participating?

Participation will help to increase knowledge about healthy behaviours for themselves and for the healthy growth of their child. The study may contribute to a better understanding of maternal and child health practices that promote healthy pregnancy and childhood growth and development, and prevent diseases such as diabetes in later life. Participation will contribute to the advancement of scientific knowledge and help future generations.

There are no major health risks to participants or their child by participating in this study. Blood will be collected by trained health professionals. Some questions in the questionnaires are of a personal nature; if anyone feels uncomfortable answering them, they will have the option of not answering such questions. Only authorised research staff members will have access to the information.

Where is the study run from?

The study is run locally from the CSI Holdsworth Memorial Hospital, Mysore, and Vivekananda Memorial Hospital, Saragar, in collaboration with the University of Toronto in Canada.

When is the study starting and how long is it expected to run for?

The study is planned as a ten-year study including a period of formative work (now completed). Recruitment for the main study is expected to start in January 2021 and data collection will take place for another 8 years.

Who is funding the study?

The study is being funded national funding agencies in India and Canada: Department of Biotechnology, Government of India and the Canadian Institutes of Health Research.

Who is the main contact?

Dr K Kumaran, [kkumaran@erumysore.org](mailto:kkumaran@erumysore.org)

Dr GV Krishnaveni, [eruhmh@gmail.com](mailto:eruhmh@gmail.com)

Dr GS Kumar and Dr Manohar Prasad, [info@svym.org.in](mailto:info@svym.org.in)

Prof Stephen Matthews, [stephen.matthews@utoronto.ca](mailto:stephen.matthews@utoronto.ca)

## Contact information

### Type(s)

Scientific

### Contact name

Dr Kalyanaraman Kumaran

### ORCID ID

<https://orcid.org/0000-0002-6107-8608>

### Contact details

Epidemiology Research Unit  
CSI Holdsworth Memorial Hospital  
Mandi Mohalla  
Mysore

India  
570001  
+91 (0)821 2521651  
kkumaran@erumysore.org

**Type(s)**  
Scientific

**Contact name**  
Prof Stephen Matthews

**ORCID ID**  
<https://orcid.org/0000-0002-9654-9940>

**Contact details**  
Lunenfeld- Tanenbaum Research Institute  
Mount Sinai Hospital  
Joseph and Wolf Lebovic Health Complex  
600 University Avenue  
Toronto  
Canada  
M5G 1X5  
+1 (0)416 586 4800  
stephen.matthews@utoronto.ca

**Type(s)**  
Public

**Contact name**  
Mr Kiran Nagaraj

**Contact details**  
Epidemiology Research Unit  
CSI Holdsworth Memorial Hospital  
Mandi Mohalla  
Mysore  
India  
570001  
+91 (0)821 2521651  
eruhmh@gmail.com

## **Additional identifiers**

**Protocol serial number**  
CSIHMH/ERU2019/1

## **Study information**

**Scientific Title**

Early INterventions to Support Trajectories for healthy life in INdia (EINSTEIN) - a cluster randomized trial evaluating a multi-faceted intervention starting preconceptionally. A Healthy Life Trajectories Initiative (HeLTI) Study

## **Acronym**

EINSTEIN

## **Study objectives**

An integrated longitudinal intervention starting pre-conceptionally and continuing at appropriate points across the lifecourse (pregnancy, infancy and childhood) will reduce childhood adiposity and the risk for non-communicable diseases (NCDs) as well as improve measures of child neurodevelopment.

## **Ethics approval required**

Ethics approval required

## **Ethics approval(s)**

1. approved 14/12/2020, Institutional Review Board (Health) Swami Vivekananda Youth Movement (Vivekananda Memorial Hospital, Hanchipura road, Saragur, Mysuru district, Karnataka, 571121, India; +91 08228-265877; secretaryec@svym.org.in), ref: IRB004/2020-21
2. approved 18/11/2019, CSI Holdsworth Memorial Hospital Ethics Committee (CSI Holdsworth Memorial Hospital, Mandi Mohalla, Mysore, 570001, India; +91 (0)821 4266371; csihmh@hotmail.com), ref: CSIHMH/ERU2019/1
3. approved 25/03/2023, CSI Holdsworth Memorial Hospital Institutional Ethics Committee (CSI Holdsworth Memorial Hospital, Mandi Mohalla, Mysore, 570001, India; +91-821-2521651; directorcsihmh@gmail.com), ref: CSIHMH/ERU/2019/1

## **Study design**

Community-based cluster-randomized intervention with three arms

## **Primary study design**

Interventional

## **Study type(s)**

Prevention

## **Health condition(s) or problem(s) studied**

Prevention of non-communicable diseases in the next generation

## **Interventions**

The study is a community-based, cluster-randomised intervention with three arms (preconception, pregnancy and control), with individual villages forming the basis for the cluster. Women in all three arms will be recruited together, pre-conceptionally for baseline measurements. The longitudinal multi-faceted intervention will be delivered by trained community health workers (CHWs), which will allow future scalability.

Randomisation will be undertaken through a standard computer-generated randomisation programme. The total duration of intervention and follow-up for all arms is a maximum of two

years pre-conceptionally, 9 months of pregnancy and five years post-natally – a maximum of 7 years 9 months in total. However, if women become pregnant within two years (as many will based on our formative work), the duration of the pre-conceptional intervention phase will be reduced accordingly.

All participants will receive iron and folic acid tablets during pregnancy as per Indian guidelines. Calcium is routinely prescribed in pregnancy by many obstetricians. The researchers will not interfere with routine care provided by the women's obstetricians. They will liaise with local doctors to ensure that they are aware of the study and the supplements their patients are taking, so that the women do not receive 'excess' micronutrients. All women will also receive menstrual hygiene advice and will be provided with a supply of menstrual pads to promote appropriate hygiene practices.

#### Intervention details

Group 1 (preconception arm):

Micronutrient supplementation:

Women will receive daily micronutrient supplement tablets from recruitment preconceptionally, throughout pregnancy and during breastfeeding. Given the high likelihood of multiple deficiencies, the composition will be based on the WHO/UNICEF/UNU international multiple micronutrient preparation (UNIMMAP).

Lifestyle behavior change support:

Women will receive support from CHWs trained in Healthy Conversation Skills (HCS) in group settings. HCS is a communication technique developed at the University of Southampton by our wider team for use by health workers to support behaviour change in socio-economically disadvantaged women. This technique has been translated to LMIC settings; in a recent feasibility study involving our group in South Africa, community health workers have been successfully trained in HCS to support young women to improve their diets and lifestyles. The group work emphasises the role of increasing self-efficacy in promoting behaviour change. It is based on the understanding that providing participants with knowledge alone is not sufficient to change their behaviour unless they are also motivated and empowered to change. The aim will be to promote a diverse diet, achieve a normal body weight, and achieve an adequate intake of micronutrients before and during pregnancy, and while breastfeeding. CHWs will provide support postnatally to encourage exclusive breastfeeding for the first 6 months and the timely introduction of diverse and nutritious infant weaning foods. Women will be educated about the importance of using safe water for feeding their infants after 6 months, and advised to use boiled and cooled water. They will receive support to ensure that their infants are fully vaccinated and that they adopt appropriate hygiene measures, particularly handwashing after using the toilet, changing 'nappies', and before preparing food, eating and feeding their infants. During the pre-conception stage, the group work will be held at approximately monthly intervals. There will be six modules, with the first module serving as an introductory and general health module. This will be delivered first to all women in the arm. The other five modules will be delivered cyclically and address diet, physical activity and sleep, environmental exposure and hygiene, mental health, and preparing for pregnancy.

Group parenting and cognitive behaviour intervention (Learning Through Play Plus {LTP Plus}):

LTP Plus is a group parenting programme, integrated with a cognitive behaviour therapy intervention (Thinking Healthy Programme) designed to address perinatal depression and improve child development in LMIC settings. It is a manual assisted, low-literacy, potentially sustainable programme whose activities enhance children's development. It simultaneously promotes attachment security through building parents' ability to be sensitive to their children's cues, and be actively involved in their children's development. These sessions will be delivered in

phases which will not only match the woman's pace, but also the gestational period antenatally and the infant's developmental stages postnatally. This two-pronged psychosocial participatory group intervention will help mothers to cope with stress, reduce depression and provide information and strategies that they need to nurture their children's health and development. This will consist of a total of ten sessions, three during pregnancy and seven postnatally. LTP Plus uses a standardized manual and the material will be delivered by CHWs.

#### Avoiding environmental pollution:

The researchers will provide advice and information on avoidance of environmental pollutants particularly indoor smoke (cooking and smoking). They will facilitate LPG (liquefied petroleum gas) connections actively through a recently introduced government scheme which provides subsidized stoves and fuel. They will also address exposure to, and safe handling of pesticides.

#### Group 2 (pregnancy arm):

Women in this group will receive the same package of interventions described above, but starting only after they become pregnant, which, in practice, will mean late in the first trimester. Last menstrual period dates will be monitored monthly and women will be offered a urine pregnancy test when they report missing two consecutive periods.

#### Group 3 (control arm):

Women in this group will receive an enhanced standard of care. In addition to encouraging vaccinations (two doses of tetanus toxoid) during pregnancy, provision of 100 tablets of iron and folate, and promoting institutional delivery, they will have a similar number of contact sessions with CHWs untrained in our behaviour change and parenting interventions. They will receive standard advice on healthy lifestyle during pregnancy and postnatally, supported by information leaflets (mainly pictorial and using simple language); these will include advice on breastfeeding, immunizations, and infant weaning foods.

### **Intervention Type**

Mixed

### **Primary outcome(s)**

Adiposity measured by fat mass index (fat mass/height<sup>2</sup>) using dual x-ray absorptiometry (DXA) at age 5 years in the children across all HeLTI cohorts

### **Key secondary outcome(s)**

Measured in the children at age 5 years:

1. Overweight and obesity (OWO) assessed by BMI and indicators of body composition and distribution (waist circumference, skinfold thickness)
2. Glucose metabolism measured by fasting venous plasma glucose concentration
3. Resting systolic blood pressure measured using an automated blood pressure monitor
4. Child development assessed using modified Kaufman battery, validated for Indian settings

### **Completion date**

31/12/2031

## **Eligibility**

### **Key inclusion criteria**

1. Women of childbearing age
2. Over the age of 18 years

3. Married
4. No children or one child
5. Planning to have a child within the next 2 years

**Participant type(s)**

Healthy volunteer

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Upper age limit**

50 years

**Sex**

Female

**Total final enrolment**

0

**Key exclusion criteria**

Current exclusion criteria as of 18/12/2025:

Those who are not planning pregnancy or have already completed their family or undergone sterilisation.

Previous exclusion criteria:

Those with two or more children

**Date of first enrolment**

15/03/2021

**Date of final enrolment**

28/02/2026

**Locations****Countries of recruitment**

India

**Study participating centre**

CSI Holdsworth Memorial Hospital

Mandi Mohalla

Mysore  
India  
570001

**Study participating centre**  
**Vivekananda Memorial Hospital**  
Hanchipura Road  
Saragur  
India  
571121

## Sponsor information

**Organisation**  
CSI Holdsworth Memorial Hospital

**ROR**  
<https://ror.org/05gfebp73>

**Organisation**  
Vivekananda Memorial Hospital

**ROR**  
<https://ror.org/00c44w836>

**Organisation**  
University of Toronto

**ROR**  
<https://ror.org/03dbr7087>

## Funder(s)

**Funder type**  
Government

**Funder Name**  
Department of Biotechnology, Ministry of Science and Technology, India

**Alternative Name(s)**

Dept. of Biotechnology, Govt of India, , , Department of Biotechnology, Department of Biotechnology, Ministry of Science & Technology, India, Department of Biotechnology, GOI, Dept. of Biotechnology, Govt. of India, Department of Biotechnology, Ministry of Sc & Tech, Govt of India, DBT

**Funding Body Type**

Government organisation

**Funding Body Subtype**

National government

**Location**

India

**Funder Name**

Canadian Institutes of Health Research

**Alternative Name(s)**

Instituts de Recherche en Santé du Canada, The Canadian Institutes of Health Research (CIHR), Canadian Institutes of Health Research (CIHR), Canadian Institutes of Health Research | Ottawa ON, CIHR - Welcome to the Canadian Institutes of Health Research, CIHR, IRSC

**Funding Body Type**

Government organisation

**Funding Body Subtype**

National government

**Location**

Canada

## Results and Publications

**Individual participant data (IPD) sharing plan**

The Healthy Life Trajectories Initiative (HeLTI) was launched as a joint initiative between the Canadian Institute of Health Research, the Department of Biotechnology of India, the South African Medical Research Council, the National Science Foundation of China and the World Health Organisation. Data sharing and access arrangements are included in the overall HeLTI governance document. The HeLTI consortium is in the process of establishing a Data Access Portal through which investigators can view and request access to data/biospecimens within individual HeLTI country or multiple country datasets. Data access will follow country-specific guidelines and is expected to require submission of a detailed research plan (including study rationale, hypothesis, analytic methodologies and funding support to complete the study

/analyses). Once the study is completed the researchers will be required to submit all analytical and derived data with metadata to be integrated into the HeLTI country datasets, so that it is available to other researchers.

## IPD sharing plan summary

Available on request

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		01/03/2023	01/08/2025	Yes	No
<a href="#">Protocol article</a>		16/02/2021	09/04/2024	Yes	No
<a href="#">Other files</a>	Changes and progress update	01/08/2025	01/08/2025	No	No
<a href="#">Other publications</a>	Governance model for the HeLTI Consortium	16/05/2023	17/05/2023	Yes	No
<a href="#">Participant information sheet</a>			17/12/2020	No	Yes
<a href="#">Statistical Analysis Plan</a>	version 2		01/08/2025	No	No
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes