

Virtual restorative environment therapy for burns dressing changes

Submission date

25/02/2014

Recruitment status

No longer recruiting

☐ Prospectively registered

☒ Protocol

Registration date

25/02/2014

Overall study status

Completed

☐ Statistical analysis plan

☐ Results

Last Edited

21/11/2018

Condition category

Injury, Occupational Diseases, Poisoning

☐ Individual participant data

☐ Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Charlotte Small

Contact details

Edgbaston

Birmingham

United Kingdom

B15 2TT

-

c.l.flutter@talk21.com

Additional identifiers

Protocol serial number

15785

Study information

Scientific Title

Investigation of virtual restorative environment therapy to aid pain control during dry burns dressing changes

Study objectives

The burns unit at the Queen Elizabeth Hospital Birmingham admits nearly 300 patients a year, including wounded military patients. The pain of a severe burn injury is characterised by an unremitting background pain, coupled with severe exacerbations associated with essential procedures such as dressing changes, staple removal from grafts and physiotherapy. A recent audit showed that 23% of patients experience moderate or severe pain during dressing changes. This study will evaluate the use of an interactive computer game, based on a virtual restorative environment (VRE), as an adjunct to pain management during burns dressing changes. The system has been developed specifically for this patient group to allow usability for all but the most severely injured patients. The study will be a single blinded (data collector only) within-subject crossover trial where patients who are undergoing dry burn dressing changes will be receive non-interactive VRE distraction, interactive VRE distraction and a control condition using standard analgesia over three consecutive dressing changes. The order of conditions will be randomised. The primary outcome will be highest pain score (numerical rating scale) during the dressing change. Secondary outcomes will be average pain scores during dressing change, pain score one hour after dressing change, anxiety, rescue analgesia, usability, level of immersion and satisfaction. Data will also be collected on staff satisfaction with and usability of the system.

Ethics approval required

Old ethics approval format

Ethics approval(s)

13/WM/0205

Study design

Randomised; Interventional; Design type: Not specified, Treatment

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Topic: Generic Health Relevance and Cross Cutting Themes; Subtopic: Generic Health Relevance (all Subtopics); Disease: Anaesthetics

Interventions

Virtual reality (active), Interactive game, based within Virtual Wembury, whereby the patient can control movement of a speedboat viewed on a high definition screen, listening to associated sounds via headphones. The speedboat will be controlled by a single-hand use hand controller. Points can be scored by collection objects and steering between buoys.

Virtual reality (passive), Viewing of a nature based virtual world based on Wembury Bay, South Devon coastal path. The VR system consists of a high definition TV screen and headphones to provide sounds of the VR environment. The image will be viewed as if through a window, the patient will not be able to change the field of view or navigate through the scene. There will be movement associated with the sea and foliage.

Intervention Type

Device

Primary outcome(s)

Worst pain (numerical rating scale); Timepoint(s): During dressing change

Key secondary outcome(s)

1. Anxiety; Timepoint(s): During dressing change
2. Average pain; Timepoint(s): During dressing change
3. Nausea; Timepoint(s): During dressing change
4. Nursing satisfaction with VR system; Timepoint(s): During dressing change
5. Satisfaction with pain management; Timepoint(s): During dressing change
6. Satisfaction with VR distraction; Timepoint(s): During dressing change
7. Worst pain; Timepoint(s): One hour after dressing change

Completion date

06/04/2014

Eligibility**Key inclusion criteria**

1. Patients with burns (any cause) admitted to the Queen Elizabeth Hospital Burns Unit
2. Those above requiring at least three dressing changes.
3. Those above requiring opioid based analgesia (eg oral morphine, codeine phosphate or tramadol) or inhaled nitrous oxide (entonox) for the dressing change (ie, patients who may potentially experience moderate or severe pain)

Target Gender: Male & Female; Upper Age Limit 90 years ; Lower Age Limit 18 years

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Inability to use the interactive distraction equipment eg blindness, severe bilateral hand injuries.
2. Requirement for general anaesthesia or sedation with ketamine or midazolam.
3. Poor cognitive state eg severe dementia, delirium or severe psychiatric illness.
4. Multi-drug resistant infection (due to potential equipment contamination, although low risk, this criteria is appropriate for the feasibility study)

Date of first enrolment

06/01/2014

Date of final enrolment

06/04/2014

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

University of Birmingham

Birmingham

United Kingdom

B15 2TT

Sponsor information

Organisation

University of Birmingham (UK)

ROR

<https://ror.org/03angcq70>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Royal Centre for Defence Medicine (UK) Grant Codes: 20110914DMSRSGVRPLP

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	protocol	05/08/2015		Yes	No
HRA research summary			28/06/2023	No	No