

A pilot study to evaluate AI-assisted ultrasound software for the diagnosis of venous thrombosis

Submission date 11/05/2023	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 13/05/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 13/11/2025	Condition category Circulatory System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Deep vein thrombosis (DVT) is a term that describes blood clots (thrombi) that can form in the deep veins. The deep leg veins are commonly affected (such as the proximal veins: the femoral vein or the popliteal vein) or the deep veins of the pelvis. The standard approach to making a diagnosis involves an algorithm combining pre-test probability, a blood test called the D-dimer test, and the patient undergoing an ultrasound of the leg veins. Ultrasound is currently completed by a trained expert (e.g. sonographer or radiologist). However, handheld ultrasound probes have recently become available and they have enabled 'app-based' ultrasonography to be performed. ThinkSono has developed software (AutoDVT software) allowing non-specialists to perform DVT ultrasound, hoping it has the same accuracy for diagnosing DVT as the standard ultrasound. If this study has a positive outcome, it would mean that DVT could be diagnosed at the point of care by non-experts such as nurses, junior doctors, general practitioners and other healthcare staff. By diagnosing DVT early in the clinical pathway (for example, at GP practices), the technology could reduce emergency department admissions and free up specialists to focus on other clinical tasks. These improvements could also potentially reduce the financial burden of the DVT diagnostic service on healthcare systems.

Who can participate?

Patients aged 18 years and over, coming for a check to see if they have a DVT and have symptoms suggesting that they need an ultrasound scan

What does the study involve?

Participants undergo two compression ultrasound scans. One is carried out by a non-radiology staff member (e.g. a nurse) using AI software to guide them and another ultrasound scan will be carried out as already scheduled by a sonographer or radiologist.

What are the possible benefits and risks of participating?

This study will not benefit participants directly in the short term but it may benefit patients having an ultrasound for a DVT in the future. The results from this study will improve knowledge of how software may be able to help diagnose blood clots accurately and quickly.

Ultrasound is a very safe method of confirming a DVT or not and is used already as standard care in hospitals. There are no risks of taking part. The scan does involve some pressing on the leg but if it is painful or participants want to stop they can let the researchers know.

Where is the study run from?
University General Hospital "Attikon" (Greece)

When is the study starting and how long is it expected to run for?
February 2021 to May 2022

Who is funding the study?
ThinkSono GmbH (Germany)

Who is the main contact?
Sven Mischkewitz (Sponsor contact), hello@thinksono.com

Contact information

Type(s)
Scientific

Contact name
Prof Efthimios Avgerinos

Contact details
Skoufa 10
Kolonaki
Athens
Greece
106 73
+30 210 6862675
info@vascularhealth.gr

Type(s)
Public

Contact name
Dr Sven Mischkewitz

Contact details
August-Bebel-Straße 88
Potsdam
Germany
14482
+491754724848
hello@thinksono.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Protocol serial number

v1.0.0

Study information

Scientific Title

A pilot study to evaluate AI-assisted ultrasound software for the diagnosis of venous thrombosis

Study objectives

This study will compare the standard protocol of lower extremity venous ultrasound to rule out venous thrombosis, as the recognised modality of choice, with ultrasound-assisted by artificial intelligence software (AutoDVT) combined with a remote assessment by a specialist radiologist.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 07/04/2021, Attikon University Hospital - Ethics Committee (1 Rimini Str, 12462 Chaidari, Greece; +30 210 5831692; greps@attikonhospital.gr), ref: ANT1N/ANGH, ED. 164/18-3-2021

Study design

Non-randomized prospective double-blind study

Primary study design

Interventional

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Proximal deep vein thrombosis

Interventions

Patients consented when scheduled for a DVT ultrasound exam with the radiology department.

An AI-assisted scan with the AutoDVT software is performed by a non-specialist (nurse). A follow-up gold-standard scan is performed by a local specialist (compression ultrasound), i.e. radiologist. That same-day follow-up scan represents the standard of care.

The images collected by the non-specialist are presented to a remote, qualified clinician who will evaluate image quality according to the quality scale of the American College of Emergency Physicians (ACEP) and consequently, if the image quality is sufficient, assesses whether the veins of the patient are compressible, incompressible or indeterminate.

This is a single-arm study. Every patient received the AI-guided scan and was followed up by a gold standard exam which represents the standard of care.

Nursing staff carried out the AI-guided ultrasound scan. They had no prior ultrasound experience at all. The remote qualified clinician assessing the images that have been collected by the AI-guided scan are qualified to diagnose DVT, i.e., radiologists.

The AI-guided scan was performed face-to-face. The images that have been presented to the remote qualified clinician are evaluated retrospectively via an internet platform. This remote qualified clinician did not see the patient.

The AI-guided scan was carried out in the rooms of the radiology department.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

AutoDVT

Primary outcome(s)

Sensitivity and specificity measured using AI-guided ultrasound and a local imaging specialist performing the gold-standard ultrasound exam at the same timepoint

Key secondary outcome(s)

Image quality of the AI-guided ultrasound measured by a remote qualified clinician according to the American College of Emergency Physicians (ACEP) scoring scale from 1 to 5 at one timepoint

Completion date

01/05/2022

Eligibility

Key inclusion criteria

1. Aged 18 years old and over
2. Suspicion of the presence of a deep vein thrombosis, indicating a compression ultrasound exam according to standard clinical practice
3. Capacity to consent to the study through the patients or the Legal Representative

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

18 years

Upper age limit

99 years

Sex

All

Total final enrolment

50

Key exclusion criteria

1. Inability to consent to the study or rejection through patients or the legal representative.
2. Pregnant for more than 12 weeks
3. D-dimer testing cannot be performed/patient is on anticoagulation
4. History of DVT in the symptomatic leg

Date of first enrolment

19/10/2021

Date of final enrolment

11/04/2022

Locations**Countries of recruitment**

Greece

Study participating centre

University General Hospital "Attikon"

Rimini 1

Haidari, Athens

Greece

12462

Sponsor information**Organisation**

ThinkSono GmbH

Funder(s)**Funder type**

Industry

Funder Name

ThinkSono GmbH

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		10/10/2023	13/11/2025	Yes	No