

# User's Assessment of the Comfort and Usability of a Chair Specifically Designed to meet the Physiological Needs of Stroke Patients when Seated versus the Standard Hospital Chair: a Pilot Study

|                                        |                                                   |                                                                                                              |
|----------------------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Submission date</b><br>29/09/2006   | <b>Recruitment status</b><br>No longer recruiting | <input type="checkbox"/> Prospectively registered<br><input type="checkbox"/> Protocol                       |
| <b>Registration date</b><br>29/09/2006 | <b>Overall study status</b><br>Completed          | <input type="checkbox"/> Statistical analysis plan<br><input type="checkbox"/> Results                       |
| <b>Last Edited</b><br>28/04/2015       | <b>Condition category</b><br>Circulatory System   | <input type="checkbox"/> Individual participant data<br><input type="checkbox"/> Record updated in last year |

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Mrs Jane Gallagher

**Contact details**  
East Dean Ward  
Eastbourne District General Hospital  
Kings Drive  
Eastbourne  
United Kingdom  
BN21 2UD

## Additional identifiers

**Protocol serial number**  
N0019161035

## Study information

**Scientific Title**

User's Assessment of the Comfort and Usability of a Chair Specifically Designed to meet the Physiological Needs of Stroke Patients when Seated versus the Standard Hospital Chair: a Pilot Study

**Study objectives**

A User's Assessment of the Comfort and Usability of a Chair Specifically Designed to meet the Physiological Needs of Stroke Patients when Seated versus the Standard Hospital Chair: a Pilot Study

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Not provided at time of registration

**Study design**

Pilot randomised controlled trial

**Primary study design**

Interventional

**Study type(s)**

Quality of life

**Health condition(s) or problem(s) studied**

Cardiovascular: Stroke

**Interventions**

Specifically designed chair versus standard hospital chair

**Intervention Type**

Other

**Phase**

Not Specified

**Primary outcome(s)**

Improved recovery of stroke patients

**Key secondary outcome(s))**

Not provided at time of registration

**Completion date**

01/04/2006

**Eligibility****Key inclusion criteria**

Stroke patients admitted to Eastbourne District General Hospital

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Sex**

All

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

01/04/2004

**Date of final enrolment**

01/04/2006

**Locations****Countries of recruitment**

United Kingdom

England

**Study participating centre**

**Eastbourne District General Hospital**

Eastbourne

United Kingdom

BN21 2UD

**Sponsor information****Organisation**

Record Provided by the NHSTCT Register - 2006 Update - Department of Health

**Funder(s)**

**Funder type**

Charity

**Funder Name**

East Sussex Hospitals NHS Trust (UK)

## **Results and Publications**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**

Not provided at time of registration