

# Cellulitis optimal antibiotic treatment

<b>Submission date</b> 21/09/2022	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 01/06/2023	<b>Overall study status</b> Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 29/04/2026	<b>Condition category</b> Infections and Infestations	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Cellulitis is a deep infection of the skin and subcutaneous tissues and most often occurs in the legs. It is a painful condition that is associated with inflammation and swelling of the site, and often systemic symptoms such as fever, headache, muscle aches, malaise, and fatigue. Patients report feeling unwell and that it has a significant impact on their mobility and ability to carry out their usual activities. NICE guidelines recommend oral flucloxacillin 500–1000 mg four times daily for 5-7 days as first-line treatment for most patients with cellulitis in the community, but most prescriptions are dispensed for a 7-day course. We will be assessing the effectiveness and safety of a 5-day treatment versus the standard 7-day treatment. We also aim to evaluate the cost-consequences of a shorter course from an NHS and personal perspective.

### Who can participate?

Adults presenting in primary care with unilateral cellulitis of the leg

### What does the study involve?

Participants will be randomly allocated to one of two groups. In addition to usual care, participants will either be assigned to a 5-day oral flucloxacillin course or the standard 7-day flucloxacillin course. Participants prescribed a 5-day course of oral flucloxacillin, will be posted two additional days' worth of medication (8 capsules in total for two days), which will either be the antibiotic or placebo capsules. Participants will be asked to fill out daily questionnaires and express their experiences with their cellulitis and taking part in the trial.

### What are the possible benefits and risks of participating?

Benefits include that participants may see an improvement in their cellulitis and avoid needing to use antibiotics or for longer than is necessary. Participants will be helping to further our knowledge of how to treat patients with cellulitis and this will benefit others with the same condition in the future. However, possible risks include the listed side effects of oral flucloxacillin, risks to the participant's child if they were to become pregnant at any point during the trial, and the need to attend a clinic visit and fill out questionnaires that would not normally be asked of them if they were not part of the trial.

### Where is the study run from?

University of Southampton (UK)

When is the study starting and how long is it expected to run?  
June 2022 to July 2027

Who is funding the study?  
Health Technology Assessment Programme (HTA) (UK)

Who is the main contact?  
Miss Ella Bourke, coat@soton.ac.uk

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Prof Nick Francis

**ORCID ID**  
<https://orcid.org/0000-0001-8939-7312>

**Contact details**  
Primary Care Research Centre  
School of Primary Care, Population Sciences and Medical Education  
Faculty of Medicine  
University of Southampton  
Aldermoor Health Centre  
Aldermoor Close  
Southampton  
United Kingdom  
SO16 5ST  
+44 (0)23 8059 1778  
nick.francis@soton.ac.uk

**Type(s)**  
Public

**Contact name**  
Miss Ella Bourke

**Contact details**  
Southampton Clinical Trials Unit  
MP131, Southampton General Hospital  
Tremona Road  
Southampton  
United Kingdom  
SO16 6YD  
+44 (0)2381 550206  
coat@soton.ac.uk

## Additional identifiers

**ClinicalTrials.gov (NCT)**

NCT05584007

**Integrated Research Application System (IRAS)**

1006161

**Central Portfolio Management System (CPMS)**

54167

**National Institute for Health and Care Research (NIHR)**

134867

**Protocol serial number**

ERGO 67073

## **Study information**

### **Scientific Title**

A blinded, non-inferiority Phase III trial of 5 versus 7 days of oral flucloxacillin in primary care patients with lower limb cellulitis

### **Acronym**

COAT

### **Study objectives**

To determine whether a short course of oral flucloxacillin (5 days) is non-inferior to a standard course (7 days) in terms of pain over days 6-14 (indicative of persistence or recurrence associated with the symptoms of most importance to patients) in adults with cellulitis of the leg presenting in primary care.

### **Ethics approval required**

Ethics approval required

### **Ethics approval(s)**

approved 19/06/2023, North East - Tyne & Wear South Research Ethics Committee (NHSBT Newcastle Blood Donor Centre, Holland Drive, Newcastle upon Tyne, NE2 4NQ, United Kingdom; -; tyneandwearsouth.rec@hra.nhs.uk), ref: 23/NE/0021

### **Study design**

Randomized two-arm blinded multicentre Phase III non-inferiority study with a 6-month internal pilot

### **Primary study design**

Interventional

### **Study type(s)**

Efficacy, Safety, Treatment

### **Health condition(s) or problem(s) studied**

Cellulitis

## Interventions

Intervention: Oral Flucloxacillin 500 mg capsules four times a day (QDS) for 5 days (unblinded NHS prescription) followed by blinded oral placebo capsules QDS for 2 days (5 days of antibiotic)  
Control: Oral Flucloxacillin 500 mg capsules QDS for 5 days (unblinded NHS prescription) followed by oral flucloxacillin 500 mg capsules QDS (blinded) for 2 days (7 days of antibiotic)

Randomisation will be handled via an online system. Participants will be individually randomised between the arms, using a 1:1 allocation ratio, and using block randomisation, stratified by obesity ( $BMI \geq 30$ ) and prior history of leg cellulitis.

## Intervention Type

Drug

## Phase

Phase III

## Drug/device/biological/vaccine name(s)

Flucloxacillin

## Primary outcome(s)

Self-reported pain measured using the Pain Numeric Rating Scale (0-10) via an electronic patient-reported outcome (ePRO) system over days 6-14.

## Key secondary outcome(s)

The effectiveness and safety of 5 days versus standard 7 days of oral flucloxacillin for lower leg cellulitis by assessing:

1. Total number of days of antibiotics taken between days 0 and 28 measured using the ePRO system at days 7, 12, 21 and 28
2. Use of additional antibiotics measured using the ePRO system at days 7, 12, 21 and 28
3. Patient-reported assessment of how unwell they are feeling measured using the ePRO system over days 6-14
4. Health-related quality of life measured using the participant-reported EQ5D5L and individual dimension (mobility, self-care, usual activities, pain/discomfort, anxiety/depression) over days 6-14
5. Leg swelling measured using the ePRO system on days 7, 14, 21 and 28
6. Time until self-reported recovery measured using the ePRO system on days 7, 14, 21 and 28  
Time until the self-assessed extent of cellulitis starts to reduce (with no subsequent increase) measured using the ePRO system on days 7, 14, 21 and 28

Evaluate the cost-consequences of a shorter course from an NHS and personal perspective by assessing:

1. Hospital admissions measured using occurrences reported in the participant's primary care record at 12 months
2. Episodes of recurrent cellulitis over 12 months measured using occurrences reported in the participant's primary care record at 12 months
3. Incidence of complications over 12 months which include lymphedema, leg ulceration, venous insufficiency, sepsis, and death measured using occurrences reported in the participant's primary care record at 12 months

## Completion date

31/07/2027

## Eligibility

### Key inclusion criteria

1. Aged 18 years and over
2. Currently showing symptoms of cellulitis (such as pain, tenderness, redness, other change in skin colour, warmth to touch) in one leg for 10 days or less
3. Pain rated as 3/10 or higher on a numerical rating scale (0-10) at baseline assessment
4. Be willing to be randomised to either trial arm (5-day or 7-day treatment)
5. Able to complete trial procedures in the English language.

### Participant type(s)

Patient

### Healthy volunteers allowed

No

### Age group

Mixed

### Lower age limit

18 years

### Upper age limit

100 years

### Sex

All

### Total final enrolment

0

### Key exclusion criteria

1. Penicillin allergy
2. Bilateral cellulitis
3. Antibiotics for cellulitis within the past month
4. Post-operative cellulitis (within 30 days of operative procedures on the same leg)
5. Cellulitis resulting from human/animal bite injury
6. Cellulitis associated with chronic (>6 weeks) leg ulceration
7. Require immediate hospital admission or out-patient intravenous antibiotic therapy

### Date of first enrolment

18/08/2023

### Date of final enrolment

01/05/2026

## Locations

**Countries of recruitment**

United Kingdom

England

Wales

**Study participating centre****CRN Wessex**

Berrywood Business Village

Hedge End

Southampton

England

SO30 2UN

**Study participating centre****CRN East of England**

20 Rouen Road

Norwich

England

NR1 1QQ

**Study participating centre****CRN NWC**

Liverpool Science Park, Innovation Centre 1, 131 Mount Pleasant

Liverpool

England

L3 5TF

**Study participating centre****CRN SWP**

Bowmoor House, Royal Devon and Exeter Hospital (Wonford)

Exeter

England

EX2 5DW

**Study participating centre****CRN WoE**

Whitefriars, Lewins Mead

Bristol  
England  
BS1 2NT

**Study participating centre**

**CRN Yorkshire & Humber**

21 Queen St  
Leeds  
England  
LS1 2TW

**Study participating centre**

**CRN Thames Valley and South Midlands**

Unipart House, NIHR CRN: Thames Valley and South Midlands Offices Level 2 West, Garsington Rd  
Oxford  
England  
OX4 6PG

**Study participating centre**

**CRN North London**

20 Churchill Place  
Canary Wharf  
London  
England  
E14 5HJ

## **Sponsor information**

**Organisation**

University of Southampton

**ROR**

<https://ror.org/01ryk1543>

## **Funder(s)**

**Funder type**

Government

**Funder Name**

Health Technology Assessment Programme

**Alternative Name(s)**

NIHR Health Technology Assessment Programme, Health Technology Assessment (HTA), HTA

**Funding Body Type**

Government organisation

**Funding Body Subtype**

National government

**Location**

United Kingdom

## Results and Publications

**Individual participant data (IPD) sharing plan**

The datasets generated and/or analysed during the current study will be published as a supplement to the results publication. Individual investigators may not publish data concerning their patients that are directly relevant to questions posed by the trial until the Trial Management Group (TMG) has published its report. The TMG will form the basis of the Writing Committee and advise on the nature of publications.

**IPD sharing plan summary**

Published as a supplement to the results publication

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol file</a>	version 1	06/12/2022	11/07/2023	No	No
<a href="#">Protocol file</a>	version 3	19/07/2024	09/09/2024	No	No
<a href="#">Protocol file</a>	version 4	16/12/2024	08/04/2025	No	No
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes