

# Prevention of catheter-related deep vein thrombosis with nadroparin in hemato-oncology patients treated with high-dose chemotherapy

<b>Submission date</b> 09/06/2006	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 09/06/2006	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 08/01/2021	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr B.J. Biemond

**Contact details**  
Academic Medical Center (AMC)  
Department of Clinical Chemistry  
P.O. Box 22660  
Amsterdam  
Netherlands  
1100 DD  
+31 (0)20 5667391  
b.j.biemond@amc.uva.nl

## Additional identifiers

**Protocol serial number**  
NL611, NTR669

## Study information

**Scientific Title**

Prevention of catheter-related deep vein thrombosis with nadroparin in hemato-oncology patients treated with high-dose chemotherapy

**Study objectives**

Low dose nadroparin will prevent symptomatic and asymptomatic catheter-related deep vein thrombosis in patients treated with high dose chemotherapy.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Not provided at time of registration

**Study design**

Randomized controlled trial

**Primary study design**

Interventional

**Study type(s)**

Treatment

**Health condition(s) or problem(s) studied**

Hemato-oncology patients with deep vein thrombosis

**Interventions**

Subcutaneous (SC) nadroparin 1 dd 2850 E versus subcutaneous placebo 0.3 ml for 21 days

**Intervention Type**

Drug

**Phase**

Not Specified

**Drug/device/biological/vaccine name(s)**

Nadroparin

**Primary outcome(s)**

Asymptomatic and symptomatic catheter-related deep vein thrombosis proven by ultrasound or venography

**Key secondary outcome(s)**

1. Catheter-related infections
2. Bleeding complications

**Completion date**

01/07/2006

**Eligibility**

**Key inclusion criteria**

1. Central venous catheter
2. Indication for high dose chemotherapy (acute myeloid leukaemia [AML], acute lymphoblastic leukaemia [ALL], myelodysplasia-refractory anemia with excess of blasts in transformation [MDS-RAEB], multiple myeloma [MM])
3. Informed consent

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Sex**

All

**Total final enrolment**

113

**Key exclusion criteria**

1. Current anticoagulant therapy
2. Allergy for contrast media
3. Promyelocytic leukemia (AML-M3)
4. Bleeding tendency
5. Renal failure

**Date of first enrolment**

10/04/2002

**Date of final enrolment**

01/07/2006

**Locations****Countries of recruitment**

Netherlands

**Study participating centre**

Academic Medical Center (AMC)

Amsterdam

Netherlands

1100 DD

# Sponsor information

## Organisation

Academic Medical Center (AMC) (The Netherlands)

## ROR

<https://ror.org/03t4gr691>

# Funder(s)

## Funder type

University/education

## Funder Name

Academic Medical Center (AMC)

## Alternative Name(s)

Academic Medical Center, Centre Médical Académique, ACADEMISCH MEDISCH CENTRUM AMSTERDAM, Academic Medical Center (Amsterdam), AMC

## Funding Body Type

Government organisation

## Funding Body Subtype

Universities (academic only)

## Location

Netherlands

# Results and Publications

## Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/09/2007	08/01/2021	Yes	No