

The Healthy Eating, Aerobic and Resistance Training in Youth (HEARTY) trial

Submission date 22/06/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 22/06/2007	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 20/02/2019	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Ron Sigal

Contact details
7th floor, North Tower
Foothills Medical Center
1403 29 Street NW
Calgary
Alberta
Canada
T2N 2T9
+1 (0)403 944 2783
rsigal@ucalgary.ca

Type(s)
Public

Contact name
Ms Penny Phillips

Contact details
-
-
Canada

-
+1 (0)613 738 8400 ext. 81959
pphillips@ohri.ca

Additional identifiers

ClinicalTrials.gov (NCT)
NCT00195858

Protocol serial number
MCT-71979

Study information

Scientific Title

A single-centre, four-arm, randomised parallel trial of healthy eating, aerobic exercise and resistance training to reduce percent body fat in overweight or obese adolescents

Acronym

HEARTY

Study objectives

1. Reduction in percent body fat will be larger in diet and aerobic exercise and diet and resistance exercise than diet-only controls at post-treatment, and the combined aerobic and resistance training will be superior to either aerobic or resistance training alone in reducing percent body fat at post-treatment
2. The combined resistance and aerobic group will show greater improvements in percent body fat, body composition, and physiological and psychosocial function at post-treatment and 10-months follow-up
3. Groups that include resistance training will produce greater psychosocial changes and better adherence than aerobic training alone at post-treatment and follow-up

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. Research Ethics Board of the Ottawa Hospital, December 2004
2. CHEO Research Ethics Board, 01/03/2005

Study design

Single-centre four-arm randomised parallel trial with outcome assessor and study investigator blinding

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Sedentary post-pubertal overweight or obese youth aged 14 - 18 years

Interventions

After a four-week supervised low-intensity exercise run-in period to test compliance, 292 adolescents with BMI greater than or equal to 85th percentile for age and gender will be randomised in equal numbers to one of four arms:

1. Diet and aerobic exercise
2. Diet and resistance exercise
3. Diet and combined aerobic and resistance exercise
4. Diet-only control

The intervention will last 16 weeks, with a follow-up assessment at six-months post-treatment (11-months post-randomisation).

Intervention Type

Behavioural

Primary outcome(s)

Amended 24/02/2009:

Percent body fat measured using Magnetic Resonance Imaging (MRI) at six months (end of intervention).

Initial information at time of registration:

Percent body fat measured using Magnetic Resonance Imaging (MRI) at six months post treatment measured at six months post treatment/12 months post randomisation.

Key secondary outcome(s)

1. Resting energy expenditure (indirect calorimetry)
2. Lean body mass (DEXA)
3. Waist circumference
4. Important non-traditional CHD risk factors:
 - 4.1. LDL particle diameter
 - 4.2. Plasma insulin
 - 4.3. Apoprotein B
 - 4.4. C-reactive protein
5. Traditional metabolic CHD risk factors:
 - 5.1. HDL-C
 - 5.2. LDL-C
 - 5.3. Triglycerides
 - 5.4. Total/HDL cholesterol ratio
 - 5.5. Blood pressure
 - 5.6. HbA1c
 - 5.7. Fasting and two-hour glucose
6. Effects on psychosocial adjustment will also be examined, including health related:
 - 6.1. Quality of life (Pediatric Quality of Life Inventory™ [PedsQL™] - adolescent version)
 - 6.2. Body image (Body Esteem Scale)
 - 6.3. Mood (Profile of Mood States)
 - 6.4. Self-esteem (Rosenberg self-Esteem Scale)

Completion date

31/08/2011

Eligibility

Key inclusion criteria

1. Male or female
2. Aged 14 to 18 years
3. Tanner stage IV or above
4. Body mass index (BMI) greater than or equal to 95th percentile for age, and gender (<http://www.cdc.gov/growthcharts>), AND/OR greater than or equal to 85th percentile for age/gender with any of:
 - 4.1. Fasting glucose greater than or equal to 6.0 fasting
 - 4.2. Two-hour plasma glucose 7.8 - 11 mmol/L after 75 G oral glucose (impaired glucose tolerance)
 - 4.3. Fasting triglycerides greater than 1.7 mmol/L
 - 4.4. Fasting plasma insulin greater than 105 pmol/L
 - 4.5. High density lipoprotein-cholesterol (HDL-C) less than 0.9 mmol/L
 - 4.6. Low density lipoprotein-cholesterol (LDL-C) greater than 3.0 mmol/L
 - 4.7. Total cholesterol/HDL-C greater than 90th percentile
 - 4.8. First-degree relative with type 2 diabetes

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Lower age limit

14 years

Upper age limit

18 years

Sex

All

Key exclusion criteria

1. Participation during the previous four months in a regular program of exercise or aerobic sports greater than or equal to two times per week for at least 20 minutes per session
2. Diabetes mellitus
3. Body weight over 159 kg, and/or BMI greater than 45 kg/m², exceeding capacity of dual energy X-ray absorptiometry (DEXA) and computed tomography (CT) machines
4. Use of any performance-enhancing medication
5. Use of any medication or herbal supplement that is likely to affect body composition, lipids or glucose metabolism
6. Significant weight change (increase of greater than or equal to 10%, or decrease greater than or equal to 5% of body weight during the two months before enrolment)
7. Uncontrolled hypertension: blood pressure (BP) greater than 150 mmHg systolic or greater

than 95 mmHg diastolic BP in sitting position

8. Activity restrictions due to disease: unstable cardiac or pulmonary disease, significant arthritis

9. Other illness judged by the patient or study physician to make participation in this study inadvisable

10. Unwillingness/lack of availability to attend exercise and/or nutrition sessions at scheduled times and locations

11. Significant cognitive deficit resulting in inability to understand or comply with instructions

12. Pregnancy at the start of the study, or intention to become pregnant in the next year

13. Inability to communicate in English or French

14. Unwillingness of subject and/or parent/guardian to sign informed consent

Date of first enrolment

01/05/2005

Date of final enrolment

31/08/2011

Locations

Countries of recruitment

Canada

Study participating centre

Foothills Medical Center

Alberta

Canada

T2N 2T9

Sponsor information

Organisation

Ottawa Hospital Research Institute (OHRI) (Canada) - formerly Ottawa Health Research Institute

ROR

<https://ror.org/03c62dg59>

Funder(s)

Funder type

Research organisation

Funder Name

Canadian Institutes of Health Research (CIHR) (Canada) - <http://www.cihr-irsc.gc.ca> (ref: MCT-71979)

Alternative Name(s)

Instituts de Recherche en Santé du Canada, The Canadian Institutes of Health Research (CIHR), Canadian Institutes of Health Research (CIHR), Canadian Institutes of Health Research | Ottawa ON, CIHR - Welcome to the Canadian Institutes of Health Research, CIHR, IRSC

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Canada

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	30/09/2018	20/02/2019	Yes	No