

Randomised controlled trial of brief cognitive therapy for posttraumatic stress disorder (PTSD)

Submission date 12/10/2010	Recruitment status No longer recruiting	☐ Prospectively registered
Registration date 22/10/2010	Overall study status Completed	☐ Protocol
Last Edited 04/05/2017	Condition category Mental and Behavioural Disorders	☐ Statistical analysis plan
		☐ Results
		☐ Individual participant data
		☐ Record updated in last year

Plain English summary of protocol

Background and study aims:

Recent research indicates that posttraumatic stress disorder can be treated effectively. The study compares two forms of a psychological treatment for posttraumatic stress disorder named Cognitive Therapy for PTSD. There is already evidence that this treatment is effective, but we do not know what way of delivering the treatment is the most effective and most acceptable to patients.

Who can participate?

Adults suffering from posttraumatic stress disorder as a result of traumas in adulthood (e.g., assault, accidents, disaster) who can regularly attend treatment sessions either in South London or Oxford.

What does the study involve?

Participants will receive one of the two forms of psychological treatment for posttraumatic stress disorder that are being compared in the study. No drugs are involved in the treatment. Two thirds of the participants will start treatment right away. The remaining third will wait 3 months before starting treatment, and will then receive one of the forms of psychological treatment. The decision about which treatment participants receive and when they start treatment will be made by chance.

In the first three months of treatment, participants receive either up to 12 weekly sessions with a therapist or up to 6 sessions with a therapist and 6 home sessions where they work through the therapy materials at their own pace. In the following three months, they receive either up to 3 or up to 2 further sessions with the therapist. Before and after treatment (or waiting for treatment), participants complete a number of assessments to monitor their improvement. They are interviewed and asked to fill in a number of questionnaires before, midway through and after the first three months of treatment, and three months, six months, one year and two years later.

What are the possible benefits and risks of participating?

All participants will receive an effective psychological treatment. The treatment involves talking

and writing about the participants' memories of their trauma, and participants may experience short-term distress when confronting their memories. The discussion of the traumatic experience will be handled with sensitivity. Previous results showed that the treatment is well tolerated.

Where is the study run from?

1. Centre for Anxiety Disorders and Trauma, South London and Maudsley NHS Foundation Trust, London in collaboration with the Institute of Psychiatry, King's College London (UK)
2. Oxford Centre for Anxiety Disorders and Trauma, University of Oxford (UK)

When is the study starting and how long is it expected to run for?
September 2010 to May 2016

Who is funding the study?
Wellcome Trust (UK)

Who is the main contact?
Jennifer Readings
jennifer.readings@kcl.ac.uk

Contact information

Type(s)
Scientific

Contact name
Prof Anke Ehlers

ORCID ID
<https://orcid.org/0000-0002-8742-0192>

Contact details
Centre for Anxiety Disorders and Trauma
University of Oxford
The Old Rectory
Paradise Square
Oxford
United Kingdom
OX1 1TW

Additional identifiers

Protocol serial number
069777

Study information

Scientific Title
A randomised controlled trial of brief self-study assisted and standard cognitive therapy for posttraumatic stress disorder

Acronym

CTPTSD

Study objectives

Brief self-study assisted cognitive therapy for posttraumatic stress disorder (PTSD) is effective.

Ethics approval required

Old ethics approval format

Ethics approval(s)

South East London Research Ethics Committee (REC) 4, 07/09/2010, ref: 10/H0807/38

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Posttraumatic stress disorder

Interventions

1. Brief self-study assisted cognitive therapy for PTSD: up to 12 weekly sessions over 13 weeks, plus up to 3 sessions over next 3 months, last follow-up 2 years after end of weekly sessions
2. Standard cognitive therapy for PTSD: up to 6 sessions over 13 weeks, plus up to 2 sessions over next 3 months, follow-up 2 years after 13 week assessment
3. Wait list: 13 weeks wait, then random allocation to either standard or brief CT

Intervention Type

Behavioural

Primary outcome(s)

Measured at initial assessment and 13, 26, 39, 65 and 117 weeks:

1. Clinician-Administered PTSD Scale (CAPS)
2. Posttraumatic Diagnostic Scale (PDS)
3. Percent meeting DSM-IV criteria for PTSD

Key secondary outcome(s)

Measured at initial assessment and 13, 26, 39, 65 and 117 weeks:

1. Beck Depression Inventory
2. Beck Anxiety Inventory
3. Work and Social Adjustment Scale
4. Endicott Quality of Life Scale
5. Client Satisfaction Questionnaire

Completion date

30/05/2016

Eligibility

Key inclusion criteria

1. Diagnostic and Statistical Manual of Mental Disorders, 4th Edition (DSM-IV) diagnosis of PTSD
2. Current PTSD is linked to 1 to 2 discrete traumas
3. PTSD is the main mental health problem requiring treatment
4. Willing to accept random allocation
5. Aged 18 years and above, either sex

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Current substance dependence
2. Immediate suicide risk
3. Borderline personality disorder requiring treatment in its own right
4. History of psychosis
5. No memory for the trauma
6. Unable to conduct the therapy in English
7. Serious ongoing threat (e.g. still living with perpetrator)

Date of first enrolment

01/10/2010

Date of final enrolment

01/07/2013

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Institute of Psychiatry
London
United Kingdom
SE5 8AF

Sponsor information

Organisation

Institute of Psychiatry, Kings College London (UK)

ROR

<https://ror.org/0220mzb33>

Funder(s)

Funder type

Charity

Funder Name

Wellcome Trust

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

International organizations

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The current data sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date