

Study of alternative regimens of high dose induction therapy for systemic vasculitis

Submission date 05/02/2002	Recruitment status Stopped	☐ Prospectively registered ☐ Protocol
Registration date 05/02/2002	Overall study status Stopped	☐ Statistical analysis plan ☐ Results
Last Edited 19/05/2014	Condition category Circulatory System	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof PA Bacon

Contact details
Department of Rheumatology
Division of Immunity & Infection
University of Birmingham Medical School
Edgbaston
Birmingham
United Kingdom
B15 2TT
+44 (0)121 414 6778
p.a.bacon@bham.ac.uk

Additional identifiers

Protocol serial number
B0697

Study information

Scientific Title

Acronym

Hi Cy3

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Systemic vasculitis

Interventions

At entry the patients will be randomised to either:

1. The HiCy3 regime (six tapering pulses of cyclophosphamide over 3.5 months, with the first pulse being 1.6 g/m²)
2. The spCy regime - standard pulse cyclophosphamide (nine pulses of 15 mg/kg over 6 months)

All patients will receive intravenous methyl prednisolone with each cyclophosphamide pulse plus relatively low dose routine oral steroid. All patients will also receive mesna with each cyclophosphamide pulse, and will progress to a low dose azathioprine consolidation regime, given up to the end of month 18 of total study.

Updated 19/05/2014: this trial was stopped for reasons of poor recruitment in 2009.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Cyclophosphamide, methyl prednisolone, mesna, azathioprine

Primary outcome(s)

Not provided at time of registration

Key secondary outcome(s)

Not provided at time of registration

Completion date

30/08/2006

Reason abandoned (if study stopped)

Participant recruitment issue

Eligibility

Key inclusion criteria

1. Patients with newly diagnosed systemic vasculitis
2. Patients with a major recent flare and total previous dose of cyclophosphamide less than 70 g

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/02/2001

Date of final enrolment

30/08/2006

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Department of Rheumatology

Birmingham

United Kingdom

B15 2TT

Sponsor information

Organisation

Arthritis Research Campaign (ARC) (UK)

ROR

<https://ror.org/02jkpm469>

Funder(s)

Funder type

Charity

Funder Name

Arthritis Research Campaign (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration