

# Study on the safety and efficacy of Aurantii Fructus Immaturus flavonoid extract tablets (Aolanti) in the treatment of functional dyspepsia

<b>Submission date</b> 24/02/2025	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 09/03/2025	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 07/03/2025	<b>Condition category</b> Digestive System	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

This study aims to evaluate the safety and efficacy of Aurantii Fructus Immaturus Flavonoid Extract Tablets (Aolanti) in treating functional dyspepsia (FD) characterized by liver-stomach disharmony, spleen-stomach damp-heat, and food stagnation syndromes. The multicenter clinical trial will explore the therapeutic effects of the drug on FD and provide a foundation for subsequent Phase III clinical trials. This study expects to provide valuable insights into the efficacy and safety of Aurantii Fructus Immaturus Flavonoid Extract Tablets (Aolanti) for FD, supporting its potential as a therapeutic option for patients with specific TCM syndromes.

### Who can participate?

Adult participants between the ages of 18 and 65 years old meeting the Western diagnostic criteria for FD and the Traditional Chinese Medicine (TCM) syndrome differentiation criteria were enrolled.

### What does the study involve?

Patients will be randomly assigned to either the treatment group, receiving Aurantii Fructus Immaturus Flavonoid Extract Tablets (Aolanti), or the control group, receiving a placebo. The treatment group received 4 tablets of Aurantii Fructus Immaturus Flavonoid Extract Tablets (Aolanti) three times daily, while the control group received 4 placebo tablets under the same regimen, for a total of 4 weeks. The primary efficacy endpoint was the clinical efficacy based on the Western symptom score for FD, while secondary endpoints included clinical efficacy based on TCM syndrome scores and gastric emptying function assessed by the barium strip method.

### What are the possible benefits and risks of participating?

Potential benefits included the alleviation of FD symptoms, particularly for patients with liver-stomach disharmony, spleen-stomach damp-heat, and food stagnation syndromes. Potential

risks involved possible adverse drug reactions, although the study results indicated that Aurantii Fructus Immaturus Flavonoid Extract Tablets (Aolanti) were well-tolerated with a favorable safety profile.

Where is the study run from?

The study was conducted across multiple centers in China, including West China Hospital of Sichuan University, Affiliated Hospital of Chengdu University of Traditional Chinese Medicine, The First Affiliated Hospital of Hunan University of Chinese Medicine, Xiangya Hospital of Central South University, and Affiliated Hospital of Jiangxi University of Traditional Chinese Medicine.

When is the study starting and how long is it expected to run for?

December 2009 to April 2011

Who is funding the study?

The study was funded by Jiangxi Qingfeng Pharmaceutical Co., Ltd.

Who is the main contact?

Ms Xiaonan Yang, West China Hospital of Sichuan University, yangxxnan@163.com

## Contact information

### Type(s)

Public

### Contact name

Ms Tiancheng Qi

### Contact details

10th Floor, Block A, Building 2, Zone 1, Shenzhen Bay Science and Technology Ecological Park,  
Nanshan District  
Shenzhen, Guangdong Province  
China  
518063  
+86-18588477550  
qitiancheng@qfyy.com.cn

### Type(s)

Scientific

### Contact name

Ms Xiaolei Bi

### Contact details

9th Floor, Building 3, Kunsha Center, No. 16 Xinyuanli, Chaoyang District  
Beijing  
China  
100027  
+86-13811657829  
bixiaolei@qfyy.com.cn

**Type(s)**

Principal investigator

**Contact name**

Ms Xiaonan Yang

**Contact details**

No. 37, Guoxue Alley, Wuhou District  
Chengdu, Sichuan Province  
China  
610041  
+86-13608000318  
yangxxnan@163.com

**Additional identifiers****Clinical Trials Information System (CTIS)**

Nil known

**Protocol serial number**

Nil known

**Study information****Scientific Title**

A randomized, double-blind, placebo-controlled, multicenter clinical study on the safety and efficacy of Aurantii Fructus Immaturus flavonoid extract tablets (Aolanti) in the treatment of functional dyspepsia (liver-stomach disharmony, damp-heat in spleen and stomach, and food stagnation syndromes)

**Study objectives**

Study and evaluate the efficacy and safety of Aurantii Fructus Immaturus flavonoid extract tablets (Aolanti) in treating functional dyspepsia (liver-stomach disharmony, spleen-stomach damp-heat, and food retention syndromes), and explore applicable syndrome types for phase III clinical trials.

**Ethics approval required**

Ethics approval required

**Ethics approval(s)**

approved 31/12/2009, Drug Clinical Trial Ethics Committee of West China Hospital of Sichuan University (No. 37, Guoxue Alley, Wuhou District, Chengdu, Sichuan Province, 610041, China; +86-28-85422114; hxjj@cd120.com), ref: 2008L04094

**Study design**

Stratified block-randomized double-blind single-simulation placebo parallel-controlled, multicenter clinical study

**Primary study design**

Interventional

## Study type(s)

Treatment, Safety, Efficacy

## Health condition(s) or problem(s) studied

The treatment of patients with functional dyspepsia

## Interventions

The study adopted a multicenter, randomized, double-blind, placebo-parallel-controlled design, with stratification factors including study center and TCM syndrome type. The ratio of the treatment group to the placebo group was 2:1 within each syndrome subtype.

This study divided patients into an experimental group and a control group. The experimental group received Aurantii Fructus Immaturus Flavonoid Extract Tablets (Aolanti) with specifications of 0.29g/tablet (Batch No.: 20090625, provided by Jiangxi Qingfeng Pharmaceutical Co., Ltd.). The dosage was 4 tablets per dose, administered with warm water 30 minutes before meals, three times daily. The control group received a placebo with identical specifications (0.29g/tablet, Batch No.: 20090625, provided by Jiangxi Qingfeng Pharmaceutical Co., Ltd.), following the same administration regimen. The treatment course lasted 28 days, with follow-up visits every 7 days. A post-treatment follow-up period of 28 days was conducted.

## Intervention Type

Drug

## Phase

Phase II

## Drug/device/biological/vaccine name(s)

Aurantii Fructus Immaturus Flavonoid Extract Tablets (Aolanti)

## Primary outcome(s)

**Western Medicine Disease Efficacy:** Using the Western medicine primary symptom grading and quantification standards, the four main symptoms are graded and scored, with each symptom corresponding to a score of 0-3. Assessments are conducted at the screening period, baseline, and on days 7, 14, 21, 28, and 56, with a focus on evaluating the efficacy based on the scores at day 28.

## Key secondary outcome(s))

1. **Traditional Chinese Medicine (TCM) Syndrome Efficacy:** Using the TCM syndrome grading and quantification standards, patients with syndromes such as Liver-Stomach Disharmony, Spleen-Stomach Dampness-Heat, and Food Retention are scored based on their symptoms.

Assessments are conducted at the screening period, baseline, and on days 7, 14, 21, 28, and 56, with a focus on evaluating the efficacy based on the scores at day 28.

2. **Gastric Emptying Time:** The barium strip method is used to measure the gastric emptying rate at 3.5 hours. Observations and recordings are conducted once before medication (baseline) and once after 28 days of medication.

3. **Changes in Tongue and Pulse Manifestations:** A comprehensive inquiry and physical examination are conducted to observe changes in tongue and pulse before, during, and after treatment. Tongue manifestations are primarily assessed through visual inspection, observing the color of the tongue body and the condition of the tongue coating. Pulse manifestations are primarily assessed through palpation, where the patient's pulse is evaluated to determine its characteristics.

**Completion date**

30/04/2011

**Eligibility****Key inclusion criteria**

1. Sign the informed consent form
2. Meet the Western medical diagnostic criteria for functional dyspepsia
3. Conform to the Traditional Chinese Medicine (TCM) syndrome diagnostic criteria for epigastric stuffiness (including liver-stomach disharmony, spleen-stomach damp-heat, and food stagnation syndromes)
4. Aged 18 to 65 years at the time of enrollment

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Upper age limit**

65 years

**Sex**

All

**Total final enrolment**

265

**Key exclusion criteria**

1. Individuals with organic diseases such as esophagitis, atrophic gastritis, gastric and duodenal ulcers, erosions, tumors, etc.
2. Individuals with organic diseases of the liver, gallbladder, or pancreas
3. Individuals with diabetes, kidney disease, connective tissue disease, or psychiatric disorders
4. Individuals with severe primary diseases of the heart, brain, lungs, kidneys, hematopoietic system, or endocrine system
5. Individuals with a history of abdominal surgery
6. Pregnant women, those with pregnancy intentions, or women who are breastfeeding
7. Individuals with mental or legal disabilities
8. Individuals who have participated in other drug clinical trials within the 3 months prior to this trial

**Date of first enrolment**

01/03/2010

**Date of final enrolment**

08/12/2010

**Locations****Countries of recruitment**

China

**Study participating centre****West China Hospital of Sichuan University**

No. 37, Guoxue Alley, Wuhou District

Chengdu, Sichuan Province

China

610041

**Study participating centre****Affiliated Hospital of Chengdu University of Traditional Chinese Medicine**

No. 39, Shierqiao Road, Jinniu District

Chengdu, Sichuan Province

China

610072

**Study participating centre****The First Affiliated Hospital of Hunan University of Chinese Medicine**

No. 95, Shaoshan Middle Road, Furong District

Changsha, Hunan Province

China

410007

**Study participating centre****Xiangya Hospital of Central South University**

No. 87, Xiangya Road, Kaifu District

Changsha, Hunan Province

China

410008

**Study participating centre****Affiliated Hospital of Jiangxi University of Traditional Chinese Medicine**

No. 445, Bayi Avenue, Xihu District

Nanchang, Jiangxi Province  
China  
330006

## Sponsor information

### Organisation

Jiangxi Qingfeng Pharmaceutical Co., Ltd.

## Funder(s)

### Funder type

Industry

### Funder Name

Jiangxi Qingfeng Pharmaceutical Co., Ltd.

## Results and Publications

### Individual participant data (IPD) sharing plan

The aggregated research data will be stored by the sponsor as required. The original research data will be retained at each research center in accordance with regulations. Interested parties may submit a request to the sponsor as needed, and the sponsor will provide relevant content based on actual circumstances. (Contact: Ms Qi, qitiancheng@qfyy.com.cn)

### IPD sharing plan summary

Available on request