

What is the effect of framing of outcomes of medicinal treatment for hypertension on decisions about whether to take medication?

Submission date 09/03/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 04/05/2007	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 09/03/2010	Condition category Circulatory System	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Ms Cheryl Carling

Contact details
PO box 7004
St Olavs Plass
Oslo
Norway
N-0130
+47 98627327
cheryl.carling@kunnskapsenteret.no

Additional identifiers

Study information

Scientific Title

Acronym
HIPPO (Health Information Project, Presentation Online)

Study objectives

Our two main comparisons were formulated as the following null-hypotheses:

1. The congruence between participants values and their treatment decision is not better for positively framed messages showing gain over 10 years than for negatively framed messages showing loss over 10 years.
2. The congruence between participants values and their treatment decision is not better for negatively framed messages showing loss over 10 years than for negatively framed messages showing loss per year over 10 years.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The University at Buffalo (New York, USA), Health Sciences Institutional Review Board, approved on 15 May 2002.

Study design

Randomized controlled trial

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Hypertension (hypothetical scenario)

Interventions

Presentation of three statements about the effects of antihypertensives in preventing coronary vascular disease over ten years that are framed differently.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Hypothetical treatment decision: to take or not to take antihypertensives.

Key secondary outcome(s)

No secondary outcome measures

Completion date

31/05/2005

Eligibility

Key inclusion criteria

At least 18 years of age and fluent in Norwegian.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

Not Specified

Key exclusion criteria

Previous participation in this trial.

Date of first enrolment

01/11/2004

Date of final enrolment

31/05/2005

Locations

Countries of recruitment

Norway

Study participating centre

PO box 7004

Oslo

Norway

N-0130

Sponsor information

Organisation

Norwegian Knowledge Centre for the Health Services (Norway)

ROR

<https://ror.org/01thff661>

Funder(s)

Funder type

Research council

Funder Name

Norwegian research council (Norway)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2010		Yes	No