

Eradication of *Helicobacter pylori* and recurrence of bleeding peptic ulcers

Submission date 10/10/2002	Recruitment status Stopped	☐ Prospectively registered ☐ Protocol
Registration date 10/10/2002	Overall study status Stopped	☐ Statistical analysis plan ☐ Results
Last Edited 22/10/2010	Condition category Digestive System	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr J J Y Sung

Contact details
Department of Medicine & Therapeutics
Prince of Wales Hospital
30 Ngan Shing Street
Sha Tin
Hong Kong
-

Additional identifiers

Protocol serial number
511003

Study information

Scientific Title

Study objectives
Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Recurrence of bleeding peptic ulcers

Interventions

Added as of 09/11/2009: Please note that this trial did not start as similar studies were carried out by other research groups.

Interventions:

Patients were randomised to receive:

1. Either a one week course of triple therapy with bismuth subcitrate, metronidazole, and tetracycline plus ranitidine, or
2. A six week course of ranitidine 300 mg/day.

After the ulcers healed, the antibiotic-treated patients were not given any medication whereas the ranitidine-treated patients continued to receive a maintenance dose of ranitidine 150 mg /day.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Bismuth subcitrate, metronidazole, tetracycline, ranitidine

Primary outcome(s)

Not provided at time of registration

Key secondary outcome(s)

Not provided at time of registration

Completion date

01/10/2003

Reason abandoned (if study stopped)

Objectives no longer viable

Eligibility

Key inclusion criteria

1. Patients over the age of 16
2. Confirmed bleeding from either Duodenal (DU) or Gastric (GU) ulcers with or without stigmata of recent haemorrhage
3. A positive rapid urease test

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/10/2002

Date of final enrolment

01/10/2003

Locations

Countries of recruitment

United Kingdom

Hong Kong

Study participating centre

Department of Medicine & Therapeutics

Sha Tin

Hong Kong

-

Sponsor information

Organisation

Hong Kong Health Services Research Fund (Hong Kong)

ROR

<https://ror.org/03qh32912>

Funder(s)**Funder type**

Research organisation

Funder Name

Hong Kong Health Services Research Fund (Hong Kong)

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration