

A blinded randomised controlled trial to assess rapidity, effectiveness, acceptability and safety with intranasal diamorphine compared to oral morphine of analgesia

Submission date 12/09/2003	Recruitment status No longer recruiting	☐ Prospectively registered
		☐ Protocol
Registration date 12/09/2003	Overall study status Completed	☐ Statistical analysis plan
		☐ Results
Last Edited 05/12/2014	Condition category Signs and Symptoms	☐ Individual participant data
		☐ Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr B Stewart

Contact details

A&E Department
Royal Liverpool Children's Hospital NHS Trust
Alder Hey Children's Hospital NHS Foundation Trust
Eaton Road
Liverpool
United Kingdom
L12 2AP
+44 (0)151 252 5583
abc@email.com

Additional identifiers

Protocol serial number

N0206102394

Study information

Scientific Title

A blinded randomised controlled trial to assess rapidity, effectiveness, acceptability and safety with intranasal diamorphine compared to oral morphine of analgesia

Study objectives

In children aged between 4-16 years attending Accident and Emergency (A&E) with acute traumatic injury, is there an improvement in safety, speed of onset and efficacy of analgesia, and patient acceptability using intranasal diamorphine compared to Oramorph?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Single-blinded double dummy randomised controlled trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Signs and Symptoms: Pain

Interventions

Intranasal diamorphine vs oral morphine

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Diamorphine, morphine

Primary outcome(s)

Time to onset of analgesia and efficacy of analgesia.

Key secondary outcome(s)

Not provided at time of registration

Completion date

31/03/2005

Eligibility

Key inclusion criteria

1. Children aged 4-16 years attending the Accident and Emergency (A&E) department
2. With an acute injury who do not need resuscitation
3. Who would normally be offered oral morphine for analgesia

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Lower age limit

4 Years

Upper age limit

16 Years

Sex

All

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/03/2002

Date of final enrolment

31/03/2005

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Royal Liverpool Children's Hospital NHS Trust

Liverpool

United Kingdom

L12 2AP

Sponsor information

Organisation

Department of Health (UK)

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Royal Liverpool Children's NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration