

Pre-transplant machine perfusion of heart-beating donor kidneys prior to renal transplantation

Submission date 30/03/2005	Recruitment status No longer recruiting	☒ Prospectively registered ☐ Protocol
Registration date 10/05/2005	Overall study status Completed	☐ Statistical analysis plan ☐ Results
Last Edited 10/08/2017	Condition category Surgery	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr Christopher Watson

Contact details
Department of Surgery
Box 202
Addenbrooke's Hospital
Cambridge
United Kingdom
CB2 2QQ

Additional identifiers

Clinical Trials Information System (CTIS)
2005-001495-12

Study information

Scientific Title
A multi-centre, randomised, controlled study of pre-transplant machine perfusion of heart-beating donor kidneys prior to renal transplantation

Acronym

HBDPump 2005

Study objectives

Primary objective:

To determine whether a brief period of machine perfusion reduces the incidence of delayed graft function following renal transplantation.

Secondary objective:

To evaluate the cost effectiveness of a brief period of machine perfusion prior transplantation.

Please note that as of 24/02/2009 this record was updated to include amendments to the trial information. The trial has been changed from single centre to multicentre, and the acronym has been altered from 'CamPump' to the current acronym. At this time, the trial dates on this record were also amended; the overall trial dates at the time of registration were:

Initial overall trial start date: 01/08/2005

Initial overall trial end date: 31/08/2010

Ethics approval required

Old ethics approval format

Ethics approval(s)

The London Research Ethics Committee (REC), 02/02/2006, ref: 05/MRE02/75

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Kidney preservation prior to transplantation

Interventions

Machine perfusion of the kidney before transplantation versus simple cold storage

Intervention Type

Procedure/Surgery

Phase

Not Applicable

Primary outcome(s)

Incidence of delayed graft function at 7 days

Key secondary outcome(s)

1. Patient survival
2. Graft survival
3. Graft function - estimated glomerular filtration rate (GFR)
4. Acute rejection incidence
5. Acute rejection severity
6. Incidence of steroid resistant rejection, defined as the need for ATG therapy

Completion date

30/06/2012

Eligibility

Key inclusion criteria

Patients (aged 18 years and over, either gender) undergoing transplantation of a kidney from a heart-beating cadaver donor.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

Added 24/02/2009: Multi-organ recipient

Date of first enrolment

28/06/2006

Date of final enrolment

30/06/2012

Locations

Countries of recruitment

United Kingdom

England

Study participating centre
Addenbrooke's Hospital
Cambridge
United Kingdom
CB2 2QQ

Sponsor information

Organisation
Addenbrooke's Hospital (UK)

ROR
<https://ror.org/055vbx86>

Funder(s)

Funder type
Hospital/treatment centre

Funder Name
Addenbrooke's Hospital (UK) - transplant research fund

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration