

The effect of resistance training and aerobic exercise on vascular stiffness, novel cardiovascular risk markers, aerobic capacity, muscle strength and incidence of complications in the first year of renal transplantation. A randomised controlled study

Submission date 31/07/2014	Recruitment status No longer recruiting	☐ Prospectively registered
Registration date 31/07/2014	Overall study status Completed	☐ Protocol
Last Edited 06/02/2017	Condition category Urological and Genital Diseases	☐ Statistical analysis plan
		☒ Results
		☐ Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mrs Sharlene Greenwood

Contact details
Denmark Hill
London
United Kingdom
SE5 9RS

-
sharlene.greenwood@nhs.net

Additional identifiers

Protocol serial number
13611

Study information

Scientific Title

The effect of resistance training and aerobic exercise on vascular stiffness, novel cardiovascular risk markers, aerobic capacity, muscle strength and incidence of complications in the first year of renal transplantation. A randomised controlled study

Acronym

ExeRT Trial (EXercise in Renal Transplant Trial)

Study objectives

Physical activity and exercise plays a beneficial role in maintaining the health in those with chronic illnesses however poor physical functioning among patients with chronic kidney disease is well-recognised. The use of modern immunosuppressant therapies have improved the life-expectancy of kidney grafts, however, risks of secondary complications such as diabetes, cardiovascular disease and obesity are an associated risk. It has been established that recipients of kidney transplants increase their physical activity level in the subsequent years after transplantation due to improved quality of life; however within that time they do not reach the level of physical activity of those of age matched healthy controls. Regular aerobic exercise helps to prevent and treat cardiovascular disease and to prevent and reverse arterial stiffening. Resistance training is also an important physical activity that can prevent or treat lifestyle-related diseases. However, high-intensity resistance training reduces arterial compliance and increases arterial stiffness, although this is not a universal finding. That is, regular aerobic exercise increases, whereas high-intensity resistance training decreases arterial compliance. This project will examine the effect and timing of aerobic exercise and resistance training exercise delivered in a 24-week supervised outpatient class setting, on vascular stiffness, aerobic capacity, functional ability, transplant outcomes and quality of life in patients who have received a kidney transplant. The project aims to provide evidence for the importance of exercise for patients that have received a kidney transplant and encourage the commissioning of physiotherapy services for this patient group.

Ethics approval required

Old ethics approval format

Ethics approval(s)

12/LO/1644

Primary study design

Interventional

Study design

Randomised; Interventional; Design type: Not specified, Treatment

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Topic: Renal disorders; Subtopic: Renal disorders; Disease: All Renal disorders

Interventions

Aerobic training: AT will predominantly be on stationary exercise cycles at 80% heart rate reserve.
Resistance Training: Resistance training will use RT machines training large muscle groups (e.g. bench press, latissimus pulldown, bicep curl, triceps pull down, leg press, knee extension, hamstring curl, calf raises). Intensity will be 80% of 1RM, building up to 3 sets of 10 reps.; Study Entry : Single Randomisation only

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Pulse Wave Velocity (PWV); Timepoint(s): Baseline, 12 weeks and 12 months

Key secondary outcome(s)

1. CVD biomarkers - Fetuin A, TNF receptor 2, IL6, HS CRP; Timepoint(s): Baseline, 12 weeks and 12 months
2. Duke's Activity Status Index; Timepoint(s): Baseline and 12 weeks
3. Muscle strength (myometer); Timepoint(s): baseline and 12 weeks
4. Resting heart rate and blood pressure; Timepoint(s): baseline, 12 weeks and 12 months
5. Sit to stand 60; Timepoint(s): baseline and 12 weeks
6. VO2peak; Timepoint(s): baseline, 12 weeks and 12 months

Completion date

31/10/2014

Eligibility

Key inclusion criteria

1. All patients undergoing renal transplant
2. Male or female
3. Aged >18 years
4. Written informed consent; Target Gender: Male & Female ; Lower Age Limit 18 years

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Requiring support for ambulation less than 20m
2. Vasculitis
3. Proliferative diabetic retinopathy,
4. Severe osteodystrophy
5. Uncontrolled diabetes
6. Psychiatric illness, including anxiety, mood and untreated eating disorders
7. Infection or course of antibiotics within the last month

Date of first enrolment

01/03/2013

Date of final enrolment

31/10/2014

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

Denmark Hill

London

United Kingdom

SE5 9RS

Sponsor information**Organisation**

King's College Hospital NHS Foundation Trust (UK)

ROR

<https://ror.org/01n0k5m85>

Funder(s)**Funder type**

Government

Funder Name

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	03/02/2017		Yes	No
HRA research summary			28/06/2023	No	No