

# Testing an early online intervention for the treatment of disturbed sleep during the COVID-19 pandemic

<b>Submission date</b> 01/04/2020	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 08/04/2020	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 13/05/2024	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Stressful life events can cause a short-term disruption to sleep. This can cause people to try and compensate for the sleep disruption. For example, people might then spend too long in bed, or become preoccupied with the daytime consequences of this poor or disturbed sleep. Over time, we know that this can create long-term sleep problem such as insomnia.

Previous research studies have shown that stressful major events, in the form of natural disasters such as earthquakes, can disrupt sleep. The ongoing COVID-19 (coronavirus) pandemic might therefore cause people to develop sleep problems. However, by intervening early, we think that short-term sleep disruption can be stopped. This is likely to prevent short-term sleep disruption from becoming a long-term problem.

The aim of this study is to use an online treatment, in the form of sleep education, to try and treat short-term sleep problems in people who have recently reported having poor sleep, particularly as a result of the ongoing COVID-19 pandemic. This involves being provided with an online version of a leaflet which suggests ways in which people can change their behaviour to avoid poor sleep from becoming a problem. We have previously used a version of this leaflet with people who have long-term sleep problems (insomnia) and it has been effective.

We are also looking for people who do not have sleep problems to take part in this study because we want to understand if this intervention can prevent sleep problems from happening in the first place. We also need people who do not have sleep problems to take part so that we can measure whether or not the treatment is effective for people who do have sleep problems. We also want to understand if the intervention is effective in the short-term, and long-term, by following participants up 1 week, 1 month and 3 months after receiving the treatment.

### Who can participate?

Adults over 18 years, who are having problems sleeping, or who are good sleepers.

### What does the study involve?

This study will be conducted entirely online ([https://nupsych.qualtrics.com/jfe/form/SV\\_blyyHjB71JWEa9f](https://nupsych.qualtrics.com/jfe/form/SV_blyyHjB71JWEa9f)) and participants will not need to visit Northumbria University at any point.

The first part of the study involves completing some questionnaires about sleep habits and sleep quality, stress levels and general mood. Participants will also be asked some questions in relation to the ongoing COVID-19 pandemic, and brief questions about health and employment. This will take approximately 30 to 45 minutes to complete.

The researchers will then ask participants to keep a daily log of their sleep for 1 week, by completing what is known as a 'sleep diary'. This takes less than 5 minutes to complete each day and involves noting down details including what time people went to sleep, how long they slept for, and whether they woke up during the night or not. This will be done using an online link that participants can complete on their computer, tablet, or mobile phone.

The next step of the study will depend on which group participants are in. This study is a type of study called a randomised controlled trial. This means that some participants will receive the treatment, and some people will not receive the treatment.

The treatment is an online version of a leaflet which the researchers have previously used in face-to-face studies with people who have clinical sleep problems. This involves being told about various different practical behaviours which participants can do to help improve sleep. This leaflet has been shown to be effective and the researchers want to see if the online version is also effective, because this will allow us to deliver this very cheaply and reach lots of people at once.

Poor sleepers will be randomly placed into one of two groups. Participants in the first group will receive the treatment after keeping a sleep diary for a week. Participants in the second group will be asked to wait for a month before being asked to repeat some of the questionnaires taken at the start of the study, and will receive the treatment after keeping a sleep diary for a week. This delay of 1 month means that we can measure whether or not the treatment works, but still make sure that everyone who might benefit from the treatment does receive it.

Both groups of poor sleepers will be asked to keep sleep diaries for another week after receiving the treatment. At the end of this week, they will be asked to complete some of the same questions that were completed at the start of the study. This means that the research team can check how effective the treatment is in the short-term.

Poor sleepers will also be asked to repeat these questions 1 month and 3 months after receiving the treatment. This allows the research team to see if the treatment is effective over a longer time period.

Participants who are good sleepers will be randomly placed into one of two groups. The first group will complete sleep diaries for a week before receiving the treatment. The second group will not receive the treatment. This is because we are interested in monitoring the sleep of individuals who do not have sleep problems, as this might help us to develop new behavioural treatments for poor sleep. We also want to see if this treatment might be able to prevent sleep problems from developing in the first place.

Both groups will complete sleep diaries for another week, before completing follow-up questions 1 week after receiving the treatment (or at the same time point for those good sleepers who do not receive the treatment) and also 1 and 3 months later. This will allow the research team to see if the treatment is effective over short and long time periods.

E-mail links will be sent to all participants at each relevant point of the study.

What are the possible benefits and risks of participating?

In terms of direct advantages, the potential advantages of taking part in this study are that participants may receive treatment that might help current sleep problems, or that may prevent future sleep problems from developing. If participants do not receive the treatment, they will not receive any direct advantage but will be helping to improve treatments for sleep problems. There are very unlikely to be any disadvantages of taking part in this study. The researchers have used this treatment in the past, in multiple face-to-face research studies with people who have long-term sleep problems, and there have not been any side effects.

Where is the study run from?

Northumbria Sleep Research Laboratory, Northumbria University (UK)

When is the study starting and how long is it expected to run for?

August 2020 to April 2022

Who is funding the study?

Northumbria University (UK)

Who is the main contact?

Dr Greg Elder

g.elder@northumbria.ac.uk

## Contact information

### Type(s)

Public

### Contact name

Dr Greg Elder

### Contact details

Northumbria Sleep Research Laboratory

Northumbria University

Newcastle upon Tyne

United Kingdom

NE1 8ST

+44 (0)191 227 3241

g.elder@northumbria.ac.uk

### Type(s)

Scientific

### Contact name

Dr Greg Elder

### Contact details

Northumbria Sleep Research Laboratory

Northumbria University

Newcastle upon Tyne

United Kingdom

NE1 8ST

+44 (0)191 227 3241

g.elder@northumbria.ac.uk

## Additional identifiers

### Protocol serial number

V1.0 (20 July 2020)

# Study information

## Scientific Title

Testing an early online intervention for the treatment of disturbed sleep during the COVID-19 pandemic (Sleep COVID-19)

## Acronym

Sleep COVID-19

## Study objectives

Current study hypothesis as of 22/12/2021:

The intervention will reduce insomnia severity in poor sleepers.

Previous study hypothesis:

The intervention will reduce insomnia severity in poor sleepers relative to good sleepers

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Approved 09/04/2020, Northumbria University (Department of Psychology, Northumbria University, Newcastle-upon-Tyne, UK; no tel. provided; nick.neave@northumbria.co.uk), ref: 23377

## Primary study design

Interventional

## Study design

Current study design as of 22/12/2021:

Online stratified randomised trial

Previous study design:

Interventional cluster randomized trial

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Acute insomnia

## Interventions

Current interventions as of 28/07/2020:

This is an interventional study where poor sleepers will be recruited to receive the intervention, or will be recruited as a wait-list control, where they will receive the treatment after a delay of one month. Two groups of good sleeper participants will be recruited and will either receive the intervention, or will not. An equal number of participants will be recruited to each group and healthy good sleepers, and poor sleepers, will be recruited at a 1:1 ratio. The study is single-centre and the study will be run entirely online.

Participants who are in the intervention groups will be provided with an online version of a self-help leaflet. A printed version of this leaflet has been used in previous treatment studies conducted by our research group. Briefly, this self-help leaflet aims to improve sleep by identifying and addressing sleep-related dysfunctional thinking by providing education about sleep, providing techniques to distract from intrusive worrisome thoughts at night, and providing guidelines for sleep-related stimulus control.

The duration of treatment will be one week and the follow-up period is one week, one month and three months after receiving the treatment (or an equivalent time point for good sleepers who do not receive the treatment). Participants will be randomised using online software (where poor sleepers will be randomised to receive the treatment, or to the wait-list condition; good sleepers will be randomised to treatment or no treatment).

The study is single-centre and the study will be run entirely online.

Participants who are in the two intervention groups (poor sleep and wait-list control good sleepers) will be provided with an online version of a self-help leaflet. A printed version of this leaflet has been used in previous treatment studies conducted by our research group. Briefly, this self-help leaflet aims to improve sleep by identifying and addressing sleep-related dysfunctional thinking by providing education about sleep, providing techniques to distract from intrusive worrisome thoughts at night, and providing guidelines for sleep-related stimulus control.

The duration of treatment will be 1 week and the follow-up period is at the end of the treatment period. Participants will be randomised using online software (where good sleepers will be randomised to treatment or no treatment).

Previous interventions:

This is an interventional study where good sleepers will be recruited as a wait-list control, where they will receive the treatment after a delay of one week. An additional group of good sleeper participants will be recruited who will not receive the intervention. An equal number of participants will be recruited to each group and healthy good sleepers and individuals with sleep problems will be recruited at a 2:1 ratio (estimated n = 40:20 participants).

The study is single-centre and the study will be run entirely online.

Participants who are in the two intervention groups (poor sleep and wait-list control good sleepers) will be provided with an online version of a self-help leaflet. A printed version of this leaflet has been used in previous treatment studies conducted by our research group. Briefly, this self-help leaflet aims to improve sleep by identifying and addressing sleep-related dysfunctional thinking by providing education about sleep, providing techniques to distract from intrusive worrisome thoughts at night, and providing guidelines for sleep-related stimulus control.

The duration of treatment will be one week and the follow-up period is at the end of the treatment period. Participants will be randomised using online software (where good sleepers will be randomised to treatment or no treatment).

## **Intervention Type**

Behavioural

## **Primary outcome(s)**

Current primary outcome measure as of 28/07/2020:

Insomnia severity measured using the Insomnia Severity Index prior to the intervention and 1 week, 1 month and 3 months post-intervention, relative to baseline

Previous primary outcome measure:

Insomnia severity measured using the Insomnia Severity Index at one week post-intervention

### **Key secondary outcome(s)**

Current secondary outcome measures as of 28/07/2020:

1. Subjective mood measured using the PHQ-9 and GAD-7 immediately prior to the intervention, 1 week, 1 month and 3 months post-intervention, compared to baseline
2. Sleep continuity measured using sleep diaries 1-week pre-intervention and 1-week post-intervention

Previous secondary outcome measures:

1. Sleep continuity from sleep diaries throughout the intervention
2. Subjective mood measured using the PHQ-9 and GAD-7 at 1-week post-intervention

### **Completion date**

06/04/2022

## **Eligibility**

### **Key inclusion criteria**

All participants must:

1. Be aged 18 years and above
2. Have a sufficient level of English comprehension to understand and complete questionnaires

Poor sleepers:

1. Must have difficulties in falling asleep, staying asleep, or awakening too early at least three nights per week, for a time period of between two weeks and three months
2. Must have distress or impairment caused by sleep loss
3. Both 1. and 2. must occur despite the individual having an adequate opportunity for sleep

Good sleepers:

1. No current sleep problems

### **Participant type(s)**

Mixed

### **Healthy volunteers allowed**

No

### **Age group**

Adult

### **Lower age limit**

18 Years

### **Sex**

All

## **Total final enrolment**

344

## **Key exclusion criteria**

Current exclusion criteria as of 28/07/2020:

1. Individuals who report having chronic sleep problems (i.e. where they have existed for more than 3 months immediately prior to providing consent)
2. Those who are actively seeking treatment for their sleep problems, irrespective of how long they have had the sleep problem
3. Participants who have a self-reported history of head injury, or who have had a diagnosis of schizophrenia, epilepsy or personality disorder cannot take part as the distraction techniques involved in the intervention may increase rumination and this may influence the effectiveness of the intervention

Previous exclusion criteria:

Poor sleepers:

1. Long-term (i.e. chronic) sleep problems (> 3 months)

## **Date of first enrolment**

17/08/2020

## **Date of final enrolment**

01/04/2022

## **Locations**

### **Countries of recruitment**

United Kingdom

England

### **Study participating centre**

**Northumbria University**

Northumbria Sleep Research Laboratory

Newcastle upon Tyne

United Kingdom

NE1 8ST

## **Sponsor information**

### **Organisation**

Northumbria University

### **ROR**

<https://ror.org/049e6bc10>

# Funder(s)

## Funder type

University/education

## Funder Name

Northumbria University

## Alternative Name(s)

Northumbria University, Newcastle

## Funding Body Type

Private sector organisation

## Funding Body Subtype

Universities (academic only)

## Location

United Kingdom

# Results and Publications

## Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are available from the corresponding author on reasonable request. Dr Greg Elder (g.elder@northumbria.ac.uk) after a period of exclusive use (12 months). Our intended policy is that the research team will have exclusive use of the data for a period of 12 months from the end of the project, or until the data is published, if this is required alongside publications. Anonymised data will be provided and data will be made available upon application and the research team would control access in line with Northumbria University guidelines, however, data access will not reasonably be refused.

## IPD sharing plan summary

Available on request

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		02/03/2024	13/05/2024	Yes	No
<a href="#">Protocol article</a>	protocol	08/08/2020	13/08/2020	Yes	No
<a href="#">Protocol article</a>		11/12/2021	14/12/2021	Yes	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes