

Simvastatin (20 mg) vs ezetimibe (10 mg) plus simvastatin (20 mg) in subjects with hypercholesterolaemia and coronary heart disease (CHD)

Submission date 06/07/2004	Recruitment status No longer recruiting	☐ Prospectively registered
		☐ Protocol
Registration date 13/08/2004	Overall study status Completed	☐ Statistical analysis plan
		☐ Results
Last Edited 25/11/2013	Condition category Circulatory System	☐ Individual participant data
		☐ Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Paul Quartey

Contact details

Schering-Plough Ltd
Shire Park
Welwyn Garden City
United Kingdom
AL7 1TW

Additional identifiers

Protocol serial number

P03435

Study information

Scientific Title

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Hypercholesterolaemia and CHD

Interventions

Double-blind study involving 6 weeks treatment with a once daily dose of simvastatin (20 mg) plus either ezetimibe (10 mg) or matching ezetimibe placebo. Blood samples will be collected prior to treatment to use as a baseline and at the end of the 6 week treatment period to determine the effect of the treatments on the lipid profiles. These pre and post treatment blood samples will also be analysed for haematology and clinical chemistry parameters for safety assessment purposes. The objective of the study is to compare the post treatment lipid results (primarily LDL-C) with the baseline values between the two treatment groups. In addition, the usual safety assessments (i.e. adverse events) and details of concomitant medications etc. will be collected during the study.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Not provided at time of registration

Key secondary outcome(s)

Not provided at time of registration

Completion date

31/05/2005

Eligibility**Key inclusion criteria**

Male or female subjects aged 18-75 years with screening low-density lipoprotein cholesterol (LDL-C) between 3.3 and 4.9 mmol/l

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Upper age limit

75 Years

Sex

All

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/04/2000

Date of final enrolment

31/05/2005

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Schering-Plough Ltd

Welwyn Garden City

United Kingdom

AL7 1TW

Sponsor information

Organisation

Schering-Plough UK Ltd

ROR

<https://ror.org/00148fb49>

Funder(s)**Funder type**

Industry

Funder Name

Schering-Plough UK Ltd

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration