

Transfusion induced complications = transfusion associated complications? study

Submission date 20/12/2005	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 20/12/2005	Overall study status Completed	☐ Statistical analysis plan ☒ Results
Last Edited 04/12/2007	Condition category Signs and Symptoms	☐ Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr J.A. Hilten, van

Contact details
Sanquin Blood Supply Foundation
P.O. Box 2184
Leiden
Netherlands
2310 CD
+31 (0)71 5685060
Joost.vanhilten@bloodrtd.nl

Additional identifiers

Study information

Scientific Title
The effects of leukocyte filtered versus buffy coat depleted erythrocyte transfusions in major surgery patients

Acronym
TACTICS

Study objectives

Does removal of allogeneic white blood cells by filtration reduce postoperative complications?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the local medical ethics committee

Primary study design

Interventional

Study design

Multicentre, randomised, double blinded, active controlled, parallel group trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Blood transfusions complications

Interventions

Transfusions of filtered red blood cell concentrates versus transfusion of stored buffy coat depleted red blood cell concentrates.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Postoperative:

1. In-hospital mortality
2. Duration of intensive care stay

Key secondary outcome(s)

1. Postoperative multi organ failure
2. Postoperative infections
3. Length of hospital stay
4. Costs/benefits of universal leukocyte depletion for the Dutch health care
5. Role of perioperative medication

Follow up :

1. Long term survival
2. Cancer recurrence in GI patients
3. Predictive role of cytokines and related genes

Completion date

31/12/2001

Eligibility

Key inclusion criteria

Acute aneurysm-, elective aneurysm-, orthopaedic- and large gastro-intestinal surgery patients.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

1. Under 18 years of age
2. Transfusions received within 3 months prior to inclusion
3. Pre existing medical indication for filtered red blood cell transfusions

Date of first enrolment

23/03/2000

Date of final enrolment

31/12/2001

Locations

Countries of recruitment

Netherlands

Study participating centre

Sanquin Blood Supply Foundation

Leiden

Netherlands

2310 CD

Sponsor information

Organisation

Leiden University Medical Centre (LUMC) (Netherlands)

ROR

<https://ror.org/027bh9e22>

Funder(s)

Funder type

Research organisation

Funder Name

The Netherlands Organisation for Health Research and Development (ZonMw) (The Netherlands)

Funder Name

Sanquin Bloodbank Amsterdam (The Netherlands)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	29/05/2004		Yes	No