

Elucidating the mechanistic pathways of ischaemic preconditioning and postconditioning in the clinical setting

Submission date 18/06/2010	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 18/06/2010	Overall study status Completed	☐ Statistical analysis plan ☒ Results
Last Edited 07/03/2014	Condition category Circulatory System	☐ Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Derek Yellon

Contact details
The Hatter Institute for Cardiovascular Studies
25 Grafton Way
London
United Kingdom
WC1E 6DB
d.yellon@ucl.ac.uk

Additional identifiers

Protocol serial number
4058

Study information

Scientific Title

A multicentre randomised interventional treatment trial to explore the mechanistic pathway of ischaemic preconditioning and postconditioning in the clinical settings of myocardial ischaemia-reperfusion injury

Acronym

ACE - CABG/PPCI

Study objectives

The aim of the study is use pharmacological agents that have been shown to activate survival kinases and inhibit mPTP opening to explore the mechanistic pathway of ischaemic preconditioning and postconditioning in the clinical settings of myocardial ischaemia-reperfusion injury. Patients who are due to undergo planned cardiac surgery will be recruited to receive an interventional agent. These patients will be randomised and compared against a group of controls. Blood tests would be taken post-operatively to assess the primary end points.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The Joint UCL/UCLH Committees on the Ethics of Human Research Committee (Alpha) approved on the 23/11/2006 (ref: 06/Q0502/83)

Primary study design

Interventional

Study design

Multicentre randomised interventional treatment trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Topic: Cardiovascular; Subtopic: Cardiovascular (all Subtopics); Disease: Cardiovascular

Interventions

1. Intervention 1: Cyclosporin A at dose of 2.5 mg/kg; diluted in 100 ml of normal saline. Once only dose given over 30 minutes prior to surgery.
2. Intervention 2: Atorvastatin at a dose of 160 mg; given on the morning of surgery and a second dose of 160 mg repeated 24 hours later
3. Intervention 3: Erythropoietin at a dose of 50,000 IU; given as an infusion of 50 ml over 30 minutes prior to revascularisation. A second dose is repeated 24 hours later.

Intervention Type

Other

Phase

Phase III

Primary outcome(s)

Serum cTnT and CK-MB (bloods taken before intervention and at 6, 12, 24, 48 and 72 hours post-intervention).

Key secondary outcome(s)

1. Inotropic score: calculated using the maximum inotropic dose used on day 1 post-op
2. Ventilation time: assessed from the time of admission into ITU to the time of extubation
3. ITU stay: assessed from the time of admission into ITU to the time of discharge from the unit

Completion date

30/06/2010

Eligibility**Key inclusion criteria**

Patients experiencing an event or procedure which will bring about myocardial injury:

1. Coronary artery bypass surgery +/- valve surgery
2. Primary angioplasty for ST elevation myocardial infarction
3. Thrombolysis for ST elevation myocardial infarction
4. Non-ST elevation myocardial infarction
5. High risk and undergoing percutaneous coronary intervention
6. Aged 18 - 85 years, either sex

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Significant co-morbidity
2. Known intolerance to trialled intervention
3. Renal/liver failure
4. In patients undergoing an elective procedure-chest pain within the last 3 days, lack of consent

Date of first enrolment

01/06/2007

Date of final enrolment

30/06/2010

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

The Hatter Institute for Cardiovascular Studies

London

United Kingdom

WC1E 6DB

Sponsor information

Organisation

University College London (UCL) (UK)

ROR

<https://ror.org/02jx3x895>

Funder(s)

Funder type

Charity

Funder Name

British Heart Foundation (BHF) (UK)

Alternative Name(s)

The British Heart Foundation, the_bhf, BHF

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/04/2014		Yes	No