

Acceptability and effectiveness of multi-media delivery of an exercise programme among postpartum women with lumbo pelvic pain in Taiwan

Submission date 02/03/2016	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 29/04/2016	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 19/01/2018	Condition category Signs and Symptoms	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Lumbo Pelvic Pain (LPP) is a common problem among pregnant women and those that have given birth within the last year (postnatal). LPP may lead to sleep problems, depression, fatigue and anxiety, and a general inability to carry out activities that involve carrying or lifting. Various treatments have been used to reduce LPP in general including physical exercise although the effect of exercise programmes in treating back pain is yet to be fully understood among postnatal women. In any case, new mothers in many Asian countries, such as Taiwan, tend to reduce physical activity after birth in accordance with traditional practices. Mothers in Taiwan receive verbal advice on exercise to be followed in the postnatal period by health care professionals before their discharge from hospital. Most of the hospitals also provide the women with a leaflet containing details of an exercise programme to manage postpartum LPP commonly referred to as back pain. However, very little is known about the uptake of this exercise programme or its benefits for postnatal women. Technology has been increasingly used in health care to deliver various treatments and technology based delivery can improve the uptake of exercise among certain groups. How acceptable different methods of teaching the exercises, using digital or print media are and how they might affect how many postnatal women take up the exercise, adhere to it and complete an exercise programme has yet to be understood. Taiwan has a world-leading position in technology with 80% of all households owning personal computers and around 84% households with high speed internet connection. This study assesses the effectiveness of an exercise programme (the intervention) designed to strengthen abdominal and global muscles delivered using Digital Versatile Disc (DVD), Internet or leaflet, on LPP among postnatal women in Taiwan, and to compare exercise uptake, adherence and completion rates.

Who can participate?

Adult women (over 18) who are pregnant with their first baby (between 34-41 weeks gestation) and with LPP that was not present before they became pregnant

What does the study involve?

Participants are randomly allocated to one of two intervention groups (DVD or Internet) or the control group (leaflet). Following the birth of their child, all participants are given the same exercise programme. The exercise program is developed for strengthening core abdominal and global muscles through abdominal muscle exercises, breathing exercises, head and neck exercises and leg exercises. The DVD group are given the exercise programme on a DVD. The Internet group are given access to YouTube videos playing the same content as the DVD. The leaflet group are given a description of the exercise programme in the form of a printed leaflet. All participants are asked to report on the severity of their LPP after three days, six weeks and finally 4 months after having given birth.

What are the possible benefits and risks of participating?

Expected benefits are a reduction in LPP pain and an improvement in the quality of life in the postnatal period. There may also be benefits for the healthcare system as decreased back pain and improved quality of life might result in fewer return visits to health services. The study will provide valuable information about the use of electronic means of delivery for health care interventions for women. This information can be used for the implementation of related future initiatives, not only in Taiwan but also globally.

Where is the study run from?

Shin Kong Medical Centre Hospital, Taipei (Taiwan)

When is study starting and how long is it expected to run for?

November 2014 to October 2016

Who is funding the study?

University of Bedfordshire (UK)

Who is the main contact?

1. Ms Pei-Ching Tseng (public)
2. Dr Shuby Puthussery (scientific)

Contact information

Type(s)

Public

Contact name

Dr Shuby Puthussery

ORCID ID

<https://orcid.org/0000-0002-1865-9546>

Contact details

University of Bedfordshire
Putteridge Bury
Hitchin Road
Luton
United Kingdom
LU2 8LE

Type(s)

Public

Contact name

Mrs Pei-Ching Tseng

Contact details

University of Bedfordshire
Putteridge Bury
Hitchin Road
Luton
United Kingdom
LU2 8LE

Additional identifiers

Study information

Scientific Title

A randomised controlled trial to test the acceptability and effectiveness of multi-media delivery of an exercise programme among postpartum women with lumbo pelvic pain in Taiwan

Study objectives

This study aims to assess the effectiveness of an exercise programme delivered using Digital Versatile Disc (DVD), Internet or leaflet, on LPP among postnatal women in Taiwan, and to compare exercise uptake, adherence and completion rate across three modes of delivery.

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. Shin Kong Medical Centre Hospital Ethics Committee, Taiwan, 11/12/2014, ref: 20141005R
2. Institute for Health Research Ethics Committee at the University of Bedfordshire, 05/02/2015, ref: IHREC452

Primary study design

Interventional

Study design

Pragmatic prospective single-blinded randomised controlled trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Lumbo pelvic pain (LPP)

Interventions

The intervention comprises of an exercise programme, designed to strengthen core abdominal and global muscles, recommended for postnatal women in Taiwan delivered through digital

(DVD or Internet) or print (leaflet) media. The exercise program is designed to strengthen core abdominal and global muscles through abdominal muscle exercises, breathing exercises, head and neck exercises and leg exercises. The program consist of eight components intended to perform at various time points following birth. Women were instructed to perform the exercises twice a day for 30 minutes with outcomes measured at baseline, six weeks and four months follow-up.

Women are randomly assigned into two intervention groups (DVD and Internet) and a control group (leaflet). Women in the DVD-based group received the exercise program in a DVD along with narrations and demonstrations of the programme. The content of the DVD was posted on YouTube and women in the Internet group were provided with instructions on locating the video link on YouTube. Women in the control group received standard postnatal care which included the customary information given by their nurses along with the leaflet. All the participant women receive the same verbal instructions from the research midwife.

Intervention Type

Other

Primary outcome(s)

LPP measured using the Visual Analogue Scale (VAS) at 3 days, 6 weeks and 4 months postpartum

Key secondary outcome(s)

1. Physical endurance measured using the Disability Rating Index (DRI)
2. Changes in core muscles, determined by physical examinations including measurements of waist circumference, body weight, and diastasis recti performed by a trained research midwife
3. Uptake
4. Adherence
5. Completion rate of exercise

Uptake, adherence and completion rate of exercise is using the self-record sheet. A self-record sheet is given to all the participants to record daily exercise frequency, duration and method of exercise. The record sheet also provided space to record reasons if not the exercise components were not followed as instructed.

All measured 3 days, 6 weeks and 4 months postpartum

Completion date

31/10/2016

Eligibility

Key inclusion criteria

1. Pregnant women who had LPP in the region of the lower back and/or anterior and/or posterior region of the pelvis and pain intensity on visual analogue scale (VAS) via self-report point on or over 30mm in the past week
2. Age > 18 years
3. Primipara and single-foetal pregnancy
4. No history of LPP before pregnancy
5. No history of perinatal complications for mother and baby
6. Planned vaginal delivery

7. Willing to provide informed consent for participation
8. Able to complete written forms in Mandarin

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

Female

Key exclusion criteria

1. History of clinician-reported contraindications for exercise
2. History of diagnosis of spinal problems before pregnancy
3. History of LPP before pregnancy
4. Pain intensity on visual analogue scale (VAS) via self-report point less than 30mm in the past week
5. History of perinatal complications
6. Birth (planned/actual) by caesarean section
7. Age < 18 years

Date of first enrolment

01/03/2015

Date of final enrolment

30/08/2016

Locations**Countries of recruitment**

Taiwan

Study participating centre

Shin Kong Wu Ho-Su Memorial Hospital

No. 95, Wenchang Rd

Shilin District

Taipei City

Taiwan

111

Sponsor information

Organisation

University of Bedfordshire

ROR

<https://ror.org/0400avk24>

Funder(s)

Funder type

University/education

Funder Name

University of Bedfordshire

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

Universities (academic only)

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Pei-Ching Tseng and Shuby Puthussery. Data is available currently until the end of 2018. Data will be shared for any further analysis jointly agreed with the trial authors for academics, practitioners and researchers. Participant consent has been obtained for anonymised sharing for research-related purposes.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results		13/10/2017	19/01/2018	No	No