

Genomics to combat resistance against antibiotics for community-acquired lower respiratory tract infection (LRTI) in Europe (GRACE) work package 10: Antibiotic Trial One

Submission date 02/12/2008	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 16/01/2009	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 06/11/2015	Condition category Respiratory	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

This study is part of a programme of research into cough/chest infections across 12 European countries. Most people with chest infections probably don't benefit from antibiotics and inappropriate antibiotic use drives antibiotic resistance, a major global health problem. Some groups of people however might really benefit from antibiotics. The study aims at understanding which subgroups of individuals with chest infections benefit from antibiotics, but also to study antibiotic resistance after antibiotic treatment.

Who can participate?

Throughout Europe 3000 adult patients presenting to primary care with acute cough or other symptoms that suggest a chest infection will take part in this study.

What does the study involve?

If the participating doctors think there is no definite need for antibiotics, participants will be asked to take a 7-day course of tablets to be taken three times a day. The tablets will be either amoxicillin, a very commonly used and safe penicillin-based antibiotic, or a placebo (a tablet without any medication in it). They will not be able to tell whether they will have the real antibiotic or the placebo. Random numbers are used to decide whether participants get antibiotic or placebo to make sure that they have an equal chance of getting either. This is the best way for us to show scientifically whether antibiotics really make a difference. If it is necessary to know whether participants are using an antibiotic or not, the participating doctors will be able to get that information at any time and change the participant's medication. The participating doctors will also like to take one throat swab at day 8 (extra visit) and at the second study visit (day 28-35). The swab at day 8 will not be taken in all participants. If participants decide they do not want to have a swab taken at day 8 they can still take part in the treatment part of the study.

What are the possible benefits and risks of participating?

The main advantage is that the participating doctors will be well informed about the participants' illness and will monitor them closely. In the future doctors will be able to provide better management for patients with coughs and chest infections, but this will not benefit the participants during this illness. The main disadvantages are the extra time and discomfort related to taking the additional swabs. The patients who will receive amoxicillin can experience the usual side-effects of penicillin: it can cause mild nausea or diarrhoea, and sometimes it can cause a transient skin rash.

Where is the study run from?

University of Southampton (UK).

When is the study starting and how long is it expected to run for?

October 2007 to April 2010.

Who is funding the study?

EC Sixth Framework Programme.

Who is the main contact?

Prof Paul Little

Contact information

Type(s)

Scientific

Contact name

Prof Paul Little

ORCID ID

<https://orcid.org/0000-0003-3664-1873>

Contact details

Primary Medical Care
University of Southampton
Aldermoor Health Centre
Aldermoor Close
Southampton
United Kingdom
SO16 5ST

Type(s)

Scientific

Contact name

Dr Herman Goossens

Contact details

Laboratory of Medical Microbiology
Vaccine & Infectious Disease Institute (VAXINFECTIO)
University of Antwerp – Campus Drie Eiken

Universiteitsplein 1
Antwerp
Belgium
2610

Additional identifiers

Clinical Trials Information System (CTIS)

2007-001586-15

Protocol serial number

GRACE WP10 Protocol v4.1 18/09/2007; GRACE WP10 Protocol v4.2 21/4/2009 (to extend the study with additional networks and a third inclusion period and, only in five networks in the third inclusion period, with an additional objective with associated samples)

Study information

Scientific Title

Genomics to combat Resistance against Antibiotics for Community-acquired lower respiratory tract infection (LRTI) in Europe (GRACE) work package 10: Antibiotic Trial One - a randomised placebo-controlled double-blind trial

Acronym

GRACE AT ONE

Study objectives

This trial aims at understanding which subgroups of individuals with lower respiratory tract infections (LRTI) benefit from antibiotics. A randomised placebo-controlled double-blind trial will be carried out with patients as unit of randomisation to study the clinical effectiveness of antibiotics in community-acquired LRTI.

More details can be found at: <http://public.ukcrn.org.uk/search/StudyDetail.aspx?StudyID=4175>

Ethics approval required

Old ethics approval format

Ethics approval(s)

GRACE WP10 Protocol v4.1: Southampton and South West Hampshire REC (B), 31/08/2007, ref: 07/H0504/104

GRACE WP10 Protocol v4.2: amendment approved 21/04/2009

The study protocols were approved by ethics committees in all participating countries. The competent authority in each country also gave their approval.

Study design

Randomised placebo-controlled double-blind trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Lower respiratory tract infection (LRTI)

Interventions

1. Amoxicillin capsule, gastroenteral use, 3 g a day for 7 days
2. Placebo

Intervention Type

Drug

Phase

Phase III

Drug/device/biological/vaccine name(s)

Amoxicillin

Primary outcome(s)

1. Deterioration of illness: return to doctor with worsening signs, or admission to hospital within 4 weeks of first consultation, measured at one year
2. Symptom severity and duration, duration of symptoms rated moderately bad until symptoms clear, measured by symptom diary (with construct validity), measured at one year

Key secondary outcome(s)

1. Resource use data, assessed by a review of clinical notes measured at two years
2. Quality of life outcomes for use of economic evaluation (EQ5D), measured at two years

Added 25/11/2014:

3. Antibacterial resistance in oropharyngeal streptococci measured before, immediately after and four weeks after the interventions in five networks in the third inclusion period

Completion date

01/04/2010

Eligibility

Key inclusion criteria

1. Aged 18 and over, either sex
2. Acute or worsened cough is the main presentation suggesting LRTI, less than 28 days duration
3. Not been included earlier in the current GRACE trial
4. Able to fill out study materials
5. Immunocompetent
6. Not been on antibiotic treatment in previous month
7. First consultation for this illness episode

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Allergic to penicillin
2. History/physical examination suggestive of community acquired pneumonia (CAP)
3. Pregnant

Date of first enrolment

15/11/2007

Date of final enrolment

14/04/2010

Locations

Countries of recruitment

United Kingdom

England

Belgium

France

Germany

Italy

Netherlands

Poland

Slovakia

Slovenia

Spain

Sweden

Study participating centre
University of Southampton
Southampton
United Kingdom
SO16 5ST

Sponsor information

Organisation
University of Southampton (UK)

ROR
<https://ror.org/01ryk1543>

Funder(s)

Funder type
Government

Funder Name
Sixth Framework Programme

Alternative Name(s)
EC Sixth Framework Programme, European Commission Sixth Framework Programme, EU Sixth Framework Programme, European Union Sixth Framework Programme, FP6

Funding Body Type
Government organisation

Funding Body Subtype
National government

Location

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Stored in repository

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/02/2013		Yes	No
Results article	results	01/02/2014		Yes	No
Results article	results	06/03/2015		Yes	No
Results article	results	05/11/2015		Yes	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes