

Trial of food allergy IgE tests for eczema relief

Submission date 15/12/2022	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 17/01/2023	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 11/08/2025	Condition category Skin and Connective Tissue Diseases	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Eczema is common in children and causes dry, itchy and inflamed skin. Symptoms tend to come and go, and there are many reasons why a worsening or “flare” of eczema can happen. Many parents wonder whether a food allergy might be a cause, however, there is currently no good research evidence to support this.

The TIGER study is designed to help doctors and parents understand whether making changes to the diet of children with eczema, based on the results of food allergy tests, improves eczema control or not. The foods we are looking at are cow’s milk, hen’s egg, wheat and soya. Previous research into any link between food allergy and eczema symptoms is limited. This study is needed to help parents and doctors in the future know what is the best thing to do.

Who can participate?

Children aged between 3 months and 2 years, diagnosed with eczema who have not had a previous food allergy test or had an immediate reaction to the study foods (cow’s milk, hen’s egg, wheat and soya)

What does the study involve?

To find out if food allergy testing can improve eczema control, two groups of children (with equal numbers in each group) will be compared. We aim to run the study in up to 123 GP practices in England. Children will attend a study appointment at their GP surgery (or a nearby GP surgery) at the start of the study. During this appointment, children will have a skin assessment, and their growth will be measured. They will also be allocated to one of the two study groups by a process called randomisation. This means that nobody involved (the participants, their GP or the study team) decides or can predict which group each child gets put into. One group of children will receive standard care from their GP plus our ‘Good eczema care’ leaflet. The other group will also receive the leaflet plus they will be given dietary advice to follow for four study foods (cow’s milk, hen’s egg, wheat and soya) based on results from their food allergy tests (skin prick tests). A few children from the dietary advice group may be asked to attend the hospital for a day to make sure that all study foods are safe to eat at home, this is called an Oral Food Challenge. All children in the study will be followed up for 9 months and parents will be asked to complete study questionnaires about their child’s eczema symptoms, treatment use and diet every month during this time. All children will have a follow-up appointment 6 months after their first study appointment, at a time and place of their convenience to re-assess their skin and growth.

What are the possible benefits and risks of participating?

Most people find it rewarding to take part in medical research and appreciate the additional contact with the research team. The findings from the study will help doctors and parents in the future to decide if food allergy testing should be recommended for children with eczema. If the participant is in the dietary advice group, the food allergy tests may provide reassurance or reveal undiagnosed problems. Dietary advice based on the skin prick test results may not make any difference to the participant's eczema. There is a very small chance that a child may have a reaction to either the skin prick test or the Oral Food Challenge. Usually, any reaction is localised and mild. The risk of a serious ("anaphylaxis") reaction to skin prick tests is estimated to be less than 1 in a million. In the unlikely event of an emergency, there will be medical help on hand. Study procedures will include questionnaires at each time point. This will require the participant's time, but no other inconvenience or risk is expected. The questionnaires have been reviewed by the study patient and public involvement (PPI) members to ensure they are acceptable to patients.

Where is the study run from?

The University of Bristol with the Bristol Trials Centre (BTC) at the University of Bristol responsible for managing the study (UK)

When is the study starting and how long is it expected to run for?

August 2022 to October 2026

Who is funding the study?

National Institute for Health and Care Research (NIHR) Health Technology Assessment (HTA) Programme (Project reference: NIHR133464)

Who is the main contact?

Prof Matthew Ridd, tiger-study@bristol.ac.uk

Contact information

Type(s)

Principal investigator

Contact name

Prof Matthew Ridd

ORCID ID

<https://orcid.org/0000-0002-7954-8823>

Contact details

Canynges Hall
39 Whatley Road
Bristol
United Kingdom
BS8 2PS
+44 (0)117 4552352
m.ridd@bristol.ac.uk

Type(s)

Scientific

Contact name

Ms Dominika Corejova

ORCID ID

<https://orcid.org/0009-0009-6359-2561>

Contact details

Bristol Trials Centre
1-5 Whiteladies Road
Bristol
United Kingdom
BS8 1NU
+44 (0)117 455 3039
d.corejova@bristol.ac.uk

Additional identifiers**Integrated Research Application System (IRAS)**

318832

Central Portfolio Management System (CPMS)

54714

Study information**Scientific Title**

Trial of food allergy IGe tests for Eczema Relief (TIGER): individually randomised controlled trial (with internal pilot and nested economic and process evaluations) comparing the effect of skin prick test-guided dietary advice with standard care on eczema control in children

Acronym

TIGER

Study objectives

Does dietary advice based on routine food allergy tests improve disease control compared with standard care in children with eczema?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 24/02/2023, North West - Greater Manchester Central Research Ethics Committee (3rd Floor, Barlow House, 4 Minshull Street, Manchester, M1 3DZ, UK; +44 (0)2071048328, (0) 2071048131; gmcentral.rec@hra.nhs.uk); ref: 22/NW/0387

Study design

Pragmatic multicentre parallel-group individually randomized controlled superiority trial with internal pilot and nested economic and process evaluations

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Management of eczema in children aged between 3 months and 2 years

Interventions

Participants are randomised on a 1:1 basis using an online randomisation system.

Group 1 - Intervention. Participants are given skin prick test-guided dietary advice for four study foods (cow's milk, hen's egg, wheat and soya), plus a 'Good eczema care' leaflet. (For safety, some participants may also have an oral food challenge at their local allergy centre, to ensure that advice to include foods at home does not risk a sudden, IgE-mediated, potentially life-threatening reaction).

Group 2 - Comparator/standard care. Participants are given a 'Good eczema care' leaflet.

Intervention Type

Behavioural

Primary outcome(s)

Eczema control measured using the caregiver-reported version of RECap for AtoPic eczema (RECAP) questionnaire collected four-weekly for 24 weeks

Key secondary outcome(s)

1. Eczema control measured using the caregiver-reported version of RECap for AtoPic eczema (RECAP) questionnaire at 28 weeks, 32 weeks and 36 weeks
2. Eczema symptoms measured using a Patient-Oriented Eczema Measure (POEM) questionnaire four-weekly for 36 weeks
3. Itch severity measured using Numerical Rating Scale Peak Pruritis during the last 24 hours (PP-NRS) questionnaire four-weekly for 36 weeks
4. Eczema severity measured using Global eczema severity score four-weekly for 36 weeks
5. Eczema signs measured using Eczema Area Severity Index (EASI) at baseline and 24 weeks
6. Child quality of life (disease-specific) measured using an Infant Dermatitis Quality of Life (IDQOL) questionnaire at baseline, 24 weeks and 36 weeks
7. Child quality of life (generic) measured using Child Health Utility 9D scale (CHU-9D) questionnaire at baseline, 12 weeks, 24 weeks and 36 weeks
8. Growth of children measured using calculation of head circumference, weight-for-age, stature-for-age, and weight-for-stature at baseline and 24 weeks
9. Parent quality of life measured using the EuroQol-5 Dimension (EQ-5D-5L) and EQ-VAS questionnaires at baseline, 12 weeks, 24 weeks and 36 weeks
10. Parent quality of life measured using the Care Related Quality of Life (CarerQol) questionnaire at baseline, 24 weeks and 36 weeks
11. Parental anxiety measured using a Generalised Anxiety Disorder 7 (GAD-7) questionnaire at baseline, 24 weeks and 36 weeks
12. Breastfeeding status of the mother measured using questions from the Infant Feeding Survey four-weekly for 36 weeks
13. Healthcare resource use measured using the Resource Use Measure (RUM, including

ModRUM and bespoke questions) at 12 weeks, 24 weeks and 36 weeks

14. Ingestion of study foods measured using a bespoke questionnaire four-weekly for 36 weeks

15. Use of topical treatments for eczema measured using a bespoke questionnaire four-weekly for 36 weeks

16. Eczema/food allergy genes measured in an optional DNA saliva sample measured using LGC Genomics using KASP genotyping technology at baseline or 24 weeks

17. Adverse events (including the development of food allergy) measured using medical notes captured throughout the full duration of participation

Completion date

31/10/2026

Eligibility

Key inclusion criteria

1. Aged between 3 months and less than 2 years
2. Have eczema diagnosed by an appropriately qualified healthcare professional
3. Have mild, moderate or severe eczema (Patient Orientated Eczema Measure (POEM) score >2 within the previous 28 days)
4. Be accompanied by an adult who is able to give consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Lower age limit

3 months

Upper age limit

2 years

Sex

All

Key exclusion criteria

1. Confirmed or probable* immediate (IgE-type) food allergy to the study foods
2. Previous skin prick test (SPT) or IgE blood test for the study foods
3. Another child in the household already taking part in the trial

* Parents who report symptoms, which in the opinion of the allergy panel/their GP, are suspicious of an immediate-type reaction.

Date of first enrolment

01/03/2023

Date of final enrolment

22/08/2025

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre**NIHR CRN: West of England**

Whitefriars

Lewins Mead

Bristol

United Kingdom

BS1 2NT

Study participating centre**NIHR CRN: Wessex**

Unit 7 Berrywood Business Village

Tollbar Way

Hedge End

Southampton

United Kingdom

SO30 2UN

Study participating centre**NIHR CRN: Greater Manchester**

2nd Floor

Citylabs

Nelson Street

Manchester

United Kingdom

M13 9NQ

Study participating centre**NIHR CRN: Thames Valley and South Midlands**

John Radcliffe Hospital

Headley Way

Headington

Oxford
United Kingdom
OX3 9DU

Study participating centre

University Hospitals Bristol and Weston NHS Foundation Trust
Trust Headquarters
Marlborough Street
Bristol
United Kingdom
BS1 3NU

Study participating centre

University Hospital Southampton NHS Foundation Trust
Southampton General Hospital
Tremona Road
Southampton
United Kingdom
SO16 6YD

Study participating centre

Manchester University NHS Foundation Trust
Cobbett House
Oxford Road
Manchester
United Kingdom
M13 9WL

Sponsor information

Organisation

University of Bristol

ROR

<https://ror.org/0524sp257>

Funder(s)

Funder type

Government

Funder Name

National Institute for Health and Care Research

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored on the University Research Data Storage Facility (RDSF) and will be available upon request from the Chief Investigator, Prof Matthew Ridd (m.ridd@bristol.ac.uk, or appointed nominee). The type of data that will be shared is anonymous research data, which may include qualitative audio recordings and/or associated data such as anonymised transcripts. Consent will be obtained from all participants for anonymous data to be shared with other researchers.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			26/07/2023	No	No
Protocol file	version 5.0	23/08/2023	18/12/2023	No	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes