

BeWEL: the impact of a bodyweight and physical activity intervention on adults at risk of developing colorectal adenomas

Submission date 20/09/2010	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 07/02/2011	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 25/10/2022	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

<https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-study-to-assess-impact-of-lifestyle-advice-to-people-who-have-had-a-bowel-adenoma-removed-bewel>

Contact information

Type(s)

Scientific

Contact name

Prof Annie Anderson

Contact details

Centre for Public Health Nutrition Research
University of Dundee
Division of Clinical and Population Sciences and Education
Mailbox 7, Level 7
Ninewells Hospital and Medical School
Dundee
United Kingdom
DD1 9SY

Additional identifiers

Protocol serial number

2009ON07; G0802030

Study information

Scientific Title

BeWEL: a two-arm multicentre randomised controlled trial of a multiple contact personalised intervention programme versus usual care on weight loss

Acronym

BeWEL

Study objectives

To evaluate the impact of a an intervention programme ("BeWEL") on body weight change, cardiovascular risk factors, diet and physical activity in healthy individuals attending routine NHS clinics who have had pre-cancerous bowel polyps removed but are at risk of developing future cancer and other obesity related conditions.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Tayside Committee on Medical Research Ethics B Research Ethics Committee, 23/07/2010, ref: 10/S1402/34

Study design

Two-arm multicentre randomised controlled trial

Primary study design

Intentional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Colorectal cancer and cardiovascular disease

Interventions

Intervention group (IG):

Receives the "BeWEL" personalised intervention programme, personal body weight scales and invitations to undertake supervised monthly body weight recordings. The BeWEL personalised, multiple contact, intervention programme will include:

1. Goal-setting for weight, activity, and calorie intake
2. Self-monitoring to achieve these goals
3. Frequent contact to provide accountability and sustain focus
4. Use of problem-solving and other "toolbox" strategies to address goals and potential barriers to achieving them
5. Emphasis on managing individual high-risk situations

The approach will take particular care to emphasise the importance of regular self weighing which is widely associated with greater weight loss and weight prevention (showing a 1 to 3 BMI unit advantage over individuals who do not self weight frequently).

Comparison group (UC):

The usual care (UC) group will be given a general leaflet on healthy lifestyle which is widely available in the NHS setting. This will ensure that all participants receive some lifestyle advice which at the moment is given out on an ad hoc basis.

The total duration of treatment and follow-up is 12 months. Participants will be followed up at 3 months and 12 months post-baseline, and will receive the BeWEL intervention (or usual care) throughout the whole 12 months.

Intervention Type

Behavioural

Primary outcome(s)

Current primary outcome measures as of 24/05/2011:

Measured at baseline, 3 months and 12 months:

Body weight (BMI)

Previous primary outcome measures:

Measured at baseline, 3 months and 12 months:

1. Body weight (BMI)
2. Waist circumference

Key secondary outcome(s)

Measured at baseline, 3 months and 12 months:

1. Waist circumference (Added 24/05/2011)
2. Lipid profile
3. Homeostatic model assessment (HOMA) from fasting insulin and glucose
4. HbA1C
5. Blood pressure
6. Diet
7. Self-assessed health and self-efficacy
8. Objectively measured physical activity levels (from 7 day SenseWear physical activity monitor)
9. Change in primary outcome measures by deprivation
10. Perceived acceptability of the programme (from post-study questionnaires and interviews)
11. Intervention costs

Completion date

20/09/2012

Eligibility

Key inclusion criteria

1. Aged 50 to 74 years, either sex
2. Have participated in the NHS Scottish Bowel Screening Programme
3. Had one or more benign adenomas removed
4. Body mass index (BMI) greater than 25 m/kg²
5. Physically able to undertake exercise requirements
6. Able to provide informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

329

Key exclusion criteria

1. Normal colonoscopy
2. Diagnosed with cancer as a result of their colonoscopy
3. Currently suffering from cancer at another site
4. Rely on insulin administration for glucose control
5. BMI less than 25 kg/m²

Date of first enrolment

21/09/2010

Date of final enrolment

20/09/2012

Locations**Countries of recruitment**

United Kingdom

Scotland

Study participating centre

University of Dundee

Dundee

United Kingdom

DD1 9SY

Sponsor information**Organisation**

University of Dundee (UK)

ROR

<https://ror.org/03h2bxq36>

Funder(s)

Funder type

Research council

Funder Name

Medical Research Council (MRC) - National Prevention Research Initiative (NPRI) (UK) (ref: G0802030)

Results and Publications

Individual participant data (IPD) sharing plan

Not provided at time of registration

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	18/12/2013		Yes	No
Results article	results	07/03/2014		Yes	No
Results article	results	01/03/2015		Yes	No
Results article	results	01/06/2018	08/11/2019	Yes	No
Protocol article	protocol	25/03/2011		Yes	No
Plain English results			25/10/2022	No	Yes