ISRCTN54340540 https://doi.org/10.1186/ISRCTN54340540

Cost effectiveness, safety and efficiency of using a cannulatome versus a cannula for initial cannulation at endoscopic retro-grade cholangiopancreatography (ERCP) in suspected choledocolithiasis

Submission date	Recruitment status	[ ] Prospectively registered
30/09/2004	No longer recruiting	[ ] Protocol
Registration date	Overall study status	[ ] Statistical analysis plan
30/09/2004	Completed	[ ] Results
Last Edited	Condition category	[ ] Individual participant data
15/04/2015	Digestive System	[ ] Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr A S Mee

Contact details
Gastroenterology Department
Royal Berkshire & Battle Hospitals NHS Trust
London Road
Reading
United Kingdom
RG1 5AN

Additional identifiers

Protocol serial number
N0199129927

Study information

Scientific Title
Cost effectiveness, safety and efficiency of using a cannulatome versus a cannula for initial cannulation at endoscopic retro-grade cholangiopancreatography (ERCP) in suspected choledocolithiasis

Study objectives
Is the initial use of a cannulatome more cost effective than the initial use of a diagnostic cannula in patients with suspected choledocolithiasis?

Ethics approval required
Old ethics approval format

Ethics approval(s)
Not provided at time of registration

Primary study design
Interventional

Study design
Single centre randomised controlled trial

Study type(s)
Diagnostic

Health condition(s) or problem(s) studied
Digestive System: Choledocholithiasis

Interventions
Cannulatome vs diagnostic cannula

Intervention Type
Other

Phase
Not Specified

Primary outcome(s)
Success of cannulation, time to cannulation and sphincterotomy and complication rates

Key secondary outcome(s)
Not provided at time of registration

Completion date
27/02/2006

Eligibility

Key inclusion criteria
50 patients who require endoscopic retro-grade cholangiopancreatography (ERCP) for suspected choledocolithiasis

Participant type(s)
Patient

Healthy volunteers allowed
No

Age group
Not Specified

Sex
Not Specified

Key exclusion criteria
Not provided at time of registration

Date of first enrolment
11/06/2003

Date of final enrolment
27/02/2006

Locations

Countries of recruitment
United Kingdom

England

Study participating centre
Royal Berkshire & Battle Hospitals NHS Trust
Reading
United Kingdom
RG1 5AN

Sponsor information

Organisation
Department of Health

Funder(s)

Funder type

Government

Funder Name
Royal Berkshire and Battle Hospitals NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration