

A double-blind, placebo-controlled study to assess the safety and efficacy of PCD-04 as a protective agent against anthracycline-induced cardiotoxicity

Submission date 20/12/2005	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 20/12/2005	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
Last Edited 07/01/2021	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr F.J.F. Broeyer

Contact details

Zernikedreef 10

Leiden

Netherlands

2333 CL

+31 (0)71 5246431

fbroeyer@chdr.nl

Additional identifiers

Study information

Scientific Title

A double-blind, placebo-controlled study to assess the safety and efficacy of PCD-04 as a protective agent against anthracycline-induced cardiotoxicity

Acronym

PROTACMI

Study objectives

Subjects in the PCD-04 arm will show less anthracyclin-induced cardiotoxicity than subjects in the placebo arm.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Breast cancer

Interventions

The patients are either randomised in the PCD-04 group or in the placebo group.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

1. Assessment of safety: this include evaluation of general safety (blood pressure, heart rate, monitoring of the patient during infusion, laboratory tests, urinalysis)
2. Pharmacokinetics: PSD-04 plasma concentrations during study days
3. Pharmacodynamics (primary): echocardiography (ECG): left ventricular diastolic function parameters and ejection fraction

Key secondary outcome(s)

Pharmacodynamics (secondary):

1. Biochemical markers for myocardial damage
2. ECG parameters

Completion date

01/12/2005

Eligibility

Key inclusion criteria

1. Female
2. Willing and able to give written informed consent
3. Between 20 - 75 years of age
4. Scheduled for the current clinical routine protocol for adjuvant chemotherapy for carcinoma of the breast consisting of doxorubicin/cyclophosphamide cycles

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

80

Key exclusion criteria

1. Patients with indication of distant metastases of breast carcinoma
2. Inability to obtain a good quality echocardiogram before study drug administration
3. Patients who are unable to remain in supine condition for more than one hour
4. Patients with (a history of) malignant disease other than carcinoma of the breast
5. Patients with hepatic disorders evidenced by elevated transamines above three times the upper limit of normal
6. Patients with a renal disorder requiring renal replacement therapy
7. Patients with a life expectancy of less than one year for whatever clinical condition

Date of first enrolment

16/09/2003

Date of final enrolment

01/12/2005

Locations**Countries of recruitment**

Netherlands

Study participating centre

Zernikedreef 10

Leiden

Netherlands

2333 CL

Sponsor information

Organisation

LTT Bio-Pharma (Japan)

ROR

<https://ror.org/016yy9j09>

Funder(s)

Funder type

Not defined

Funder Name

Not provided at time of registration

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/11/2014	07/01/2021	Yes	No