

# Handheld robot for minimally invasive neurosurgery

<b>Submission date</b> 29/08/2025	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 04/09/2025	<b>Overall study status</b> Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 31/10/2025	<b>Condition category</b> Cancer	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Pituitary tumours are commonly treated with keyhole surgery through the nose, but the narrow corridor can limit the surgeon's dexterity and make complete, safe tumour removal difficult. The Panda Surgical Handheld System is a small, handheld robotic tool designed to improve precision in these tight spaces. This first-in-human study will evaluate whether using the Panda system during standard pituitary surgery is feasible and safe.

### Who can participate?

Adults (aged 18+ years) with a pituitary adenoma on MRI who have been assessed by the pituitary multidisciplinary team and their neurosurgeon as suitable for endoscopic transsphenoidal surgery

### What does the study involve?

Care follows the usual NHS pathway for endoscopic transsphenoidal surgery. During the operation, the surgeon may use the Panda handheld device alongside standard instruments to assist with precise tumour removal under endoscopic vision. No additional hospital visits beyond routine care are planned; outcomes are assessed up to 6 months after surgery.

### What are the possible benefits and risks of participating?

Potential benefits include more precise tumour removal and safer manoeuvring around delicate structures; however, personal benefit cannot be guaranteed in this early study. Risks are expected to be similar to standard surgery because the device is used as an adjunct.

### Where is the study run from?

The National Hospital for Neurology and Neurosurgery (NHNN), London - a high-volume UK pituitary centre

### When is the study starting and how long is it expected to run for?

October 2025

Who is funding the study?

1. National Institute for Health and Care Research (NIHR) (UK)
2. Panda Surgical Ltd (UK)

Who is the main contact?

Dr John Hanrahan, j.hanrahan@ucl.ac.uk

## Contact information

### Type(s)

Public, Scientific, Principal investigator

### Contact name

Mr John Hanrahan

### ORCID ID

<https://orcid.org/0000-0003-4584-2298>

### Contact details

National Hospital for Neurology and Neurosurgery  
London  
United Kingdom  
WC1N 3BG  
+44 (0)7912220155  
j.hanrahan@ucl.ac.uk

## Additional identifiers

### Clinical Trials Information System (CTIS)

Nil known

### Integrated Research Application System (IRAS)

360322

### Protocol serial number

CPMS 69916

## Study information

### Scientific Title

A handheld robot for minimally invasive neurosurgery – a single-centre, open-label early feasibility and safety study (IDEAL Stage 1) in patients undergoing surgery for pituitary adenoma

### Acronym

HARMONY

### Study objectives

To determine the technical feasibility and clinical safety of the Panda Surgical Handheld System in patients undergoing surgery for pituitary adenoma

## **Ethics approval required**

Ethics approval required

## **Ethics approval(s)**

notYetSubmitted 25/06/2025, Ethics committee name not provided (Address not provided, City not provided, Zip/postal code not provided; Telephone number not provided; Email not provided), ref: Reference number not provided

## **Study design**

Open-label non-randomized single-arm single-centre interventional study

## **Primary study design**

Interventional

## **Study type(s)**

Treatment

## **Health condition(s) or problem(s) studied**

Pituitary adenoma

## **Interventions**

Care follows the usual NHS pathway for endoscopic transsphenoidal surgery. During the operation, the surgeon may use the Panda handheld device alongside standard instruments to assist with precise tumour removal under endoscopic vision. No additional hospital visits beyond routine care are planned; outcomes are assessed up to 6 months after surgery.

## **Intervention Type**

Device

## **Phase**

Phase I

## **Drug/device/biological/vaccine name(s)**

Panda Surgical Handheld System

## **Primary outcome(s)**

1. Feasibility, defined as successful intraoperative use of the Panda Surgical Handheld System during tumour removal and/or closure, as recorded in the surgical operation note and confirmed by independent blinded video review. Timepoint: Intraoperative (day of surgery).
2. Safety, incidence of device-related adverse events and device deficiencies, recorded via case report forms and adverse event reporting, adjudicated by independent video review. Timepoint: From intraoperative period through 6-month follow-up.

## **Key secondary outcome(s)**

1. Intraoperative arterial injury, recorded in operation note and confirmed on video review. Timepoint: Intraoperative.
2. Post-operative cerebrospinal fluid (CSF) leak, recorded in case notes and confirmed radiologically/clinically. Timepoint: During inpatient stay and up to 6 months post-surgery.
3. Infection (including meningitis), recorded from clinical notes and microbiology results. Timepoint: Inpatient stay up to 6 months post-surgery.

4. Extent of resection measured using post-operative MRI with contrast. Timepoint: Approximately 4 months post-surgery.
5. Need for subsequent intervention for complication, documented from case notes. Timepoint: Within 30 days post-surgery.
6. Mortality: survival status recorded from hospital records. Timepoint: At 6 months post-surgery.

#### Endocrine outcomes:

7. New hypopituitarism, assessed by pituitary hormone panel (cortisol, prolactin, FT4, TSH, IGF-1, GH, LH, FSH, testosterone). Timepoint: Post-op inpatient stay, endocrine clinic review, and 6 months.
8. Recovery of pituitary function, assessed by pituitary hormone panel (cortisol, prolactin, FT4, TSH, IGF-1, GH, LH, FSH, testosterone). Timepoint: At 6 months.
9. Remission (functioning adenomas) assessed by biochemical hormone markers. Timepoint: At 6 months.
10. Post-operative dysnatremia assessed by serum sodium monitoring. Timepoint: Inpatient stay and up to 6 months.
11. Sexual/reproductive health outcomes assessed using clinical history and endocrine profile. Timepoint: At 6 months.

#### Ophthalmic outcomes:

12. Visual acuity measured using Snellen chart or equivalent. Timepoint: Pre-op, inpatient stay, 6 months.
13. Visual fields measured by formal perimetry. Timepoint: Pre-op, inpatient stay, 6 months.

#### Nasal outcomes:

14. Sense of smell/taste assessed by patient self-report and clinical review. Timepoint: Inpatient stay and 6 months.

#### Quality of life outcomes:

15. General health status measured using SF-36 questionnaire. Timepoint: Pre-operatively (twice, two weeks apart), and at 3 and 6 months post-op.
16. Pituitary-specific quality of life measured using Pituitary Outcome Score. Timepoint: Pre-operatively, 3 and 6 months post-op.

#### Other outcomes:

17. Readmission recorded from hospital records. Timepoint: Within 30 days post-surgery.

#### Long-term disease control:

18. Re-operation, need for radiotherapy, or need for additional medical therapy, recorded in patient records. Timepoint: Up to 6 months.
19. Recurrent disease assessed using biochemical hormone profile or MRI imaging. Timepoint: At 6 months.

#### Resource use/cost:

20. Intraoperative resource use: operating time and equipment used, recorded in theatre log. Timepoint: Intraoperative.
21. Patient-level costs collected via hospital records (length of stay, re-intervention). Timepoint: Inpatient stay and up to 6 months.

#### Completion date

25/12/2026

# Eligibility

## Key inclusion criteria

1. Adult patient  $\geq 18$  years
2. Suspected pituitary adenoma defined on a dedicated contrast-enhanced pituitary MRI scan
3. Capacity to consent for research study
4. Able to meet the proposed primary study schedule including face-to-face clinic reviews

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Adult

## Lower age limit

18 years

## Sex

All

## Key exclusion criteria

1. Paediatric patients
2. Patients without capacity to consent for study
3. Patients undergoing transcranial surgery
4. Previous transsphenoidal surgery in previous 12 months
5. Radiological evidence of an alternative diagnosis (pituitary hypophysitis)
6. Patients with contraindications to undergo magnetic resonance imaging
7. Patients with contraindications to intravenous gadolinium contrast for imaging
8. Unmanaged chronic infection
9. Uncontrolled chronic health condition precluding safe anaesthesia

## Date of first enrolment

30/10/2025

## Date of final enrolment

30/03/2026

# Locations

## Countries of recruitment

United Kingdom

England

## Study participating centre

**National Hospital for Neurology & Neurosurgery**  
Queen Square  
London  
United Kingdom  
WC1N 3BG

## Sponsor information

### Organisation

University College London

### ROR

<https://ror.org/02jx3x895>

## Funder(s)

### Funder type

Industry

### Funder Name

Panda Surgical

### Funder Name

NIHR i4i

## Results and Publications

### Individual participant data (IPD) sharing plan

Datasets generated will be available upon reasonable request from Mr John Hannahan (j.hanrahan@ucl.ac.uk).

The type of data that will be shared: De-identified participant-level data (baseline demographics, surgical outcomes, adverse events, endocrine/ophthalmic/nasal outcomes, and quality of life questionnaires), along with the study protocol and statistical analysis plan.

Data will be available from study completion (expected 2026) for a minimum of 5 years. Consent for data sharing will be included in the consent form. All data will be deidentified and anonymised.

### IPD sharing plan summary

Available on request