

GnRH antagonist administration for patients at high risk of severe Ovarian Hyperstimulation Syndrome (OHSS) down regulated GnRH agonist

Submission date 14/12/2005	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 28/02/2006	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 24/08/2009	Condition category Urological and Genital Diseases	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Mohamed Aboulghar

Contact details
3, Street 161
Hadayek El Maadi
Cairo
Egypt
11431
+20 2525 4944
ghar@link.net

Additional identifiers

Study information

Scientific Title

Study objectives

Gonadotropin-Releasing Hormone (GnRH) antagonist has a direct impact on granulosa cells reducing estradiol (E2) production, thus may reduce incidence of severe OHSS

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved by the Institutional review board, August 2005

Study design

Prospective randomised controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Ovarian Hyperstimulation Syndrome (OHSS)

Interventions

GnRH antagonist versus coasting (care as usual)

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

GnRH antagonist

Primary outcome(s)

Current information as of 24/08/09:

High quality embryos

Initial information at time of registration:

OHSS

Key secondary outcome(s)

Current information as of 24/08/09:

1. Days of intervention
2. Number of oocytes
3. Pregnancy rate
4. Number of cryopreserved embryos
5. Incidence of severe OHSS

Initial information at time of registration:

Pregnancy rate

Completion date

01/06/2006

Eligibility**Key inclusion criteria**

Women undergoing in vitro fertilisation (IVF) or IntraCytoplasmic Sperm Injection (ICSI) trial down regulated with GnRH agonist and at risk of severe OHSS

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Key exclusion criteria

1. Women above 39 years old
2. Medical illness

Date of first enrolment

30/11/2005

Date of final enrolment

01/06/2006

Locations**Countries of recruitment**

Egypt

Study participating centre

3, Street 161

Cairo

Egypt

11431

Sponsor information

Organisation

The Egyptian IVF-ET Centre (Egypt)

ROR

<https://ror.org/035aahr55>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

The Egyptian IVF-ET center

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/09/2007		Yes	No